



I - PRODUCT IDENTIFICATION AND USE

MSDS ID: 11215270A

PRODUCT NAME: EZ COOL PBB

USE: Cooling Water Treatment

SUPPLIER:

JohnsonDiversey Canada, Inc.
2401 Bristol Circle
Oakville Ontario, L6H 6P1, Canada

EMERGENCY PHONE:

1-800-668-7171

WHMIS CLASSIFICATION: D2B

CHEMICAL FAMILY: Salt

TRADE NAME / SYNONYMS: not applicable

CHEMICAL NAME: not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species
Sodium molybdate	30-60	007631-95-0	LD50 576 mg/kg	ipr/rat
Sodium tolytriazole	1-5	064665-57-2	LD50 640 mg/kg	oral/rat
Propylene glycol	1-5	000057-55-6	LD50 20000 mg/kg	oral/rat
Sodium bisulphate	1-5	007681-38-1	LD50 2800 mg/kg	oral/rat

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: Natural Rubber or Neoprene

Eye: Safety glasses

Footwear: As required

Respiratory: NIOSH approved dust mask as required.

Other: not required

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact. Avoid breathing dust.

VENTILATION REQUIREMENTS: General ventilation

INCOMPATIBILITY (Material to Avoid): Strong acids

SPILL PROCEDURES: Mop up or soak up with absorbent clay for disposal. Sweep or scoop up material for disposal

WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container.

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: White powder with blue specks, slight sweet odour.

S.G. / BULK DENSITY(g/cc): 0.752

pH: not applicable

VAPOUR PRESSURE (mmHg): not applicable

VAPOUR DENSITY (air=1): not applicable

ODOUR THRESHOLD: not available

BOILING POINT: not applicable

FREEZING POINT: not available

PERCENT VOLATILE: 5%

SOLUBILITY IN WATER: soluble

EVAPORATION RATE (water=1): not applicable

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES: May cause severe irritation.

SKIN: Repeated or prolonged contact may result in irritation.

INGESTION: May cause irritation of the digestive tract.

INHALATION: Breathing dust may cause respiratory irritation.

LD50 (calculated): 1,179 mg/kg		LC50 (calculated): not applicable	
OTHER TOXIC EFFECTS: Propylene glycol (as aerosol) TLV - 10 mg/m3; TLV-TWA (Sodium molybdate): 5 mg/m3			
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: none known			
VI - FIRST AID MEASURES			
EYES:	Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.		
SKIN:	Flush affected area thoroughly with water. If irritation develops, contact a physician.		
INGESTION:	Drink large volumes of water. Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician.		
INHALATION:	Remove patient to fresh air. If symptoms persist, contact a physician.		
VII - FIRE AND EXPLOSION DATA			
FLAMMABLE: No			
FLASH POINT, °C: not applicable		AUTO IGNITION TEMPERATURE, °C: N/Ap	
EXTINGUISHING MEDIA: Water [X] Dry Chemical [X] Carbon Dioxide [X] Foam [X] Other []			
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.			
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitrogen, molybdenum and phosphorus. Phosphines.			
EXPLOSIVE SENSITIVITY TO: not applicable			
VIII - REACTIVITY DATA			
STABILITY: Stable [X] Unstable []			
CONDITIONS TO AVOID: not applicable			
INCOMPATIBILITY (Material to Avoid) : strong acids			
HAZARDOUS DECOMPOSITION PRODUCTS: Contact with acid may release bromine gas.			
REACTIVITY: not dangerously reactive			
IX - MSDS PREPARATION			
SOURCES USED: RTECS		PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department Industrial Division Phone (905) 829-1200	
PREPARATION DATE: April 15, 2003			
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.			