



MATERIAL SAFETY DATA SHEET



| I - PRODUCT IDENTIFICATION AND USE | | | MSDS ID: 2672 | |
|---|-------|--|------------------|-----------------|
| PRODUCT NAME: DIV-O-KLEEN ES | | | | |
| USE: General Purpose Cleaner | | | | |
| SUPPLIER: | | EMERGENCY PHONE: | | |
| JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada | | 1-800-668-7171 | | |
| WHMIS CLASSIFICATION: E CHEMICAL FAMILY: caustic alkali | | TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable | | |
| II - HAZARDOUS INGREDIENTS | | | | |
| HAZARDOUS INGREDIENT | % w/w | CAS # | LD50 / LC50 | Route / Species |
| Sodium hydroxide | 7-13 | 001310-73-2 | LDIo 500 mg/kg | oral/rat |
| Sodium dodecylbenzene sulphonate | 1-5 | 025155-30-0 | LD50 1260 mg/kg | oral/rat |
| Alkyoxypolyethylenoxy ethanol | 1-5 | 066455-14-9 | LD50 4600 mg/kg | oral/rat |
| Proprietory hydrocarbon mixture | 1-5 | 069430-33-7 | LD50 2500 mg/kg | oral/rat |
| Sodium xylene sulphonate | 1-5 | 001300-72-7 | LD50 10000 mg/kg | oral/rat |
| PERSONAL PROTECTIVE EQUIPMENT: Gloves: natural rubber or neoprene Eye: safety goggles Footwear: rubber boots Respiratory: If mists are generated, use NIOSH approved mask Other: rubber apron, face shield SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact. Do not breathe mist or spray. VENTILATION REQUIREMENTS: general ventilation | | | | |
| INCOMPATIBILITY (Material to Avoid): Acidic material, aluminum, zinc. | | | | |
| SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Neutralize with dilute acid. Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water. | | | | |
| WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations. | | | | |
| STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Avoid freezing. UN1760 | | | | |
| IV - PHYSICAL PROPERTIES | | | | |
| APPEARANCE / ODOUR: Light brown liquid, mild orange odour | | | | |
| S.G. / BULK DENSITY(g/cc): 1.12 | | pH: (conc.) 13.3 ± 0.5 | | |
| VAPOUR PRESSURE (mmHg): not available | | VAPOUR DENSITY (air=1): not applicable | | |
| ODOUR THRESHOLD: not available | | BOILING POINT: >100°C | | |
| FREEZING POINT: not available | | PERCENT VOLATILE: approx. 73% | | |
| SOLUBILITY IN WATER: soluble | | EVAPORATION RATE (water=1): Approx. 1 | | |
| V - TOXICOLOGICAL PROPERTIES | | | | |
| EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: Corrosive. May cause severe irritation. May cause temporary or permanent damage if not treated promptly. SKIN: Corrosive. May cause severe irritation. May cause temporary or permanent damage if not treated promptly. | | | | |

| INGESTION: May cause irritation of the digestive tract. May cause nausea, vomiting and diarrhea. | | | | | |
|--|--|--|--|--|--|
| INHALATION: Breathing spray or mist may cause respiratory irritation. N | Aay cause headache, drowsiness and dizziness. | | | | |
| LD50 (calculated): 3400 mg/kg | LC50 (calculated): Not applicable | | | | |
| OTHER TOXIC EFFECTS: Sodium Hydroxide TLV-CL 2 mg/m3 | | | | | |
| EFFECTS OF CHRONIC None known. EXPOSURE TO MATERIAL: | | | | | |
| VI - FIRST AID MEASURES | | | | | |
| EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately. | | | | | |
| SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician. | | | | | |
| INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately. | | | | | |
| INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty. | | | | | |
| VII - FIRE AND EXPLOSION DATA | | | | | |
| FLAMMABLE: No | | | | | |
| FLASH POINT, °C: >100°C | AUTO IGNITION TEMPERATURE,°C: N/Ap. | | | | |
| EXTINGUISHING MEDIA: Water [X] Dry Chemical [X] Carbon Dioxide [X] Foam [X] Other [] | | | | | |
| SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus. | | | | | |
| HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, sulphur. | | | | | |
| EXPLOSIVE SENSITIVITY TO: not applicable | | | | | |
| VIII - REACTIVITY DATA | | | | | |
| STABILITY: Stable [x] Unstable [] | | | | | |
| CONDITIONS TO AVOID: None | | | | | |
| INCOMPATIBILITY (Material to Avoid) : Acidic materials, aluminum, zinc. | | | | | |
| HAZARDOUS DECOMPOSITION PRODUCTS: Heat released on contact with acids. Contact with aluminum or zinc releases hydrogen gas. | | | | | |
| REACTIVITY: not dangerously reactive | | | | | |
| IX - MSDS PREPARATION | | | | | |
| SOURCES USED: MSDS, RTECS. | PREPARED BY: JohnsonDiversey Canada, Inc. | | | | |
| PREPARATION DATE: April 15, 2003 | - Regulatory Department Industrial Division | | | | |
| | Phone (905) 829-1200 | | | | |
| Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use. | | | | | |