

MULTI

National Fire Protection Association (NFPA)	Fire Hazard Health Reactivity 4 0 0	Hazardous Material Information System (HMIS)	<table><tr><td>Health</td><td>0</td></tr><tr><td>Fire Hazard</td><td>4</td></tr><tr><td>Reactivity</td><td>0</td></tr></table>	Health	0	Fire Hazard	4	Reactivity	0
Health	0								
Fire Hazard	4								
Reactivity	0								
Specific Hazard									
Protective Clothing	None required.								
Emergency Overview	WARNING: FLAMMABLE. CONTENTS UNDER PRESSURE. Off-white. Aerosol. See Section 9.								

Section 1. Chemical Product and Company Identification

Product Name MULTI	Code 4390
Product Use Industrial/Institutional: Furniture care.	PMS# 453307
MSDS# 114390006	Validation Date 2/1/2005
U.S. Headquarters JohnsonDiversey, Inc. 8310 16th Street Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.johnsondiversevy.com	Canadian Headquarters JohnsonDiversey - Canada, Inc. 2401 Bristol Circle Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131
	Print Date 2/1/2005 Supersedes 1/3/2002 In Case of Emergency (800) 851-7145

Section 2. Composition and Information on Ingredients

Ingredients	CAS #	% by Weight	Exposure Limits	LC50/LD50
Butane	106-97-8	1-5	TWA: 1900 (mg/m ³) from OSHA (PEL) [United States] TWA: 1900 (mg/m ³) from ACGIH (TLV) [United States]	Not available.
Silicones	63148-62-9	1-5	Not available.	DERMAL (LD50): Acute: 19400 mg/kg [Rabbit]. Not available.
Propane	74-98-6	1-5	TWA: 1800 (mg/m ³) from OSHA (PEL) [United States] TWA: 4508 (mg/m ³) from ACGIH (TLV) [United States]	
Isobutane	75-28-5	1-5	Not available.	VAPOR (LC50): Acute: 0.0057 ppm 0.25 hours [Rat]. Not available.
Isoparaffinic Hydrocarbon Solvent	64742-48-9	5-10	Not available.	
Water	7732-18-5	60-100	Not available.	Not applicable.

Section 3. Hazards Identification

Routes of Entry Eye contact. Inhalation. Skin contact
Potential Acute Health Effects <u>Eyes</u> None known. <u>Skin</u> None known. <u>Inhalation</u> None known. <u>Ingestion</u> None known.

Medical Conditions None known.
Aggravated by
Overexposure:

See Toxicological Information (section 11)

Section 4. First Aid Measures

Eye Contact Rinse with plenty of running water.
Skin Contact Rinse with plenty of running water.
Inhalation No specific first aid measures are required.
Ingestion No specific first aid measures are required.

Section 5. Fire Fighting Measures

Flammability of the Product NFPA 30B Level 1 Aerosol.
Flash Points <-7°C (propellant).
Products of Combustion None known.
Fire Fighting Media and Instructions Use water spray to keep fire-exposed containers cool. Dry chemical, carbon dioxide. Fight fire from protected location or maximum possible distance. In case of fire and/or explosion do not breathe fumes..
Protective Clothing (Fire) Put on appropriate personal protective equipment (see Section 8).
Special Remarks on Fire and Explosion Hazards Aerosol product - Containers may rocket or explode in heat of fire.

Section 6. Accidental Release Measures

Personal Precautions Put on appropriate personal protective equipment (see Section 8).
Environmental Precautions and Clean-up Methods Eliminate all ignition sources. In the event of major spillage: Use appropriate containment to avoid environmental contamination. Take up with sand or other non-combustible material. Place in suitable clean, dry containers for disposal by approved methods.

Section 7. Handling and Storage

Handling Use appropriate hygiene measures when handling product. Do not puncture or incinerate. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.
Storage Protect from freezing. Store in a dry, cool and well-ventilated area. Protect from freezing. Keep away from heat, sparks and flame. Pressurized container: protect from sunlight and do not expose to temperature exceeding 50°C. Do not pierce or burn, even after use. KEEP OUT OF REACH OF CHILDREN.

Section 8. Exposure Controls/Personal Protection

Engineering Controls No special ventilation requirements. General room ventilation is adequate.
Personal Protection
Eyes No special requirements under normal use conditions.
Hands No special requirements under normal use conditions.
Respiratory No special requirements under normal use conditions.
Feet No special requirements under normal use conditions.
Body No special protective clothing is required.

Section 9. Physical and Chemical Properties

Physical State and Appearance	Liquid. (Aerosol.)
Odor	Characteristic.
Color	Off-white.
Specific Gravity	0.9
Solubility in water	Complete.

Section 10. Stability and Reactivity

Stability and Reactivity	The product is stable.
Conditions of Instability	Excessive heat.
Incompatibility with Various Substances	None known.
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.
Hazardous Polymerization	Will not occur.

Section 11. Toxicological Information

Acute toxicity	ORAL (LD50) Estimated to be greater than 5000 mg/kg (rat).
Effects of Chronic Exposure	None known.
Other Toxic Effects	None known.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste Information	If possible, recycle empty aerosol cans to the nearest steel recycling center. Use up package or give to someone who can. Dispose of according to all federal, state and local regulations.
-------------------	---

Section 14. Transport Information

DOT Classification	
DOT Proper Shipping Name Packing Group	Please refer to the Bill of Lading/receiving documents for up to date shipping information.
TDG Classification	
TDG Proper Shipping Name TDG Class Packing Group	Please refer to the Bill of Lading/receiving documents for up to date shipping information.

Section 15. Regulatory Information

Reporting in this section is based on ingredients disclosed in Section 2

US Regulations

Federal Clean air act (CAA) 112 accidental release prevention: Butane
 Clean air act (CAA) 112 regulated flammable substances: Propane, Isobutane, Butane
 CERCLA: Hazardous substances.: Propane, Isobutane

State New Jersey: Propane, Isobutane, Butane
 Massachusetts spill list: Propane, Isobutane, Butane
 Massachusetts RTK: Propane, Isobutane, Butane
 Pennsylvania RTK: Propane, Isobutane, Butane


This product is not subject to the reporting requirements under California's Proposition 65.

Registered Product Information Not applicable.

Canadian Regulations

WHMIS Classification Class A: Compressed gas.
 Class B-5: Flammable aerosol.

WHMIS Icon



Registered Product Information Not applicable.

Chemical Inventory Status All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory. All the ingredients are on the DSL list.

Section 16. Other Information

Other Special Considerations Not available.

Version 2.01

Notice to Reader

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.