

Material Safety Data Sheet

BELIEVE ONE STEP TRAFFIC FILM REMOVER

National Fire Protection Association (N		Fire Hazard Reactivity	Hazardous Information (HMIS)		Health2Fire Hazard0Reactivity0
Protective Clothing		Specific Hazard Emergency Overview		e. Liquid. See Se CAUSES EYE AN	ction 9. ND SKIN IRRITATION.
Section 1. C	hemical Product a	nd Company Identificatio	n		
Product Name	BELIEVE ONE S	TEP TRAFFIC FILM REM	OVER	Code	4468 & 4469 & 44693 & 54370
Product Use	Industrial/Institutionation	al: Cleaning product. This produuse.	uct is intended	PMS#	455841
MSDS#	114465006			Validation Date	e 6/25/2002
U.S. Headquarters	U.S. Headquarters		Canadian Headquarters		6/25/2002
Johnson Wax Professional 8310 16th Street			Johnson Wax Professional 100 Matheson Blvd. East, Suite 203	Supersedes	No Previous Validation.
Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.jwp.com		Mississauga, Ontario L Phone: (905) 755-0913 (888) 746-5971	L4Z 2G7	<u>In Case of</u> Emergency	(800) 851-7145

Section 2. Composition and Information on Ingredients				
Ingredients	CAS #	% by Weight	Exposure Limits	LC50/LD50
Sodium Metasilicate Pentahydrate	6834-92-0	0.1-1	Not available.	ORAL (LD50): Acute: 770 mg/kg [Rat].
Quaternary Ammonium Compound	68071-95-4	1-5	Not available.	Not available.
Trisodium Salt of NTA	5064-31-3	1-5	Not available.	ORAL (LD50): Acute: 1100 mg/kg [Rat].
Alcohol Ethoxylates	68439-46-3	1-5	Not available.	ORAL (LD50): Acute: 1378 mg/kg [Rat]. DERMAL (LD50): Acute: >2000 mg/kg [Rabbit].
Water	7732-18-5	60-100	Not available.	Not available.

Section 3. Hazards Identification

Routes of Entry	Inhalation. Skin contact. Eye contact.
Potential Acute Health Effects	
Eyes	May be severely irritating to eyes.
Skin	May be moderately irritating to skin.
	May be irritating to nose, throat, and respiratory tract. Persons with pre-existing respiratory conditions should be particularly careful about possible respiratory effects.
Ingestion	May be irritating to mouth, throat and stomach.
Medical Conditions Aggravated by Overexposure:	Persons with pre-existing respiratory conditions should be particularly careful about possible respiratory effects. Persons with pre-existing skin disorders may be more susceptable to irritating effects. Potential Chronic Health Effects: Repeated eye, skin, or inhalation exposure may have cumulative effects.
See Toxicological Information	(section 11)



Section 4. First Aid Measures

Eye Contact	Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention.
Skin Contact	Flush immediately with plenty of water. If irritation persists, get medical attention.
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention.Do not use this product if any degree of nose, throat or other respiratory irritation, such as coughing, occurs.
Ingestion	Immediately drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention.

Section 5. Fire Fighting Measures

0	•
Flammability of the Product	None known.
Flash Points	Not available.
Products of Combustion	None known.
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.
Special Remarks on Fire and Explosion Hazards	None known.

Section 6. Accidental Release Measures

Personal Precautions	Put on appropriate personal protective equipment (see Section 8).
Environmental Precautions and Clean-up Methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.

Section 7. Handling and Storage

Handling	Avoid contact with eyes, skin and clothing. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Avoid breathing vapors or spray mists. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. KEEP OUT OF REACH OF CHILDREN.

Section 8. Exposure Controls/Personal Protection

Engineering Controls	Use only in well-ventilated areas. Open windows or doors and use exhaust fan in enclosed areas. Do not
	use in steam vapor cleaning equipment.

Personal Protection

Eyes Safety glasses with side shields.

Hands Chemical resistant gloves. Includes: Neoprene gloves. Rubber gloves.

Respiratory No special requirements under normal use conditions.

Feet No special requirements under normal use conditions.

Body If major exposure is possible, wear suitable protective clothing.

Section 9. Physical and Chemical Properties

Physical State and Li Appearance	iquid.
Odor O	Ddorless.
Color C	Clear Orange.
рН 12	2.8 to 13 [Basic.]
Specific Gravity 1.	.04
Boiling/Condensation Point 10	00°C (212°F)
Melting/Freezing Point 0°	°C (32°F)
Solubility in water C	Complete.

Continued on Next Page



Section 10. Stability and Reactivity		
Stability and Reactivity	The product is stable.	
Conditions of Instability	None known.	
Incompatibility with Various Substances	Reactive with acids.	
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.	
Hazardous Polymerization	Will not occur.	

Section 11. Toxicological Information

Acute toxicity	ORAL (LD50) Estimated to be greater than 5000 mg/kg (rat).
Effects of Chronic Exposure	Potential Chronic Health Effects: Repeated eye, skin, or inhalation exposure may have cumulative effects.
Other Toxic Effects	Based upon ingestion of NTA in lifetime feeding studies, NTA has been shown to induce tumors in the urinary tracts of rats and mice. However, on a practical basis and according to guidelines for classification of experimental animal carcinogens of the American Council of Governmental Industrial Hygienists (ACGIH), NTA would not be considered an occupational carcinogen of any practical significance.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste Information

Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local regulations.

Section 14. Transport Information

DOT Classification

DOT Proper	Please refer to the Bill of Lading/receiving documents for up to date shipping information.
Shipping Name	

TDG Classification

TDG ProperPlease refer to the Bill of Lading/receiving documents for up to date shipping information.Shipping Name

Section 15. Regulatory Information

	is based on ingredients disclosed in Section 2
US Regulations	
State	New Jersey: Trisodium Salt of NTA Massachusetts RTK: Trisodium Salt of NTA
	This product contains a chemical known to the State of California to cause cancer, birth defects or other reproductive harm.
Registered Product Information	Not applicable.
Canadian Regulations	
WHMIS Classification	CLASS D-2B: Material causing other toxic effects (TOXIC).
WHMIS Icon	
Registered Product Information	Not applicable.



BELIEVE ONE STEP TRAFFIC FILM REMOVER

Chemical Inventory Status

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Section 16. Other Information		
Other Special Considerations	Not available.	
Version	2.01	
Notice to Reader		an courses considered technically reliable. It does not constitute a margarety converse on implied

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.