

GOOD SENSE - NO SMOKE

| | 0001 | | - NO 3W | | |
|---|--|------------------------------------|---|------------------|--|
| National Fire Fire Hazard | | zard | Hazardous | | Health 0 |
| Protection Association (NFPA) | | | Information (HMIS) | n System | Fire Hazard 4 |
| Association (NFFA) | | Reactivity | (mviis) | | Reactivity 0 |
| | Specific I | Iazard | | | |
| Protective None required. | T. T. T. | Emer | | | |
| Clothing | | Overv | | UNIENIS UN | NDER PRESSURE. |
| Section 1. Chemica | I Product and Con | npany Identific | ation | | |
| Product Name GOO | D SENSE - NO SM | IOKE | | Code | 4786 |
| Product Use Indust | trial/Institutional: Air ca | re. | | PMS# | 433125 |
| MSDS# 11478 | 34001 | | | Validation I | Date 1/10/2001 |
| U.S. Headquarters | | Canadian Headqu | | Print Date | 1/10/2001 |
| Johnson Wax Professional 8310 16th Street | | Johnson Wax Pro | ofessional vd. East, Suite 203 | Supersedes | 4/19/2000. |
| Sturtevant, Wisconsin 5317 | 7-0902 | Mississauga, Ont | tario L4Z 2G7 | In Case of | (800) 851-7145 |
| Phone: (888) 352-2249 MSDS Internet Address: | | Phone: (905) 755 (888) 746-5971 | -0913 or | Emergency | |
| www.jwp.com | | (, | | | |
| Section 2. Composi | tion and Informat | ion on Ingredie | ents | | |
| Ingredients | CAS # | % by Weight | Exposure Lin | nits | LC50/LD50 |
| Isobutane | 75-28-5 | 5-10 | Not available. | | VAPOR (LC50): Acute: 0.0057 ppm 0.25 hours [Rat]. |
| Propane | 74-98-6 | 5-10 | TWA: 1800 (mg/m ³) OSHA (PEL) [United | | Not available. |
| | | | TWA: 4508 (mg/m ³) ACGIH (TLV) [United | from | |
| Butane | 106-97-8 | 10-30 | TWA: 1900 (mg/m ³) | from | Not available. |
| | | | OSHA (PEL) [United TWA: 1900 (mg/m ³) | States] | |
| | | | ACGIH (TLV) [United | | |
| Water | 7732-18-5 | 60-100 | Not available. | | Not applicable. |
| Section 3. Hazards | Identification | | | | |
| Routes of Entry | Inhalation. Skin cor | itact. Eye contact. | | | |
| Potential Acute Health Effec | ts | | | | |
| Eyes None known. | | | | | |
| Skin None known. | | | | | |
| Inhalation None known. | | | | | |
| Ingestion None known. | | | | | |
| Medical Conditions Aggravated by Overexposur | Medical Conditions None known. Aggravated by Overexposure: | | | | |
| See Toxicological Informatio | on (section 11) | | | | |
| | | | | | |

Johnson wax PROFESSIONAL

Section 4. First Aid Measures

| Eye Contact | Rinse with plenty of running water. | |
|--------------|--|--|
| Skin Contact | Rinse with plenty of running water. | |
| Inhalation | No specific first aid measures are required. | |
| Ingestion | No specific first aid measures are required. | |

Section 5. Fire Fighting Measures

| Flammability of the Product Flash Points | NFPA 30B Level 1 Aerosol. < -7°C (propellant). |
|---|--|
| Products of Combustion | None known. |
| Fire Fighting Media and Instructions | Use water spray to keep fire-exposed containers cool. Dry chemical, carbon dioxide. Fight fire from protected location or maximum possible distance. In case of fire and/or explosion do not breathe fumes |
| Protective Clothing (Fire) | Put on appropriate personal protective equipment (see Section 8). |
| Special Remarks on Fire and Explosion Hazards | Aerosol product - Containers may rocket or explode in heat of fire. |

Section 6. Accidental Release Measures

| Personal Precautions | Put on appropriate personal protective equipment (see Section 8). | |
|---|--|--|
| Environmental Precautions and Clean-up Methods | Eliminate all ignition sources. In the event of major spillage: Use appropriate containment to avoid environmental contamination. Take up with sand or other non-combustible material. Place in suitable clean, dry containers for disposal by approved methods. | |

Section 7. Handling and Storage Handling Avoid breathing vapors or spray mists. Use only in well-ventilated areas. Do not puncture or incinerate. FOR INDUSTRIAL USE ONLY Storage Store in a dry, cool and well-ventilated area. Protect from freezing. Keep away from heat, sparks and flame. Pressurized container: protect from sunlight and do not expose to temperature exceeding 50°C.

Section 8. Exposure Controls/Personal Protection

| Engineering Controls | No special ventilation requirements. General room ventilation is adequate. | |
|-----------------------------|--|--|
| Personal Protection | | |
| | Eyes No special requirements under normal use conditions. | |
| | Hands No special requirements under normal use conditions. | |
| Resp | piratory No special requirements under normal use conditions. | |
| | Feet No special requirements under normal use conditions. | |
| | Body No special protective clothing is required. | |

Do not pierce or burn, even after use. KEEP OUT OF REACH OF CHILDREN.

Section 9. Physical and Chemical Properties

| Physical State and Appearance | Liquid. (Aerosol.) |
|----------------------------------|--------------------|
| Odor | Fragrance like. |
| Color | Colorless. |
| рН | Not applicable. |
| Solubility in water | Complete. |

Johnson wax PROFESSIONAL

Section 10. Stability and Reactivity

| , | - |
|--|---|
| Stability and Reactivity | The product is stable. |
| Conditions of Instability | Excessive heat. |
| Incompatibility with Various Substances | None known. |
| Hazardous Decomposition Products | When exposed to fire: Produces normal products of combustion. |
| Hazardous Polymerization | Will not occur. |

ORAL (LD50) Estimated to be greater than 5000 mg/kg (rat).

Section 11. Toxicological Information

 Acute toxicity
 ORAL (LD50)

 Effects of Chronic Exposure
 None known.

sure None known. None known.

Section 12. Ecological Information

Not available.

Other Toxic Effects

Section 13. Disposal Considerations

Waste Information

If possible, recycle empty aerosol cans to the nearest steel recycling center. Use up package or give to someone who can. Dispose of according to all federal, state and local regulations.

Section 14. Transport Information

DOT Classification

| DOT Classification | |
|-----------------------------|--------------------|
| DOT Proper Shipping Name | Consumer Commodity |
| DOT Class | ORM-D |
| TDG Classification | |
| TDG Proper Shipping Name | Consumer Commodity |
| TDG Class | ORM-D |

Section 15. Regulatory Information

| • | |
|-----------------------------------|--|
| Reporting in this section i | is based on ingredients disclosed in Section 2 |
| US Regulations | |
| Federal | Clean air act (CAA) 112 accidental release prevention: Butane Clean air act (CAA) 112 regulated flammable substances: Propane, Isobutane, Butane CERCLA: Hazardous substances.: Propane, Isobutane |
| State | New Jersey: Propane, Isobutane, Butane Massachusetts spill list: Propane, Isobutane, Butane Massachusetts RTK: Propane, Isobutane, Butane Pennsylvania RTK: Propane, Isobutane, Butane |
| | This product is not subject to the reporting requirements under California's Proposition 65. |
| Registered Product Information | Not applicable. |
| Canadian Regulations | |
| WHMIS Classification | CLASS A: Compressed gas. |
| WHMIS Icon | \bigcirc |
| Registered Product Information | Not applicable. |
| I | |

Continued on Next Page



GOOD SENSE - NO SMOKE

Chemical Inventory Status

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

| Section 16. Other Information | | |
|---------------------------------|----------------------------|--|
| Other Special Considerations | MSDS Serial Range: 001-002 | |
| Version | 1.01 | |
| Notice to Reader | | |

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.