

National Fire Protection Association (NFPA)



Hazardous Material Information System (HMIS)

Health	3
Fire Hazard	0
Reactivity	0

Specific Hazard

Protective Clothing



Emergency Clear Red. Liquid. See Section 9.

DANGER. CORROSIVE. CAUSES EYE AND SKIN BURNS. HARMFUL OR FATAL IF SWALLOWED.

Section 1. Chemical Product and Company Identification				
Product Name	J-SHOP HEAVY DUTY INDUSTRIAL DEGREASER		Code	5139 & 5148 & 5149 & 5151 & 51493 & 51494 & 3063411 & 3145635
Product Use	Industrial/Institutional: Cleaning product.		PMS#	444324
MSDS#	115141002		Validation Date	7/9/2003
U.S. Headquarters		Canadian Headquarters	Print Date	7/9/2003
Johnson Wax Professional 8310 16th Street		Johnson Wax Professional 100 Matheson Blvd. East, Suite 203	Supersedes	10/22/2002.
Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.jwp.com		Mississauga, Ontario L4Z 2G7 Phone: (905) 755-0913 or (888) 746-5971	In Case of Emergency	(800) 851-7145

Overview

Section 2. Composition and Information on Ingredients				
Ingredients	CAS#	% by Weight	Exposure Limits	LC50/LD50
Sodium Xylene Sulfonate Sodium Hydroxide	1300-72-7 1310-73-2	1-5 1-5	Not available. OSHA (United States). CEIL: 2 mg/m³ ACGIH (United States). STEL: 2 mg/m³	Not available. Not available.
Sodium Gluconate Alkylphenoxy Polyethoxyethano Dipropylene Glycol Methyl Ether	527-07-1 26027-38-3 34590-94-8	1-5 1-5 5-10	Not available. Not available. OSHA (United States). Skin TWA: 600 mg/m³ STEL: 900 mg/m³ ACGIH (United States). Skin TWA: 606 mg/m³ STEL: 909 mg/m³	Not available. Not available. ORAL (LD50): Acute: 5119 mg/kg [Rat]. DERMAL (LD50): Acute: 9480 mg/kg [Rabbit].
Water	7732-18-5	60-100	Not available.	Not available.

Section 3. Hazards Identification		
Routes of Entry	Eye contact. Skin contact Inhalation.	
Potential Acute Health Effe	ects	
$oldsymbol{E}_{oldsymbol{oldsymbol{\mathcal{I}}}}$	yes Corrosive. May cause permanent damage including blindness.	
SI	kin Corrosive. May cause permanent damage.	
Inhalati	on May cause irritation and corrosive effects to nose, throat and respiratory tract.	
Ingesti	on Corrosive. May cause burns to mouth, throat, and stomach.	
Medical Conditions Aggravated by Overexposu	Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may are: be more susceptible to irritating effects.	
See Toxicological Informati	ion (section 11)	



Section 4. First Aid Measures		
Eye Contact	Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention immediately.	
Skin Contact	Flush immediately with plenty of water for at least 15 minutes. Get medical attention immediately.	
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention immediately.	
Ingestion	Do not induce vomiting! Immediately drink 1-2 glasses of water or milk. Never give anything by mouth to an unconscious person. Get medical attention immediately.	

Section 5. Fire Fighting Measures		
Flammability of the Product Flash Points	None known. CLOSED CUP: >93°C (200°F).	
Products of Combustion	None known.	
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.	
Protective Clothing (Fire)	Put on appropriate personal protective equipment (see Section 8).	
Special Remarks on Fire and Explosion Hazards	Corrosive material (See sections 8 and 10).	

Section 6. Accidental Release Measures		
Personal Precautions	Put on appropriate personal protective equipment (see Section 8).	
Environmental Precautions and Clean-up Methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.	

Section 7. Handling and Storage		
Handling	Avoid contact with eyes, skin and clothing. Do not taste or swallow. Avoid breathing vapors or spray mists. Wash thoroughly after handling. Remove and wash contaminated clothing and footwear before re-use. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.	
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep container tightly closed. KEEP OUT OF REACH OF CHILDREN.	

Section 8. Exposure Controls/Personal Protection		
Engineering Controls	Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.	
Personal Protection Eves	Chemical splash goggles.	
,	Chemical resistant gloves. Includes: Neoprene gloves.	
Respiratory	If mists/vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.	
Feet	Protective footwear.	
Body	If major exposure is possible, wear suitable protective clothing and footwear.	

Section 9. Physical and Chemical Properties		
Physical State and Appearance	Liquid.	
Odor	Mild. Amine like.	
Color	Clear Red.	
pН	13.5 [Basic.]	
Specific Gravity	1.05	
Boiling/Condensation Point	100°C (212°F)	
Solubility in water	Complete.	



Section 10. Stability and Reactivity		
Stability and Reactivity	The product is stable.	
Conditions of Instability	None known.	
Incompatibility with Various Substances	Reactive with acids. Do not mix with any other chemicals or products unless specified by label.	
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion.	
Hazardous Polymerization	Will not occur.	

Section 11. Toxicological Information	
Acute toxicity	Corrosive.
Effects of Chronic Exposure	None known.
Other Toxic Effects	None known.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations Waste Information Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local regulations.

Section 14. Transport Information			
DOT Classification			
DOT Proper Shipping Name	Please refer to the Bill of Lading/receiving documents for up to date shipping information.		
TDG Classification			
TDG Proper Shipping Name TDG Class	Please refer to the Bill of Lading/receiving documents for up to date shipping information.		

Section 15. Regulatory Information

Reporting in this section is based on ingredients disclosed in Section 2

US Regulations

Federal Clean Water Act (CWA) 311: Sodium hydroxide CERCLA: Hazardous substances.: Sodium hydroxide

State New Jersey spill list: Sodium hydroxide

New Jersey: Sodium hydroxide, Dipropylene Glycol Methyl Ether

Massachusetts spill list: Sodium hydroxide

Massachusetts RTK: Sodium hydroxide, Dipropylene Glycol Methyl Ether Pennsylvania RTK: Sodium hydroxide, Dipropylene Glycol Methyl Ether

This product is not subject to the reporting requirements under California's Proposition 65.

Registered Product Not applicable.
Information

Canadian Regulations

WHMIS Classification CLASS E: Corrosive liquid.

WHMIS Icon







Registered Product Not applicable.
Information

Chemical Inventory Status

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory

Section 16. Other Information		
Other Special Considerations	MSDS Serial Range:	2-3
Version	1.04	

Notice to Reader

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.