



I - PRODUCT IDENTIFICATION AND USE				MSDS ID: 11542	
PRODUCT NAME: PM-2000					
USE: Solvent Cleaner					
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada			EMERGENCY PHONE: 1-800-668-7171		
WHMIS CLASSIFICATION: D2B CHEMICAL FAMILY: Petroleum Distillate			TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable		
II - HAZARDOUS INGREDIENTS					
HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species	
Petroleum hydrocarbon	100	064742-47-8	LD50 >5000 mg/kg	oral/rat	
III - HANDLING AND DISPOSAL PROCEDURES					
PERSONAL PROTECTIVE EQUIPMENT: Gloves: Nitrile or Polyvinyl Alcohol Eye: safety goggles Footwear: not required Respiratory: If mists are generated, use NIOSH approved mask Other: not required					
SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact. Do not breathe mist, spray or vapours.					
VENTILATION REQUIREMENTS: mechanical exhaust					
INCOMPATIBILITY (Material to Avoid): strong oxidizers					
SPILL PROCEDURES: Ensure adequate ventilation. Eliminate all sources of heat and ignition. Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbant clay for disposal.					
WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.					
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container.					
IV - PHYSICAL PROPERTIES					
APPEARANCE / ODOUR: Clear, colourless liquid					
S.G. / BULK DENSITY(g/cc): 0.81			pH: not applicable		
VAPOUR PRESSURE (mmHg): not available			VAPOUR DENSITY (air=1): not available		
ODOUR THRESHOLD: not available			BOILING POINT: not available		
FREEZING POINT: not available			PERCENT VOLATILE: 100%		
SOLUBILITY IN WATER: insoluble			EVAPORATION RATE (water=1): not available		
V - TOXICOLOGICAL PROPERTIES					
EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: May cause severe irritation. May cause temporary or permanent damage if not treated promptly. SKIN: May cause defatting, drying and cracking of skin. INGESTION: May cause severe irritation of the digestive tract. INHALATION: May cause irritation. May cause central nervous system depression. May cause headaches, drowsiness and dizziness.					
LD50 (calculated): >5000 mg/kg			LC50 (calculated): not available		
OTHER TOXIC EFFECTS: Occupational Exposure Limit - 300 ppm					

EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: none known

VI - FIRST AID MEASURES

EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.
SKIN: Wash affected area thoroughly with soap and water. If irritation develops, contact a physician.
INGESTION: Do not induce vomiting. Contact a physician immediately.
INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.

VII - FIRE AND EXPLOSION DATA

FLAMMABLE: Yes, combustible if heated.

FLASH POINT, °C: 105°C, (PMCC) **AUTO IGNITION TEMPERATURE, °C:** not determined

EXTINGUISHING MEDIA: Water [] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.

EXPLOSIVE SENSITIVITY TO: not applicable

VIII - REACTIVITY DATA

STABILITY: Stable [x] Unstable []

CONDITIONS TO AVOID: high temperature

INCOMPATIBILITY (Material to Avoid) : oxidizing materials

HAZARDOUS DECOMPOSITION PRODUCTS: not available

REACTIVITY: not dangerously reactive

IX - MSDS PREPARATION

SOURCES USED: RTECS, MSDS

PREPARED BY: JohnsonDiversey Canada, Inc.
Regulatory Department
Industrial Division
Phone (905) 829-1200

PREPARATION DATE: January 7, 2004

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.