


MATERIAL SAFETY DATA SHEET



JON-STONE LIQUID POULTICE PART A

HMIS		NFPA	Personal protective equipment		
Health	3	3			
Fire Hazard	0	0			
Reactivity	0	0			

Version Number: 2

Preparation date: 2005-06-29

1. PRODUCT AND COMPANY IDENTIFICATION

Product name: JON-STONE LIQUID POULTICE PART A

MSDS #: 115568001

Product code: 17017

Recommended use: Floor care.

Manufacturer, importer, supplier:

US Headquarters
JohnsonDiversey, Inc.
8310 16th St.
Sturtevant, Wisconsin 53177-0902
Phone: 1-888-352-2249
MSDS Internet Address:
www.johnsondiverse.com

Canadian Headquarters
JohnsonDiversey - Canada, Inc.
2401 Bristol Circle
Oakville, Ontario L6H 6P1
Phone: 1-800-668-3131

Emergency telephone number: 1-800-851-7145 (Prosar); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

CORROSIVE. CAUSES EYE AND SKIN BURNS . HARMFUL OR FATAL IF SWALLOWED.

Principle routes of exposure: Skin contact. Eye contact. Inhalation. Ingestion.
Skin contact: Corrosive. May cause permanent damage.
Eye contact: Corrosive. Causes permanent eye damage, including blindness.
Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract.
Ingestion: Corrosive. Causes burns to mouth, throat and stomach.

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS

Ingredient	CAS #	Weight %	LD50 Oral	LD50 Dermal	LC50 Inhalation
Monoethanolamine	141-43-5	5 - 10%	1720 mg/kg (rat)	1 mL/kg (rabbit)	Not available
2-butoxyethanol	111-76-2	5 - 10%	470 mg/kg (rat)	220 mg/kg (rabbit)	450 ppm (rat)
Sodium hydroxide	1310-73-2	1 - 5%	140 mg/kg (rat)	Not available	Not available

4. FIRST AID MEASURES

Eye contact: Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention immediately.
Skin contact: Flush immediately with plenty of water for at least 15 minutes. Get medical attention immediately.
Inhalation: If breathing is affected, remove to fresh air. Get medical attention immediately.
Ingestion: Do not induce vomiting. Immediately drink one cupful of water or milk. Never give anything by mouth to an unconscious person. Get medical attention immediately.
Aggravated Medical Conditions: None known.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, water spray, foam, carbon dioxide.
Specific hazards: None known.
Unusual hazards: Corrosive material (See sections 8 and 10).

Specific methods: No special methods required

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: None.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Put on appropriate personal protective equipment (see Section 8.).
Environmental precautions and clean-up methods: Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container.

7. HANDLING AND STORAGE

Handling:
Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Remove and wash contaminated clothing and footwear before re-use. Use only in well-ventilated areas. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Storage:
Keep tightly closed in a dry, cool and well-ventilated place. Protect from freezing . Keep out of the reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:
General room ventilation is adequate. Good general ventilation should be sufficient to control airborne levels . Respiratory protection is not required if good ventilation is maintained .

Personal Protective Equipment

Eye protection: Chemical splash goggles.
Hand protection: Chemical resistant gloves. Includes. rubber gloves. neoprene gloves.
Skin and body protection: If major exposure is possible, wear suitable protective clothing and footwear.
Respiratory protection: In case of insufficient ventilation wear suitable respiratory equipment.
Hygiene measures: Avoid contact with skin, eyes and clothing .

Ingredient	CAS #	ACGIH	OSHA	Mexico
Monoethanolamine	141-43-5	6 ppm (STEL) 3 ppm (TWA)	6 mg/m ³ 3 ppm	15 mg/m ³ (STEL) 8 mg/m ³ (TWA)
2-butoxyethanol	111-76-2	20 ppm (TWA)	240 mg/m ³ 50 ppm Can be absorbed through the skin.	360 mg/m ³ (STEL) 120 mg/m ³ (TWA)
Sodium hydroxide	1310-73-2	2 mg/m ³ (Ceiling)	2 mg/m ³	2 mg/m ³ (Ceiling)

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid	Appearance: Aqueous solution
Color: Colourless	Boiling point/range: Not determined
Odor: Characteristic	Melting point/range: Not determined
Specific gravity: 1.02	pH: 13.3
Dilution pH: No information available	Density: 1.02
Bulk density: No information available	Decomposition temperature: Not determined
Vapor density: No information available	Autoignition temperature: No information available
Evaporation rate: No information available	Solubility: Soluble
Solubility in other solvents: No information available	VOC: 14.1
Viscosity: No information available	Flash point: >200 (°F) >93.3 (°C)
Partition coefficient (n-octanol/water): No information available	

10. STABILITY AND REACTIVITY

Stability: The product is stable
Polymerization: Hazardous polymerisation does not occur
Hazardous decomposition products: None reasonably foreseeable
Materials to avoid: Acids.

11. TOXICOLOGICAL INFORMATION

Acute toxicity Corrosive , Oral, LD50 estimated to be between 2000 - 3000 mg/kg.
Component Information: See Section 3
Chronic toxicity: None known

Specific effects

Carcinogenic effects: None known
Mutagenic effects: None known
Reproductive toxicity: None known
Target organ effects: None known

12. ECOLOGICAL INFORMATION

Environmental Information: When used for its intended purpose this product should not cause adverse effects in the environment

13. DISPOSAL CONSIDERATIONS**Waste from residues / unused products:**

Undiluted product is regulated under environmental and transportation laws as a corrosive waste . Dispose of according to all federal, state and local applicable regulations .

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION**International Inventories**

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDL), Europe (EINECS/ELINCS/NLP), Korea (ECL), Japan (ENCS), Philippines (PICCS), China (IECSC).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

Ingredient	CAS #	MARTK:	NJRTK:	PARTK:	RIRTK:	ILRTK:	CTRTK:
Water	7732-18-5	-	-	-	-	-	-
Monoethanolamine	141-43-5	Listed	Listed	Listed	Listed	Listed	Listed
2-butoxyethanol	111-76-2	Listed	Listed	Listed	Listed	Listed	-
Sodium hydroxide	1310-73-2	Listed	Listed	Listed	Listed	Listed	Listed

CERCLA / SARA

Ingredient	CAS #	Weight %	CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313
2-butoxyethanol	111-76-2	5 - 10%			Listed.
Sodium hydroxide	1310-73-2	1 - 5%	1000		

CAA HAP/CAA ODS/CWA Priority Pollutants: None

Canada

WHMIS hazard class: E Corrosive material .

**16. OTHER INFORMATION**

Reason for revision: Not applicable
Prepared by: NAPRAC
Additional advice: None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.