MATERIAL SAFETY DATA SHEET



DUJEL 200

HMIS NFPA			Personal protective equipment		
Health	3	3	4.4		
Fire Hazard	0	0			
Reactivity	0	0			

Version Number: 0 Preparation date: (invalid date)

1. PRODUCT AND COMPANY IDENTIFICATION

 Product name:
 DUJEL 200

 MSDS #:
 11630_HX

Product code: 11630330, 11630470
Recommended use: Acid gel cleaner.

Manufacturer, importer, supplier:

JohnsonDiversey, Inc.
3630 E. Kemper Rd.
Cincinnati, OH 45241
Phone: 1-800-438-2647
Canadian Headquarters
JohnsonDiversey - Canada, Inc.
2401 Bristol Circle
Oakville, Ontario L6H 6P1
Phone: 1-800-668-3131

Emergency telephone number: 1-800-851-7145 (Prosar); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México)

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER. CORROSIVE TO EYES . CAUSES EYE BURNS . HARMFUL OR FATAL IF SWALLOWED. MAY CAUSE ALLERGIC SKIN REACTION

Principle routes of exposure: Eye contact. Skin contact. Inhalation.

Eye contact: Corrosive. Causes permanent eye damage, including blindness.

Skin contact: Severe skin irritation.

Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract.

Ingestion: Corrosive. May cause burns to mouth, throat and stomach.

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS

Ingredient	CAS#	Weight %	LD50 Oral	LD50 Dermal	LC50 Inhalation	
Urea monohydrochloride	506-89-8	20 - 30%	1121 mg/kg (rat)	Not available	Not available	

4. FIRST AID MEASURES

Eye contact: Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical

attention immediately.

Skin contact: Flush immediately with plenty of water for at least 15 minutes. Get medical attention. If breathing is affected, remove to fresh air. Get medical attention immediately.

Ingestion: Do not induce vomiting. Immediately drink one cupful of water or milk. Never give anything by mouth to an

unconscious person. Get medical attention immediately.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be

more susceptible to irritating effects .

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Dry chemical, water spray, foam, carbon dioxide.

Specific hazards:Thermal decomposition can lead to release of irritating gases and vapors. Fires fueled by other materials

may release hydrogen bromide, bromine, hydrogen chloride, or chlorine .

Unusual hazards: Corrosive material (See sections 8 and 10).

Specific methods: No special methods required.

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

DUJEL 200 1 of 3

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Ensure adequate ventilation. Use personal protective equipment.

Environmental precautions Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Clean up and clean-up methods:

affected area with water.

7. HANDLING AND STORAGE

Handling:

Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing and footwear before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.

Keep tightly closed in a dry, cool and well-ventilated place. Keep out of the reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.

Personal Protective Equipment

Eye protection: Chemical splash goggles.

Chemical resistant gloves Includes neoprene gloves Hand protection:

Wear suitable protective clothing. Skin and body protection:

In case of insufficient ventilation wear suitable respiratory equipment. Respiratory protection: Handle in accordance with good industrial hygiene and safety practice Hygiene measures:

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Liquid Appearance: Aqueous solution Color: Clear Red Boiling point/range: >200 (°F) >100 (°C) Odor: Melting point/range: Not determined Mild

Specific gravity: 1.103 g/mL pH: 1 - 2 Dilution pH: 1 - 2 (1%) Density: No information available.

Decomposition temperature: Bulk density: No information available Not determined Autoignition temperature: Vapor density: No information available No information available

Evaporation rate: No information available Solubility: Soluble Solubility in other No information available VOC: 0.1%

solvents:

Viscosity: No information available Flash point: Not applicable

Partition coefficient (n-octanol/water): No information available

10. STABILITY AND REACTIVIT

Stability: The product is stable

Polymerization: Hazardous polymerisation does not occur.

Hazardous decomposition products: Oxides of carbon.

Materials to avoid: Acids. Do not mix with chlorinated products . Bases .

Conditions to avoid: Keep away from heat.

11. TOXICOLOGICAL INFORMATION

Acute toxicity LD50 estimated to be between 2000 - 3000 mg/kg Corrosive

See Section 3 **Component Information: Chronic toxicity:** None known

Specific effects

Carcinogenic effects: None known Mutagenic effects: None known Reproductive toxicity: None known Target organ effects: None known

12. ECOLOGICAL INFORMATION

Environmental Information: When used for its intended purpose this product should not cause adverse effects in the environment

13. DISPOSAL CONSIDERATIONS

2 of 3 **DUJEL 200**

Waste from residues / unused products:

Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local applicable regulations.

RCRA Hazard Class: D002

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), China (IECSC).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

Ingredient	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:	ILRTK:	CTRTK:
Ethoxylated amine	61791-26-2	1	1	ı	1	1	1
Water	7732-18-5	-	-	-	-	-	-
Urea monohydrochloride	506-89-8	ı	ı	ı	ı	ı	1

CERCLA / SARA

CAA HAP/CAA ODS/CWA Priority Pollutants: None

SARA 311/312 Hazard Categories

Immediate: Y
Delayed: N
Fire: N
Reactivity: N
Sudden Release of Pressure: N

Canada

WHMIS hazard class: E Corrosive material .



16. OTHER INFORMATION

Reason for revision:
Prepared by:
Additional advice:
Not applicable
NAPRAC
None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

DUJEL 200 3 of 3