



MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 1233					
PRODUCT NAME: DIVERSEY TEMP					
USE: Mild Abrasive Cleaner					
SUPPLIER:		EMERGENCY PHONE:			
JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		1-800-668-7171			
WHMIS CLASSIFICATION: D2B CHEMICAL FAMILY: surfactant/ abrasive		TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable			
II - HA	ZARDOUS	S INGF	REDIENTS		
HAZARDOUS INGREDIENT	% w/w		CAS #	LD50 / LC50	Route / Species
Silica flour	30 - 60		014808-60-7	not available	
Sodium carbonate	1-5		000497-19-8	LD50 4090 mg/kg	oral/rat
Linear alcohol ethoxylate	1-5		068131-34-5	LD50 2000 mg/kg	oral/rat
III - HANDLING	AND DIS	POSA	L PROCEDURES		
	Avoid eye co p with absorb cial, and feder y area in a clo	pent clay ral regula psed cor	for disposal. ations. tainer. Avoid freezing.		
IV - PI	HYSICAL	PROP	ERTIES		
APPEARANCE / ODOUR: Pale yellow paste					
S.G. / BULK DENSITY(g/cc): >1		pH: (1% solution): 10.5			
VAPOUR PRESSURE (mmHg): not available		VAPOUR DENSITY (air=1): not available			
ODOUR THRESHOLD: not available		BOILING POINT: approx. 100°C			
FREEZING POINT: approx. 0°C		PERCENT VOLATILE: approx. 42%			
SOLUBILITY IN WATER: Partially soluble			EVAPORATION RATE (water=1): approx. 1		
V - TOXIC	COLOGIC	AL PR	OPERTIES		
EFFECTS OF ACUTE EXPOSURE TO MATERIAL:EYES:May cause irritation.SKIN:Repeated or prolonged contact may result in irrINGESTION:May cause severe irritation of the digestive trade					
INHALATION: No serious or irreversible effects expected.					
LD50 (calculated): 2000 mg/kg		LC50 (calculated): not applicable			

OTHER TOXIC EFFECTS: none known						
EFFECTS OF CHRONIC none known EXPOSURE TO MATERIAL:						
VI - FIRST AID MEASURES						
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.						
KIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.						
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.						
INHALATION: Remove patient to fresh air.						
VII - FIRE AND EXPLOSION DATA						
FLAMMABLE: No	1					
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE,°C: N/Ap					
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []						
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.						
HAZARDOUS COMBUSTION PRODUCTS: not applicable.						
EXPLOSIVE SENSITIVITY TO: not applicable						
VIII - REACTIVITY DATA						
STABILITY: Stable [x] Unstable []						
CONDITIONS TO AVOID: not applicable						
INCOMPATIBILITY (Material to Avoid) : acids						
HAZARDOUS DECOMPOSITION PRODUCTS: Contact with acid generates heat.						
REACTIVITY: not dangerously reactive						
IX - MSDS PREPARATION						
SOURCES USED: RTECS, MSDS	PREPARED BY: JohnsonDiversev Canada. Inc. Regulatory Department					
PREPARATION DATE: April 15, 2003	Institutional Division Phone (905) 829-1200					
Information on this form is furnished in compliance with the Regulations re not to be used for any other purpose, nor is it to be reproduced or publishe person or property resulting from any use of the material if reasonable safe assumes no responsibility for injury to any person or property resulting from procedures are followed. Each user assumes the risk in his use of the material context of the intended use.	ed. JohnsonDiversey Canada assumes no responsibility for injury to any ety procedures are not adhered to. In addition, JohnsonDiversey Canada n any abnormal use or theft of the material, even if reasonable safety					