

Fire Hazard **National Fire Hazardous Material** 3 **Protection Information System Fire Hazard** 0 Health Reactivity Association (NFPA) (HMIS) 0 Reactivity Specific Hazard Protective Tan. Liquid. See Section 9. **Emergency** Clothing DANGER. CORROSIVE. CAUSES EYE AND SKIN BURNS. Overview HARMFUL OR FATAL IF SWALLOWED.

Section 1. Chemical Product and Company Identification				
Product Name	MR. MUSCLE OV	MR. MUSCLE OVEN AND GRILL CLEANER		91208
Product Use	Industrial/Institutional	Industrial/Institutional: Cleaning product.		433207
MSDS#	126063001	63001		1/9/2003
U.S. Headquarters		Canadian Headquarters	Print Date	1/9/2003
Johnson Wax Professional 8310 16th Street		Johnson Wax Professional 100 Matheson Blvd. East, Suite 203	Supersedes	No Previous Validation.
Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.jwp.com		Mississauga, Ontario L4Z 2G7 Phone: (905) 755-0913 or (888) 746-5971	In Case of Emergency	(800) 851-7145

Section 2. Composition and Information on Ingredients				
Ingredients	CAS#	% by Weight	Exposure Limits	LC50/LD50
Hydrated Magnesium Aluminum Silicate	12199-37-0	1-5	Not available.	Not available.
Monoethanolamine	141-43-5	1-5	TWA: 8 STEL: 15 (mg/m³) from OSHA (PEL) [United States] TWA: 7.5 STEL: 15 (mg/m³) from ACGIH (TLV) [United States]	ORAL (LD50): Acute: 1720 mg/kg [Rat]. DERMAL (LD50): Acute: 1018 mg/kg [Rabbit].
Sodium Hydroxide	1310-73-2	1-5	CEIL: 2 (mg/m³) from OSHA (PEL) [United States] STEL: 2 (mg/m³) from ACGIH (TLV) [United States]	Not available.
Diethylene Glycol Butyl Ether	112-34-5	10-30	Not available.	ORAL (LD50): Acute: 5660 mg/kg [Rat]. DERMAL (LD50): Acute: 2700 mg/kg [Rabbit].
Water	7732-18-5	60-100	Not available.	Not applicable.

Section 3. Hazards Identification		
Routes of Entry	Inhalation. Skin contact. Eye contact.	
Potential Acute Health Effects		
Eyes	Corrosive. May cause permanent damage including blindness.	
Skin	Corrosive. May cause permanent damage.	
Inhalation	May cause irritation and corrosive effects to nose, throat and respiratory tract.	
Ingestion	Corrosive. May cause burns to mouth, throat, and stomach.	
Medical Conditions Aggravated by Overexposure:	Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be more susceptible to irritating effects.	
See Toxicological Information (section 11)		



Section 4. First Aid Measures		
Eye Contact	Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention immediately.	
Skin Contact	Flush immediately with plenty of water for at least 15 minutes. Get medical attention immediately.	
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention immediately.	
Ingestion	Do not induce vomiting! Immediately drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.	

Section 5. Fire Fighting Measures		
Flammability of the Product Flash Points	None known. CLOSED CUP: <93.333°C (200°F).	
<b>Products of Combustion</b>	None known.	
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.	
<b>Protective Clothing (Fire)</b>	Put on appropriate personal protective equipment (see Section 8.).	
Special Remarks on Fire and Explosion Hazards	Corrosive material (See sections 8 and 10).	

Section 6. Accidental Release Measures		
<b>Personal Precautions</b>	Put on appropriate personal protective equipment (see Section 8.).	
Environmental Precautions and Clean-up Methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.	

Section 7. Handling and Storage		
Handling	Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Avoid breathing vapors or spray mists. Wash thoroughly after handling. Remove and wash contaminated clothing and footwear before re-use. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. FOR INDUSTRIAL USE ONLY.	
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep container tightly closed. KEEP OUT OF REACH OF CHILDREN.	

Section 8. Exposure Controls/Personal Protection		
<b>Engineering Controls</b>	Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.	
Personal Protection		
Eyes	Chemical splash goggles.	
Hands	Chemical resistant gloves. Includes: Neoprene gloves. Rubber gloves.	
Respiratory	If mists/vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.	
Feet	Protective footwear.	
Body	If major exposure is possible, wear suitable protective clothing and footwear.	

Section 9. Physical and Chemical Properties	
Physical State and Appearance	Liquid.
Odor	Citrus.
Color	Tan.
pН	13 [Basic.]
Specific Gravity	1.1



**Boiling/Condensation Point** 100°C (212°F) **Melting/Freezing Point** 0°C (32°F)

Viscosity 300 cP (Dynamic).

Solubility in water Complete.

Section 10. Stability and Reactivity		
Stability and Reactivity	The product is stable.	
Conditions of Instability	None known.	
Incompatibility with Various Substances	Reactive with acids.	
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion. Toxic decomposition products include: Oxides of sodium.	
<b>Hazardous Polymerization</b>	Will not occur.	

Section 11. Toxicological Information		
Acute toxicity	Corrosive.	
<b>Effects of Chronic Exposure</b>	None known.	
Other Toxic Effects	Contains approximately 0.1% Cristobalite (CAS# 14464-46-1), NJ, PA, MA, NTP. This formulation is a heavy, viscous liquid. Therefore, respirable-size particles of dry Crstobalite are not expected to become airborne and will not be inhaled.	

## Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations	
Waste Information	Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local regulations.

Section 14. Transport Information	
DOT Classification	
DOT Proper Shipping Name	Please refer to the Bill of Lading/receiving documents for up to date shipping information.
TDG Classification	
TDG Proper Shipping Name TDG Class	Please refer to the Bill of Lading/receiving documents for up to date shipping information.

### Section 15. Regulatory Information

#### Reporting in this section is based on ingredients disclosed in Section 2

**US Regulations** 

Federal Clean Water Act (CWA) 311: Sodium Hydroxide

CERCLA: Hazardous substances.: Diethylene Glycol Butyl Ether, Sodium Hydroxide

State New Jersey spill list: Diethylene Glycol Butyl Ether, Sodium hydroxide

New Jersey: Monoethanolamine, Diethylene Glycol Butyl Ether, Sodium hydroxideMassachusetts spill list:

Monoethanolamine, Sodium hydroxide

Massachusetts RTK: Monoethanolamine, Sodium hydroxidePennsylvania RTK: Monoethanolamine,

Diethylene Glycol Butyl Ether, Sodium hydroxide

This product is not subject to the reporting requirements under California's Proposition 65.

Registered Product Not applicable.

Information

**Canadian Regulations** 



WHMIS Classification CLASS E: Corrosive liquid.

WHMIS Icon



Registered Product Not applicable. Information

**Chemical Inventory Status** 

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

# Section 16. Other Information

Other Special

Not available.

Considerations

Version

1

#### Notice to Reader

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.