



I - PRODUCT IDENTIFICATION AND USE

MSDS ID: 1260

PRODUCT NAME: SACTIF EXACT GLASS CLEANER CONCENTRATE**USE:** Concentrated Glass Cleaner**SUPPLIER:**JohnsonDiversey Canada, Inc.
2401 Bristol Circle
Oakville Ontario, L6H 6P1, Canada**EMERGENCY PHONE:****1-800-668-7171****WHMIS CLASSIFICATION:** B2 D2B**CHEMICAL FAMILY:** Solvent**TRADE NAME / SYNONYMS:** not applicable**CHEMICAL NAME:** not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species
Isopropanol	10-30	000067-63-0	LD50 5045 mg/kg	oral/rat
Dipropylene glycol methyl ether	5-10	034590-94-8	LD50 5660 mg/kg	oral/rat

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:**Gloves:** not required**Eye:** not required**Footwear:** not required**Respiratory:** If mists are generated, use NIOSH approved mask**Other:** not required**SPECIAL HANDLING PROCEDURES AND EQUIPMENT:** Avoid eye contact. Do not breathe mist, spray or vapours. Do not expose to heat, spark or open flame.**VENTILATION REQUIREMENTS:** General ventilation**INCOMPATIBILITY (Material to Avoid):** oxidizing agents, acids**SPILL PROCEDURES:** Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal.**WASTE DISPOSAL:** Dispose according to municipal, provincial, and federal regulations.**STORAGE / SHIPPING REQUIREMENT:** Store in a cool dry area in a closed container.

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: Clear blue liquid, mild odour.**S.G. / BULK DENSITY(g/cc):** 0.99**pH:** 11.0**VAPOUR PRESSURE (mmHg):** not available**VAPOUR DENSITY (air=1):** not applicable**ODOUR THRESHOLD:** not applicable**BOILING POINT:** not available**FREEZING POINT:** not available**PERCENT VOLATILE:** approx. 99%**SOLUBILITY IN WATER:** Soluble**EVAPORATION RATE (water=1):** not available

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:**EYES:** May cause severe irritation.**SKIN:** Repeated or prolonged contact may result in irritation.**INGESTION:** May cause severe irritation of the digestive tract.**INHALATION:** Breathing spray or mist may cause respiratory irritation. Excessive exposure may cause dizziness.**LD50 (calculated):** 15,922 mg/kg**LC50 (calculated):** not applicable

OTHER TOXIC EFFECTS: TLV-TWA (Isopropanol) 400 ppm; TLV-TWA (Dipropylene glycol methyl ether) 100 ppm	
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: none known	
VI - FIRST AID MEASURES	
EYES:	Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.
SKIN:	Flush affected area thoroughly with water. If irritation develops, contact a physician.
INGESTION:	Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.
INHALATION:	Remove patient to fresh air. Get medical attention for any breathing difficulty.
VII - FIRE AND EXPLOSION DATA	
FLAMMABLE: Yes, ignited by spark or open flame.	
FLASH POINT, °C: 25°C	AUTO IGNITION TEMPERATURE, °C: not appl.
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [X] Other []	
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.	
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.	
EXPLOSIVE SENSITIVITY TO: not applicable	
VIII - REACTIVITY DATA	
STABILITY: Stable [X] Unstable []	
CONDITIONS TO AVOID: high temperature, open flames, sources of ignition	
INCOMPATIBILITY (Material to Avoid) : oxidizing agents, acids	
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon dioxide, carbon monoxide.	
REACTIVITY: not dangerously reactive	
IX - MSDS PREPARATION	
SOURCES USED: RTECS, MSDS	PREPARED BY: JohnsonDiversey Canada. Inc. Regulatory Department Institutional Division Phone (905) 829-1200
PREPARATION DATE: April 15, 2003	
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.	