

JP OPTIMUM FRYER BOIL OUT

National Fire
Protection
Association (NFPA)

Fire Hazard
Information System
(HMIS)

Health

3

Fire Hazard

0

Reactivity
0

Specific Hazard

Protective Clothing







Emergency Overview

White. Powder. See Section 9.

DANGER. CORROSIVE. CAUSES EYE AND SKIN BURNS. HARMFUL OR FATAL IF SWALLOWED.

Section 1. Chemical Product and Company Identification					
Product Name	JP OPTIMUM FR	ER BOIL OUT	Code	48085	
Product Use	luct Use Industrial/Institutional: Specialty chemical. This product is intended to be diluted prior to use.			433386	
MSDS#	126466001		Validation Date	2/11/2002	
U.S. Headquarters Johnson Wax Professional 8310 16th Street Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.jwp.com		Canadian Headquarters	Print Date	2/11/2002	
		Johnson Wax Professional 100 Matheson Blvd. East, Suite 203	Supersedes	1/29/2002.	
		Mississauga, Ontario L4Z 2G7 Phone: (905) 755-0913 or (888) 746-5971	In Case of Emergency	(800) 851-7145	

Section 2. Composition and Information on Ingredients						
Ingredients CAS # % by Weight Exposure Limits LC50/LD50						
Alkylphenoxy Polyethoxyethanol	26027-38-3	1-5	Not available.	Not available.		
Sodium Polyacrylate	9003-04-7	1-5	Not available.	ORAL (LD50): Acute: >40000		
				mg/kg [Rat].		
Water	7732-18-5	10-30	Not available.	Not applicable.		
Sodium Tripolyphosphate	7758-29-4	10-30	Not available.	ORAL (LD50): Acute: 3120		
				mg/kg [Rat].		
Sodium Metasilicate	6834-92-0	30-60	Not available.	ORAL (LD50): Acute: 770 mg/kg		
				[Rat].		

	[ray				
Section 3. Hazard	Section 3. Hazards Identification				
Routes of Entry	Inhalation. Skin contact. Eye contact.				
Potential Acute Health E	ffects				
	Eyes Corrosive. May cause permanent damage including blindness.				
Skin Corrosive. May cause permanent damage.					
Inhalation May cause irritation and corrosive effects to nose, throat and respiratory tract.					
Ingo	Corrosive. May cause burns to mouth, throat, and stomach.				
Medical Conditions Aggravated by Overexpo	Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may sure: be more susceptible to irritating effects.				
See Toxicological Inform	ation (section 11)				

Section 4. First	Section 4. First Aid Measures				
Eye Contact	Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention immediately.				
Skin Contact	Flush immediately with plenty of water for at least 15 minutes. Get medical attention immediately.				
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention immediately.				
Ingestion	Do not induce vomiting! Immediately drink plenty of water. Never give anything by mouth t unconscious person. Get medical attention immediately.				

Section 5. Fire Fighti	Section 5. Fire Fighting Measures				
Flammability of the Product None known. Flash Points Not available.					
Products of Combustion None known.					
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.				
Protective Clothing (Fire)	Put on appropriate personal protective equipment (see Section 8).				
Special Remarks on Fire and Explosion Hazards	Corrosive material (See sections 8 and 10).				

Section 6. Accidental Release Measures				
Personal Precautions Put on appropriate personal protective equipment (see Section 8).				
Environmental Precautions and Clean-up Methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.			

Section 7. Handling	Section 7. Handling and Storage			
Handling Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Wash thoroughly after Remove and wash contaminated clothing and footwear before re-use. Product residue may reempty containers. All precautions for handling the product must be used in handling the empty and residue. FOR INDUSTRIAL USE ONLY. Avoid breathing dust.				
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep container tightly closed. KEEP OUT OF REACH OF CHILDREN.			

Section 8. Exposure	Section 8. Exposure Controls/Personal Protection				
Engineering Controls	Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.				
Personal Protection					
Eyes	Chemical splash goggles.				
Hands Chemical resistant gloves. Includes: Neoprene gloves. Rubber gloves.					
Respiratory	If mists/vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.				
Feet	Protective footwear.				
Body	If major exposure is possible, wear suitable protective clothing and footwear.				

Section 9. Physic	Section 9. Physical and Chemical Properties			
Physical State and Appearance	Solid. (Powder.)			
Odor	Mild.			
Color	White.			
pН	12.7 [Basic.] (1% solution)			
Specific Gravity	0.79			
Solubility in water	Complete.			

JP OPTIMUM FRYER BOIL OUT

Section 10. Stability and Reactivity				
Stability and Reactivity	The product is stable.			
Conditions of Instability	None known.			
Incompatibility with Various Substances	Reactive with acids.			
Hazardous Decomposition Products	When exposed to fire: Produces normal products of combustion. Toxic decomposition products include: Oxides of sodium.			
Hazardous Polymerization	Will not occur.			

,	Section	11.	Toxic	cologi	cal	Informa	tion

Acute toxicity Corrosive.

Effects of Chronic Exposure None known.

Other Toxic Effects Not available.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste Information Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local regulations.

Section 14. Transport Information

DOT Classification

DOT Proper Pleas Shipping Name

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

TDG Classification

TDG Proper Shipping Name TDG Class Please refer to the Bill of Lading/receiving documents for up to date shipping information.

Section 15. Regulatory Information

Reporting in this section is based on ingredients disclosed in Section 2

US Regulations

Federal Clean Water Act (CWA) 311: Sodium Tripolyphosphate

CERCLA: Hazardous substances.: Sodium Tripolyphosphate

State New Jersey spill list: Sodium Tripolyphosphate

New Jersey: Sodium Tripolyphosphate

Massachusetts spill list: Sodium Tripolyphosphate Massachusetts RTK: Sodium Tripolyphosphate Pennsylvania RTK: Sodium Tripolyphosphate

This product is not subject to the reporting requirements under California's Proposition 65.

Registered Product Not applicable.
Information

Canadian Regulations

Canadian NPRI Canadian NPRI: Alkylphenoxy Polyethoxyethanol.


WHMIS Classification CLASS E: Corrosive solid.

WHMIS Icon



Registered Product Not applicable.

Information





JP OPTIMUM FRYER BOIL OUT

Chemical Inventory Status

All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Section 16. Other Information		
Other Special Considerations	Not available.	
Version	1.02	

Notice to Reader

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.