

JP OPTIMUM FRYER BOIL OUT

National Fire Protection Association (NFPA) Fire Hazard

Health 300 Reactivity

Hazardous Material Information System (HMIS) Health 3
Fire Hazard 0
Reactivity 0

Specific Hazard

Protective \(\le \)
Clothing





Emergency White. Powder. See Section 9.

Overview DANGER. CORROSIVE. CAUSES EYE AND SKIN BURNS. HARMFUL OR FATAL IF SWALLOWED.

Section 1. Chemical Product and Company Identification				
Product Name	JP OPTIMUM FRYER BOIL OUT		Code	48085
Product Use	Industrial/Institutional: Specialty chemical. This product is intended to be diluted prior to use.		PMS#	433386
MSDS#	126466001		Validation Date	2/11/2005
U.S. Headquarters		Canadian Headquarters	Print Date	2/11/2005
JohnsonDiversey, Inc. 8310 16th Street Sturtevant, Wisconsin 53177-0902 Phone: (888) 352-2249 MSDS Internet Address: www.johnsondiversey.com		JohnsonDiversey - Canada, Inc. 2401 Bristol Circle Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131	Supersedes In Case of Emergency	2/11/2002 (800) 851-7145

Section 2. Composition and Information on Ingredients				
Ingredients	CAS#	% by Weight	Exposure Limits	LC50/LD50
Alkylphenoxy Polyethoxyethanol	26027-38-3	1-5	Not available.	Not available.
Sodium Polyacrylate	9003-04-7	1-5	Not available.	ORAL (LD50): Acute: >40000 mg/kg [Rat].
Water	7732-18-5	10-30	Not available.	Not applicable.
Sodium Tripolyphosphate	7758-29-4	10-30	Not available.	ORAL (LD50): Acute: 3120 mg/kg [Rat].
Sodium Metasilicate	6834-92-0	30-60	Not available.	ORAL (LD50): Acute: 770 mg/kg [Rat].

Section 3. Hazards Identification		
Routes of Entry	Inhalation. Skin contact. Eye contact.	
Potential Acute Health	n Effects	
-	Eyes Corrosive. May cause permanent damage including blindness.	
Skin Corrosive. May cause permanent damage.		
Inhalation May cause irritation and corrosive effects to nose, throat and respiratory tract.		
Inge	stion Corrosive. May cause burns to mouth, throat, and stomach.	
Medical Conditions Aggravated by Overexposure:	Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema etc., may be more susceptible to irritating effects.	
See Toxicological Info	rmation (section 11)	



Section 4. First Aid Measures		
Eye Contact	Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical attention immediately.	
Skin Contact	Flush immediately with plenty of water for at least 15 minutes. Get medical attention immediately.	
Inhalation	If breathing is difficult: Remove to fresh air. Get medical attention immediately.	
Ingestion	Do not induce vomiting! Immediately drink plenty of water. Never give anything by mouth to an unconscious person. Get medical attention immediately.	

Section 5. Fire Fighting Measures		
Flammability of the Product	None known.	
Flash Points	Not available.	
Products of Combustion	None known.	
Fire Fighting Media and Instructions	Extinguish with water spray or carbon dioxide, dry chemical powder or appropriate foam. Normal fire fighting procedure may be used.	
Protective Clothing (Fire)	Put on appropriate personal protective equipment (see Section 8).	
Special Remarks on Fire and Explosion Hazards	Corrosive material (See sections 8 and 10).	

Section 6. Accidental Release Measures		
Personal Precautions	Put on appropriate personal protective equipment (see Section 8).	
Environmental Precautions and Clean-up Methods	In the event of major spillage: Use appropriate containment to avoid environmental contamination. Sweep or scrape up material. Place in suitable clean, dry containers for disposal by approved methods. Use a water rinse for final clean-up.	

Section 7. Handling and Storage		
Handling	Avoid contact with eyes, skin, and clothing. Do not taste or swallow. Wash thoroughly after handling. Remove and wash contaminated clothing and footwear before re-use. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. Avoid breathing dust. FOR COMMERCIAL AND INDUSTRIAL USE ONLY.	
Storage	Store in a dry, cool and well-ventilated area. Protect from freezing. Keep container tightly closed. KEEP OUT OF REACH OF CHILDREN.	

Section 8. Exposure Controls/Personal Protection		
Engineering Controls	Good general ventilation should be sufficient to control airborne levels. Respiratory protection is not required if good ventilation is maintained.	
Personal Protection	es Chemical splash goggles.	
Lye	s Chemical spiash goggles.	
Hana	ds Chemical resistant gloves. Includes: Neoprene gloves. Rubber gloves.	
Respirator	y If mists/vapors are not adequately controlled by ventilation, use appropriate respiratory protection to avoid over exposure. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use.	
Fee	et Protective footwear.	
Bod	by If major exposure is possible, wear suitable protective clothing and footwear.	



JP OPTIMUM FRYER BOIL OUT

Section 9. Physical and Chemical Properties

Physical State and

Solid. (Powder.)

Appearance Odor

Mild.

Color White.

12.7 @ 1% in Water nН

0.79 Specific Gravity Solubility in water Complete.

Section 10. Stability and Reactivity

Stability and Reactivity The product is stable.

None known. **Conditions of Instability**

Reactive with acids. Incompatibility with

Various Substances

Hazardous Decomposition When exposed to fire: Produces normal products of combustion. Toxic decomposition

Products products include: Oxides of sodium.

Hazardous Polymerization Will not occur.

Section 11. Toxicological Information

Corrosive. Acute toxicity

Effects of Chronic

Exposure

None known.

Other Toxic Effects Not available.

Section 12. Ecological Information

Not available.

Section 13. Disposal Considerations

Waste Information Undiluted product is regulated under environmental and transportation laws as a corrosive

waste. Dispose of according to all federal, state and local regulations.

Section 14. Transport Information

DOT Classification

DOT Proper Shipping Name Please refer to the Bill of Lading/receiving documents for up to date shipping information.

TDG Classification

TDG Proper **Shipping Name TDG Class**

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

Section 15. Regulatory Information

Reporting in this section is based on ingredients disclosed in Section 2

US Regulations

Federal Clean Water Act (CWA) 311: Sodium Tripolyphosphate CERCLA: Hazardous substances.: Sodium Tripolyphosphate





JP OPTIMUM FRYER BOIL OUT

State New Jersey spill list: Sodium Tripolyphosphate

New Jersey: Sodium Tripolyphosphate

Massachusetts spill list: Sodium Tripolyphosphate Massachusetts RTK: Sodium Tripolyphosphate Pennsylvania RTK: Sodium Tripolyphosphate

This product is not subject to the reporting requirements under California's Proposition 65.

Registered Product Not applicable.

Information

Canadian Regulations

Canadian NPRI Canadian NPRI: Alkylphenoxy Polyethoxyethanol.

WHMIS Classification CLASS E: Corrosive solid.

WHMIS Icon



Registered Product Not applicable.
Information

Chemical Inventory Status All ingredients of this product are listed or are excluded from listing on the U.S. Toxic Substances Control Act (TSCA) Chemical Substance Inventory.

Section 16. Other Information

Other Special

Not available.

Considerations

Version 2.01

Notice to Reader

This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to compl with all Federal, State, Provincial and Local laws and regulations.