

# MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 1278

PRODUCT NAME: PRIMA KLOR

**USE:** Multi Purpose Cleaner

SUPPLIER: EMERGENCY PHONE:

JohnsonDiversey Canada, Inc.

2401 Bristol Circle

Oakville Ontario, L6H 6P1, Canada

1-800-668-7171

WHMIS CLASSIFICATION: D2B E TRADE NAME / SYNONYMS: not applicable

CHEMICAL FAMILY: chlorinated alkali CHEMICAL NAME: not applicable

#### **II - HAZARDOUS INGREDIENTS**

HAZARDOUS INGREDIENT	% w/w	CAS#	LD50 / LC50	Route / Species
Sodium dodecylbenzene sulphonate	1-5	025155-30-0	LD50 1260 mg/kg	oral/rat
Sodium metasilicate	7-13	006834-92-0	LD50 1153 mg/kg	oral/rat
Ethylene glycol monobutyl ether	1-5	000111-76-2	LD50 560 mg/kg	oral/rat
Sodium hypochlorite (10.5%-solution)	10-30	007681-52-9	LD50 4445 mg/kg	oral/rat

#### **III - HANDLING AND DISPOSAL PROCEDURES**

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: Natural Rubber, Neoprene or Nitrile Eye: safety goggles Footwear: not required

**Respiratory:** If mists are generated, use NIOSH approved **Other:** impermeable apron

mask

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact. Do not breathe mist, spray or vapours.

VENTILATION REQUIREMENTS: Mechanical exhaust.

INCOMPATIBILITY (Material to Avoid): Acids, reducing agents, ammonia, amines.

SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal.

Wash spill area with large volumes of water.

WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Avoid freezing. UN1760

# **IV - PHYSICAL PROPERTIES**

APPEARANCE / ODOUR: Clear to hazy yellow liquid.

S.G. / BULK DENSITY(g/cc): 1.10 pH: (1%): 11.2

VAPOUR PRESSURE (mmHg): not available VAPOUR DENSITY (air=1): not available

ODOUR THRESHOLD: not available BOILING POINT: approx. 100°C

FREEZING POINT: not available PERCENT VOLATILE: 80%

SOLUBILITY IN WATER: soluble EVAPORATION RATE (water=1): not available

# **V - TOXICOLOGICAL PROPERTIES**

### EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES: Corrosive. May cause severe irritation. May cause permanent damage if not treated promptly.

**SKIN:** Corrosive. May cause severe irritation.

INGESTION: Corrosive. May cause severe irritation of the digestive tract. May cause temporary or permanent damage if not treated promptly.

INHALATION: Breathing mist or spray may cause respiratory irritation. LC50 (calculated): LD50 (calculated): 5850 mg/kg not available OTHER TOXIC EFFECTS: 25 ppm skin ACGIH (Ethylene glycol monobutyl ether); TWA 0.5 ppm, Cl2, STEL 1 ppm Cl2 (Sodium

hyprochlorite); TLV: 2 mg/m3 (Sodium metasilicate) none known

**EXPOSURE TO MATERIAL:** 

**EFFECTS OF CHRONIC** 

**VI - FIRST AID MEASURES** 

EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.

SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.

INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a

physician immediately.

INHALATION: Remove patient to fresh air.

VII - FIRE AND EXPLOSION DATA

FLAMMABLE:

FLASH POINT, °C: not applicable **AUTO IGNITION TEMPERATURE,°C:** N/Ap.

**EXTINGUISHING MEDIA:** Carbon Dioxide [x] Water [x] Dry Chemical [x] Foam [x] Other [ ]

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.

HAZARDOUS COMBUSTION PRODUCTS: Chlorine gas may be released when heated. Oxides of carbon.

**EXPLOSIVE SENSITIVITY TO:** not applicable

**VIII - REACTIVITY DATA** 

STABILITY: Stable [x] Unstable [ ]

**CONDITIONS TO AVOID:** Elevated temperatures speed up chlorine loss.

INCOMPATIBILITY (Material to Avoid): Acids, reducing agents, amines, ammonia.

Contact with acids will produce heat and release chlorine gas. Reducing agents can generate heat releasing chlorine. Contact with ammonia and nitrogen containing compounds can produce nitrogen gas and chloramines. Contact with aluminum or zinc may generate

flammable hydrogen gas.

REACTIVITY: not dangerously reactive

HAZARDOUS DECOMPOSITION PRODUCTS:

**IX - MSDS PREPARATION** 

SOURCES USED: PREPARED BY: RTFCS JohnsonDiversey Canada, Inc.

Regulatory Department

Food Division PREPARATION DATE: April 15, 2003

Phone (905) 829-1200

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.