

MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 1279					ID: 1279	
PRODUCT NAME: KITCHEN DEGREASER D35						
USE: Heavy duty cleaner and degreaser						
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		EMERGENCY PHONE: 1-800-668-7171				
WHMIS CLASSIFICATION: E CHEMICAL FAMILY: Caustic Alkali		TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable				
II - HAZARDOUS INGREDIENTS						
HAZARDOUS INGREDIENT	% w/w		CAS #	LD50 / LC50	Route / Species	
Dipropylene glycol methyl ether Sodium alphaolefin sulphonate Potassium dodecylbenzene sulphonate	1-5 1-5 1-5		034590-94-8 068439-57-6 027177-77-1	LD50 5660 mg/kg LD50 >3500 mg/kg not available	oral/rat oral/rat N.Av.	
III - HANDLING	III - HANDLING AND DISPOSAL PROCEDURES					
VENTILATION REQUIREMENTS: general ventilation INCOMPATIBILITY (Material to Avoid): acids SPILL PROCEDURES: Wear protective clothing. Contain the Mop up or soak up with absorbent or WASTE DISPOSAL: Dispose according to municipal, provincipal	Avoid eye a ne spill. Do r clay for disp	not allow osal. ral regula	the spilled product to	go to drain. Neutralize w UN1760	ith dilute acid.	
IV - PHYSICAL PROPERTIES						
APPEARANCE / ODOUR: clear purple liquid S.G. / BULK DENSITY(g/cc): 1.113 VAPOUR PRESSURE (mmHg): not available ODOUR THRESHOLD: not available FREEZING POINT: approx. 0°C		pH: (concentrate) 13.7 VAPOUR DENSITY (air=1): not available BOILING POINT: approx. 100°C PERCENT VOLATILE: 80%				
SOLUBILITY IN WATER: soluble			EVAPORATION RATE (water=1): 1			
V - TOXICOLOGICAL PROPERTIES						
EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: Corrosive. May cause severe irritation. May cause permanent damage if not treated promptly. SKIN: Corrosive. May cause severe irritation. May cause permanent damage if not treated promptly. INGESTION: Corrosive. May cause severe irritation of the digestive tract. May cause permanent damage if not treated promptly. INHALATION: Breathing vapours or spray may cause respiratory irritation.						

LD50 (calculated): >3500 mg/kg	LC50 (calculated): not applicable					
THER TOXIC EFFECTS: TLV (Dipropylene glycol methyl ether) - TWA 606 mg/m3, - STEL 909 mg/m3						
EFFECTS OF CHRONIC none known EXPOSURE TO MATERIAL:						
VI - FIRST AID MEASURES						
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.						
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.						
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.						
INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.						
VII - FIRE AND EXPLOSION DATA						
FLAMMABLE: No	1					
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE,°C: N/Ap					
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []						
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.						
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, sulphur.						
EXPLOSIVE SENSITIVITY TO: not applicable						
VIII - REACTIVITY DATA						
STABILITY: Stable [x] Unstable []						
CONDITIONS TO AVOID: not applicable						
INCOMPATIBILITY (Material to Avoid) : acids						
HAZARDOUS DECOMPOSITION PRODUCTS: Heat released on contact with acids.						
REACTIVITY: Not dangerously reactive.						
IX - MSDS PREPARATION						
SOURCES USED: RTECS	PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department					
PREPARATION DATE: April 15, 2003	Institutional Division Phone (905) 829-1200					
Information on this form is furnished in compliance with the Regulations res not to be used for any other purpose, nor is it to be reproduced or published person or property resulting from any use of the material if reasonable safet assumes no responsibility for injury to any person or property resulting from procedures are followed. Each user assumes the risk in his use of the mate context of the intended use.	ed. JohnsonDiversey Canada assumes no responsibility for injury to any ety procedures are not adhered to. In addition, JohnsonDiversey Canada n any abnormal use or theft of the material, even if reasonable safety					