



I - PRODUCT IDENTIFICATION AND USE

MSDS ID: 1284

PRODUCT NAME: GLASS CLEANER D61

USE: Glass Cleaner

SUPPLIER:

JohnsonDiversey Canada, Inc.
2401 Bristol Circle
Oakville Ontario, L6H 6P1, Canada

EMERGENCY PHONE:

1-800-668-7171

WHMIS CLASSIFICATION: B3 D2B

CHEMICAL FAMILY: Alkali/Solvent

TRADE NAME / SYNONYMS: not applicable

CHEMICAL NAME: not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species
Isopropanol	1-5	000067-63-0	LD50 5045 mg/kg	oral/rat
Propylene glycol monomethyl ether	1-5	000107-98-2	LD50 5660 mg/kg	oral/rat

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: not required

Eye: not required

Footwear: not required

Respiratory: If mists are generated, use NIOSH approved mask

Other: not required

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye contact. Do not breathe mist, spray or vapours. Do not expose to heat, spark or open flame.

VENTILATION REQUIREMENTS: General ventilation

INCOMPATIBILITY (Material to Avoid): acids

SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal.

WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container.

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: Clear blue liquid, ammonia odour.

S.G. / BULK DENSITY(g/cc): 0.99

pH: 10.3

VAPOUR PRESSURE (mmHg): not available

VAPOUR DENSITY (air=1): not applicable

ODOUR THRESHOLD: not applicable

BOILING POINT: approx. 100°C

FREEZING POINT: -1°C

PERCENT VOLATILE: approx. 99%

SOLUBILITY IN WATER: Soluble

EVAPORATION RATE (water=1): approx. 1

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES: May cause severe irritation.

SKIN: Repeated or prolonged contact may result in irritation.

INGESTION: May cause severe irritation of the digestive tract. May cause temporary or permanent damage if not treated promptly.

INHALATION: Breathing spray or mist may cause respiratory irritation. Excessive exposure may cause dizziness.

LD50 (calculated): 88,914 mg/kg

LC50 (calculated): not applicable

OTHER TOXIC EFFECTS: TLV-TWA (Isopropyl alcohol): 520 mg/m3 (400 ppm) TLV (Propylene Glycol Methyl Ether): 25 ppm ceiling	
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: none known	
VI - FIRST AID MEASURES	
EYES:	Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.
SKIN:	Flush affected area thoroughly with water. If irritation develops, contact a physician.
INGESTION:	Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.
INHALATION:	Remove patient to fresh air. Get medical attention for any breathing difficulty.
VII - FIRE AND EXPLOSION DATA	
FLAMMABLE: Yes, combustible if heated.	
FLASH POINT, °C: 55°C (TCC)	AUTO IGNITION TEMPERATURE, °C:
EXTINGUISHING MEDIA: Water ☒ Dry Chemical ☒ Carbon Dioxide ☒ Foam ☐ Other ☐	
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.	
HAZARDOUS COMBUSTION PRODUCTS: Ammonia. Oxides of carbon.	
EXPLOSIVE SENSITIVITY TO: not applicable	
VIII - REACTIVITY DATA	
STABILITY: Stable ☒ Unstable ☐	
CONDITIONS TO AVOID: high temperature	
INCOMPATIBILITY (Material to Avoid) : Chlorinated materials, oxidizing materials.	
HAZARDOUS DECOMPOSITION PRODUCTS: Heat on contact with strong oxidizers. Chloramines on contact with chlorinated materials. Nitrogen oxides.	
REACTIVITY: not dangerously reactive	
IX - MSDS PREPARATION	
SOURCES USED: RTECS	PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department Institutional Division Phone (905) 829-1200
PREPARATION DATE: April 15, 2003	
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.	