

MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 1296						
PRODUCT NAME: DRAIN & TRAP POWDER GTS	2					
USE: Digester for Grease Traps, Drains and Septic Systems	s					
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		EMERGENCY PHONE: 1-800-668-7171				
WHMIS CLASSIFICATION: D2B CHEMICAL FAMILY: Biological cultures		TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable				
II - HAZ	ZARDOU	s ingf	REDIENTS			
HAZARDOUS INGREDIENT	% w/w		CAS #	LD50 / LC50	Route / Species	
Viable bacteria cultures - mixture			not available	not available	N/avail.	
III - HANDLING AND DISPOSAL PROCEDURES						
Respiratory: NIOSH approved dust mask as required. SPECIAL HANDLING PROCEDURES AND EQUIPMENT: VENTILATION REQUIREMENTS: General ventilation INCOMPATIBILITY (Material to Avoid): Strong acids, alkali SPILL PROCEDURES: Small spills may be flushed down the WASTE DISPOSAL: Dispose according to municipal, provincipal	Avoid eye a is or biocide ne drain. La ial, and fede	not ree and skin o s may in rge spills eral regula	contact. activate biological cultu , if uncontaminated, ma ations.	ires. ay be returned to conta		
·	area in a cl		tainer. Do not store ab	ove 40°C. Do not stor	e below 5 °C.	
		FROF	EKTIES			
			pH: (10% Solution) 7.5			
S.G. / BULK DENSITY(g/cc): 0.60 VAPOUR PRESSURE (mmHg): not applicable		VAPOUR DENSITY (air=1): not applicable				
ODOUR THRESHOLD: not available		BOILING POINT: not applicable				
FREEZING POINT: not applicable		PERCENT VOLATILE: 9%				
SOLUBILITY IN WATER: dispersable		EVAPORATION RATE (water=1): not applicable				
	COLOGIC	AL PR	OPERTIES			
EFFECTS OF ACUTE EXPOSURE TO MATERIAL:EYES:May cause irritation.SKIN:May cause irritation.INGESTION:May cause irritation of the digestive tract. May cause irritation.INHALATION:Breathing dust may cause respiratory irritation.		ea and di	arrhea.			
50 (calculated): not available		LC50 (calculated): not available				
OTHER TOXIC EFFECTS: none known						

EFFECTS OF CHRONIC none known EXPOSURE TO MATERIAL:							
VI - FIRST AI	DMEASURES						
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.							
SKIN: Wash affected area thoroughly with soap and water. If irrit							
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Contact a physician immediately.							
INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.							
VII - FIRE AND EXPLOSION DATA							
FLAMMABLE: No							
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE, °C: N/Ap.						
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []							
SPECIAL FIRE FIGHTING PROCEDURES: not required							
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitrogen	I.						
EXPLOSIVE SENSITIVITY TO: not applicable							
VIII - REACT							
STABILITY: Stable [x] Unstable []							
CONDITIONS TO AVOID: not applicable							
INCOMPATIBILITY (Material to Avoid) : not applicable							
HAZARDOUS DECOMPOSITION PRODUCTS: not applicable							
REACTIVITY: not dangerously reactive							
IX - MSDS PF	REPARATION						
SOURCES USED: RTECS, Supplier's MSDS	PREPARED BY: JohnsonDiversev Canada. Inc.						
	- Regulatory Department						
PREPARATION DATE: April 15, 2003	Institutional Division Phone (905) 829-1200						
	FILLIE (303) 023-1200						
Information on this form is furnished in compliance with the Regulations re- not to be used for any other purpose, nor is it to be reproduced or published person or property resulting from any use of the material if reasonable safet assumes no responsibility for injury to any person or property resulting from procedures are followed. Each user assumes the risk in his use of the material context of the intended use.	d. JohnsonDiversey Canada assumes no responsibility for injury to any ty procedures are not adhered to. In addition, JohnsonDiversey Canada n any abnormal use or theft of the material, even if reasonable safety						