

# MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 1323

PRODUCT NAME: Diveralk 1A

2401 Bristol Circle

USE: Liquid Laundry Detergent Builder

SUPPLIER: **EMERGENCY PHONE:** 

JohnsonDiversey Canada, Inc.

Oakville Ontario, L6H 6P1, Canada

1-800-668-7171

WHMIS CLASSIFICATION: D2B E TRADE NAME / SYNONYMS: not applicable

CHEMICAL FAMILY: Caustic Alkali **CHEMICAL NAME:** not applicable

## **II - HAZARDOUS INGREDIENTS**

HAZARDOUS INGREDIENT	% w/w	CAS#	LD50 / LC50	Route / Species
Sodium hydroxide	10-30	001310-73-2	LDLo 500 mg/kg	oral/rab
Sodium nitrilotriacetate	3-7	005064-31-3	LD50 1100 mg/kg	oral/rat

#### III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: impermeable gloves Eye: safety goggles Footwear: not required

Respiratory: If mists are generated, use NIOSH approved Other: rubber apron

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact.

**VENTILATION REQUIREMENTS:** general ventilation

INCOMPATIBILITY (Material to Avoid): acids, aluminum, zinc

SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal.

Wash spill area with large volumes of water.

WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container.

## **IV - PHYSICAL PROPERTIES**

APPEARANCE / ODOUR: Clear, amber liquid

S.G. / BULK DENSITY(g/cc):  $13.5 \pm 0.5$ 1.3 pH:

VAPOUR PRESSURE (mmHg): VAPOUR DENSITY (air=1): not available not available

ODOUR THRESHOLD: not applicable **BOILING POINT:** approx. 100°C

FREEZING POINT: approx. -10°C PERCENT VOLATILE: approx. 69%

**SOLUBILITY IN WATER:** soluble **EVAPORATION RATE (water=1):** 

### **V - TOXICOLOGICAL PROPERTIES**

**EFFECTS OF ACUTE EXPOSURE TO MATERIAL:** 

EYES: Corrosive. May cause severe irritation. May cause permanent damage if not treated promptly.

SKIN: Corrosive. May cause severe irritation. May cause temporary or permanent damage if not treated promptly.

INGESTION: Corrosive. May cause severe irritation of the digestive tract. May cause temporary or permanent damage if not treated promptly.

INHALATION: Corrosive. Inhalation of spray or mist may cause irritation of respiratory tract.

LD50 (calculated): 1786 mg/kg LC50 (calculated): not applicable OTHER TOXIC EFFECTS: none known

EFFECTS OF CHRONIC EXPOSURE TO MATERIAL:

This material contains NTA. In laboratory tests, rats and mice continuously fed highly exaggerated doses of NTA showed evidence of urinary tract (bladder and kidney) toxicity, including cancer; lower doses showed none of these toxic effects. By ACGIH guidelines, NTA would not be considered an occupational (human) carcinogen of any practical significance.

## **VI - FIRST AID MEASURES**

EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.

**SKIN:** Flush affected area thoroughly with water. If irritation develops, contact a physician.

INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a

physician immediately.

**INHALATION:** Remove patient to fresh air. Get medical attention for any breathing difficulty.

## VII - FIRE AND EXPLOSION DATA

FLAMMABLE: No.

FLASH POINT, °C: not applicable AUTO IGNITION TEMPERATURE, °C: N/Ap

EXTINGUISHING MEDIA: Water [X] Dry Chemical [X] Carbon Dioxide [X] Foam [X] Other []

**SPECIAL FIRE FIGHTING PROCEDURES:** Wear self-contained breathing apparatus.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitrogen.

**EXPLOSIVE SENSITIVITY TO:** not applicable

## **VIII - REACTIVITY DATA**

STABILITY: Stable [X] Unstable []

CONDITIONS TO AVOID: not applicable

INCOMPATIBILITY (Material to Avoid): acids, aluminum, zinc

April 15, 2003

Hazardous decomposition products: Heat released on contact with acids. Nitrogen oxides and carbon monoxide released when

product is burned. Contact a with aluminum and zinc generates hydrogen gas.

**REACTIVITY:** not dangerously reactive

PREPARATION DATE:

## **IX - MSDS PREPARATION**

SOURCES USED: ChemInfo PREPARED BY: Johnson Diversey Canada, Inc.

Regulatory Department Institutional Division Phone (905) 829-1200

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.