

MATERIAL SAFETY **DATA SHEET**



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 1393

PRODUCT NAME: CLARATEX DETERGENT

USE: Liquid Laundry Detergent

2401 Bristol Circle

SUPPLIER: **EMERGENCY PHONE:**

JohnsonDiversey Canada, Inc.

Oakville Ontario, L6H 6P1, Canada

1-800-668-7171

WHMIS CLASSIFICATION: TRADE NAME / SYNONYMS: D2B not applicable

CHEMICAL FAMILY: surfactant/solvent **CHEMICAL NAME:** not applicable

II - HAZARDOUS INGREDIENTS

·				
HAZARDOUS INGREDIENT	% w/w	CAS#	LD50 / LC50	Route / Species
Linear alcohol ethoxylate	10-30	068131-35-5	LD50 1000 mg/kg	oral/rat
Isopropanol	1-5	000067-63-0	LD50 5045 mg/kg	oral/rat
Potassium dodecylbenzene sulphonate	3-7	027177-77-1	LD50 1000 mg/kg	oral/rat
Sodium xylene sulphonate	3-7	001300-72-7	LD50 650 mg/kg	oral/rat

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: impermeable gloves Eve: safety glasses Footwear: not applicable

Respiratory: If mists are generated, use NIOSH approved Other: not applicable

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact.

VENTILATION REQUIREMENTS: general ventilation

INCOMPATIBILITY (Material to Avoid): oxidizing materials

SPILL PROCEDURES: Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water.

WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Avoid freezing.

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: Clear blue liquid

S.G. / BULK DENSITY(g/cc): 1.025 pH: 10.0 ± 0.5

VAPOUR PRESSURE (mmHg): not available VAPOUR DENSITY (air=1): not available

ODOUR THRESHOLD: not available **BOILING POINT:** approx. 100°C

FREEZING POINT: approx. 0°C PERCENT VOLATILE: approx. 79%

SOLUBILITY IN WATER: soluble **EVAPORATION RATE (water=1):** not available

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES: May cause severe irritation.

SKIN: May cause irritation.

INGESTION: May cause severe irritation.

INHALATION: Breathing mist or spray may cause respiratory irritation.

LD50 (calculated): 7057 mg/kg LC50 (calculated): not applicable OTHER TOXIC EFFECTS: none known **EFFECTS OF CHRONIC** none known **EXPOSURE TO MATERIAL:** VI - FIRST AID MEASURES EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately. SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician. Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a INGESTION: physician immediately. **INHALATION:** Remove patient to fresh air. Get medical attention for any breathing difficulty. VII - FIRE AND EXPLOSION DATA FLAMMABLE: No FLASH POINT, °C: >93.3% (Pensky-Martens) **AUTO IGNITION TEMPERATURE,°C:** N/Av. **EXTINGUISHING MEDIA:** Water [X] Dry Chemical [X] Carbon Dioxide [X] Foam [X] Other [] SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus. **HAZARDOUS COMBUSTION PRODUCTS:** Oxides of carbon, sulphur. **EXPLOSIVE SENSITIVITY TO:** not applicable **VIII - REACTIVITY DATA** STABILITY: Stable [X] Unstable [] CONDITIONS TO AVOID: high temperature, sparks or open flame INCOMPATIBILITY (Material to Avoid): oxidizing materials **HAZARDOUS DECOMPOSITION PRODUCTS:** carbon dioxide, carbon monoxide, sulfur dioxide, hydrogen sulfide REACTIVITY: not dangerously reactive IX - MSDS PREPARATION

SOURCES USED: RTECS, MSDS PREPARED BY: JohnsonDiversey Canada, Inc.

Regulatory Department Institutional Division Phone (905) 829-1200

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific

PREPARATION DATE:

context of the intended use.

April 15, 2003