



I - PRODUCT IDENTIFICATION AND USE

MSDS ID: 1406

PRODUCT NAME: LSP 540

USE: Liquid Laundry Detergent Builder

SUPPLIER:

JohnsonDiversey Canada, Inc.
2401 Bristol Circle
Oakville Ontario, L6H 6P1, Canada

EMERGENCY PHONE:

1-800-668-7171

WHMIS CLASSIFICATION: E

CHEMICAL FAMILY: caustic alkali

TRADE NAME / SYNONYMS: not applicable

CHEMICAL NAME: not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species
Sodium hydroxide	5-10	001310-73-2	LDLo 500 mg/kg	oral/rab
Sodium silicate	15-40	001344-09-8	LD50 3300 mg/kg	oral/rat

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: Natural Rubber, Neoprene, Nitrile **Eye:** safety goggles **Footwear:** not required
Respiratory: If mists are generated, use NIOSH approved mask **Other:** not required

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact.**VENTILATION REQUIREMENTS:** general ventilation**INCOMPATIBILITY (Material to Avoid):** acids, aluminum zinc**SPILL PROCEDURES:** Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water.**WASTE DISPOSAL:** Dispose according to municipal, provincial, and federal regulations.**STORAGE / SHIPPING REQUIREMENT:** Store in a cool dry area in a closed container. UN1824

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: Clear, colourless liquid**S.G. / BULK DENSITY(g/cc):** 1.44**pH:** 13.0 ± 0.5**VAPOUR PRESSURE (mmHg):** not available**VAPOUR DENSITY (air=1):** not available**ODOUR THRESHOLD:** not applicable**BOILING POINT:** approx. 100°C**FREEZING POINT:** not available**PERCENT VOLATILE:** approx. 55°C**SOLUBILITY IN WATER:** soluble**EVAPORATION RATE (water=1):** 1

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES: Corrosive. May cause severe irritation. May cause permanent damage if not treated promptly.**SKIN:** Corrosive. May cause severe irritation. May cause temporary or permanent damage if not treated promptly.**INGESTION:** Corrosive. May cause severe irritation of the digestive tract. May cause permanent damage if not treated promptly.**INHALATION:** Corrosive. Inhalation of spray or mist may cause severe respiratory irritation. May cause permanent damage if not treated promptly.

LD50 (calculated): 2376 mg/kg	LC50 (calculated): not applicable
OTHER TOXIC EFFECTS: TLV - CL (Sodium hydroxide) 2 mg/m3	
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: none known	
VI - FIRST AID MEASURES	
EYES:	Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.
SKIN:	Flush affected area thoroughly with water. If irritation develops, contact a physician.
INGESTION:	Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.
INHALATION:	Remove patient to fresh air. Get medical attention for any breathing difficulty.
VII - FIRE AND EXPLOSION DATA	
FLAMMABLE: No	
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE, °C: N/Ap
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []	
SPECIAL FIRE FIGHTING PROCEDURES: not required	
HAZARDOUS COMBUSTION PRODUCTS: not applicable.	
EXPLOSIVE SENSITIVITY TO: not applicable	
VIII - REACTIVITY DATA	
STABILITY: Stable [x] Unstable []	
CONDITIONS TO AVOID: not applicable	
INCOMPATIBILITY (Material to Avoid) : acids, aluminum, zinc	
HAZARDOUS DECOMPOSITION PRODUCTS: Heat released on contact with acids. Aluminum or zinc generates hydrogen gas.	
REACTIVITY: not dangerously reactive	
IX - MSDS PREPARATION	
SOURCES USED: RTECS	PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department Institutional Division Phone (905) 829-1200
PREPARATION DATE: April 15, 2003	
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.	