



I - PRODUCT IDENTIFICATION AND USE

MSDS ID: 1450

PRODUCT NAME: P.O.G.

USE: Laundry Stain Remover

SUPPLIER:

JohnsonDiversey Canada, Inc.
2401 Bristol Circle
Oakville Ontario, L6H 6P1, Canada

EMERGENCY PHONE:

1-800-668-7171

WHMIS CLASSIFICATION: B3 D2B

CHEMICAL FAMILY: Solvent/Surfactant

TRADE NAME / SYNONYMS: not applicable

CHEMICAL NAME: not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species
Petroleum hydrocarbon	30-60	064742-94-5	not available	
Methyl isobutyl ketone	5-10	000108-10-1	LC50 2080 ppm/4h	
Cyclohexanol	10-30	000108-93-0	LD50 2060 mg/kg	oral/rat
Dipropylene glycol methyl ether	3-7	034590-94-8	LD50 5660 mg/kg	oral/rat

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: impermeable gloves

Eye: safety glasses

Footwear: not applicable

Respiratory: NIOSH approved protection required if TWAEL is exceeded
Other: not applicable

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact. Do not breathe mist, spray or vapours.

VENTILATION REQUIREMENTS: general ventilation

INCOMPATIBILITY (Material to Avoid): Strong Oxidizers, Acids.

SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal.
Wash spill area with large volumes of water.

WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container.

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: Yellow liquid

S.G. / BULK DENSITY(g/cc): 0.92

pH: 9.4-9.9 (10% solution)

VAPOUR PRESSURE (mmHg): not available

VAPOUR DENSITY (air=1): >1

ODOUR THRESHOLD: not available

BOILING POINT: 97° C

FREEZING POINT: not available

PERCENT VOLATILE: >80%

SOLUBILITY IN WATER: soluble

EVAPORATION RATE (water=1): Not known

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES: May cause irritation.

SKIN: May cause irritation.

INGESTION: May cause irritation.

INHALATION: May cause irritation. May cause headache & nausea.	
LD50 (calculated):	LC50 (calculated): Not applicable
OTHER TOXIC EFFECTS: Cyclohexanol has a TWAEV of 200 mg/m3	
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: None known	
VI - FIRST AID MEASURES	
EYES:	Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.
SKIN:	Flush affected area thoroughly with water. If irritation develops, contact a physician.
INGESTION:	Drink large volumes of water. Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.
INHALATION:	Remove patient to fresh air. Get medical attention for any breathing difficulty.
VII - FIRE AND EXPLOSION DATA	
FLAMMABLE: Yes, combustible if heated.	
FLASH POINT, °C: 46-51°C(Pensky-Martens)	AUTO IGNITION TEMPERATURE, °C: N/A
EXTINGUISHING MEDIA: Water [X] Dry Chemical [X] Carbon Dioxide [X] Foam [] Other []	
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.	
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.	
EXPLOSIVE SENSITIVITY TO: not applicable	
VIII - REACTIVITY DATA	
STABILITY: Stable [x] Unstable []	
CONDITIONS TO AVOID: high temperature, sparks and open flame.	
INCOMPATIBILITY (Material to Avoid) : Strong Oxidisers, Acids.	
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon Monoxide & Carbon Dioxide.	
REACTIVITY: not dangerously reactive	
IX - MSDS PREPARATION	
SOURCES USED: RTECS, RM, MSDS	PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department Institutional Division Phone (905) 829-1200
PREPARATION DATE: April 15, 2003	
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.	