



I - PRODUCT IDENTIFICATION AND USE

MSDS ID: 1466

PRODUCT NAME: SUPER LAUNCH

USE: Laundry Sour

SUPPLIER:

JohnsonDiversey Canada, Inc.
2401 Bristol Circle
Oakville Ontario, L6H 6P1, Canada

EMERGENCY PHONE:

1-800-668-7171

WHMIS CLASSIFICATION: E

CHEMICAL FAMILY: Mineral Acid, Silicofluorides

TRADE NAME / SYNONYMS: not applicable

CHEMICAL NAME: not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species
Hydrofluorosilicic acid	10-30	016961-83-4	LDLo 140 mg/kg	oral/rat

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: neoprene or nitrile

Eye: safety goggles

Footwear: rubber boots

Respiratory: If mists are generated, use NIOSH approved mask

Other: not required

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact. If concentrations exceed TWA(2.5mg/m³ as F) NIOSH approved respirator is required. Do not wear contact lenses.

VENTILATION REQUIREMENTS: general ventilation

INCOMPATIBILITY (Material to Avoid): Alkali, chlorinated materials, soft metals and glass.

SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Use protective equipment. Neutralize with calcium hydroxide. Mop up or soak up with absorbent clay for disposal.

WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. UN1778

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: Clear colourless pale yellow liquid

S.G. / BULK DENSITY(g/cc): 1.20

pH: 2.1 ± 0.5

VAPOUR PRESSURE (mmHg): 10

VAPOUR DENSITY (air=1): not applicable

ODOUR THRESHOLD: not available

BOILING POINT: approx. 100°C

FREEZING POINT: approx. 0°C

PERCENT VOLATILE: approx. 75%

SOLUBILITY IN WATER: soluble

EVAPORATION RATE (water=1): 1

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES: Corrosive. May cause severe irritation. May cause permanent damage if not treated promptly.

SKIN: Corrosive. May cause severe irritation. May cause temporary or permanent damage if not treated promptly.

INGESTION: Toxic. Corrosive. May cause severe irritation of the digestive tract, intensive thirst, abdominal cramps, nausea, vomiting. May be fatal.

INHALATION: Breathing vapour may cause severe respiratory irritation. May cause temporary or permanent damage if not treated promptly.

LD50 (calculated): LD ₅₀ 560 mg/kg		LC50 (calculated): not available	
OTHER TOXIC EFFECTS: TWA 2.5 mg/m3 as F. Highly toxic by ingestion and inhalation.			
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: Repeated or prolonged exposure may cause blood anemia and fluorosis.			
VI - FIRST AID MEASURES			
EYES:	Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.		
SKIN:	Flush affected area thoroughly with water. If irritation develops, contact a physician.		
INGESTION:	Do not induce vomiting. Contact a physician immediately. If conscious give immediately, by mouth, large amounts of a fine suspension in water of a non-toxic calcium compound such as calcium lactate . If these are not readily available, give large amounts of water.		
INHALATION:	Remove patient to fresh air. Get medical attention for any breathing difficulty.		
VII - FIRE AND EXPLOSION DATA			
FLAMMABLE: No			
FLASH POINT, °C: not applicable		AUTO IGNITION TEMPERATURE, °C: N/Ap	
EXTINGUISHING MEDIA: Water [X] Dry Chemical [X] Carbon Dioxide [X] Foam [X] Other []			
SPECIAL FIRE FIGHTING PROCEDURES: Use water spray to cool fire exposed containers. Use water spray to disperse fumes.			
HAZARDOUS COMBUSTION PRODUCTS: Decomposition above 105°C will produce toxic and corrosive hydrogen fluoride and silicon tetrafluoride.			
EXPLOSIVE SENSITIVITY TO: not applicable			
VIII - REACTIVITY DATA			
STABILITY: Stable [x] Unstable []			
CONDITIONS TO AVOID: not applicable			
INCOMPATIBILITY (Material to Avoid) : Alkali, chlorinated materials, soft metals and glass.			
HAZARDOUS DECOMPOSITION PRODUCTS: Heat on contact with alkali, explosive hydrogen gas on contact with metals, chlorine gas on contact with chlorinated materials.			
REACTIVITY: not dangerously reactive			
IX - MSDS PREPARATION			
SOURCES USED: RTECS, Fluorosilicic Acid MSDS		PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department Institutional Division Phone (905) 829-1200	
PREPARATION DATE: April 15, 2003			
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.			