MATERIAL SAFETY DATA SHEET



DIV-O-KLEEN EF

HMIS NFPA			Personal protective equipment			
Health	3	3	My	\triangle	0	
Fire Hazard	2	2		万以		
Reactivity	0	0				
reactivity	0		1/200		O TOTAL DISCOURT	

Version Number: 1 Preparation date: 2004-10-01

PRODUCT AND COMPANY IDENTIFICATION

DIV-O-KLEEN EF Product name: MSDS #: 1600024 HX Product code: 11588150, 11588690 Recommended use: Alkaline solvent cleaner.

Manufacturer, importer, supplier:

JohnsonDiversey, Inc. Canadian Headquarters 3630 E. Kemper Rd. JohnsonDiversey - Canada, Inc. Cincinnati, OH 45241 2401 Bristol Circle

Phone: 1-800-438-2647 Oakville, Ontario L6H 6P1 Phone: 1-800-668-3131

1-800-851-7145 (Prosar); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México) **Emergency telephone number:**

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW

DANGER. CORROSIVE. Causes skin and eye burns. HARMFUL OR FATAL IF SWALLOWED. May cause respiratory tract irritation . COMBUSTIBLE LIQUID AND VAPOR.

Principle routes of exposure: Eyes. Skin. Inhalation.

Skin contact: Corrosive. May cause permanent damage.

Eye contact: Corrosive. Causes permanent eye damage, including blindness.

Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract.

Ingestion: Corrosive. Causes burns to mouth, throat and stomach.

3. COMPOSITION/INFORMATION ON INGREDIENTS

HAZARDOUS COMPONENTS

Ingestion:

Ingredient CAS #		Weight %	LD50 Oral	LD50 Dermal	LC50 Inhalation
Sodium hydroxide	1310-73-2	10 - 20%	140 mg/kg (rat)	Not available	Not available
D-limonene	5989-27-5	1 - 5%	4400 mg/kg (rat)	5 g/kg (rabbit)	Not available
Sodium dodecylbenzene sulfonate	25155-30-0	1 - 5%	438 mg/kg (rat)	Not available	Not available

4. FIRST AID MEASURES

Eye contact: Immediately flush eyes with running water for at least 15 minutes, keeping eyelids open. Get medical

attention immediately.

Skin contact: Flush immediately with plenty of water for at least 15 minutes. Get medical attention immediately. Inhalation:

If breathing is affected, remove to fresh air. Get medical attention immediately.

Do not induce vomiting. Immediately drink one cupful of water or milk. Never give anything by mouth to an

unconscious person. Get medical attention immediately.

Aggravated Medical Conditions: Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema, etc., may be

more susceptible to irritating effects .

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Use dry chemical, CO2, water spray or "alcohol" foam.

Specific hazards: Keep product and empty container away from heat and sources of ignition.

Unusual hazards: Corrosive material (See sections 8 and 10).

DIV-O-KLEEN EF 1 of 3 **Specific methods:** No special methods required

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or

equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Environmental precautions and clean-up methods: Put on appropriate personal protective equipment (see Section 8.). Remove all sources of ignition. Clean-up methods - large spillage. Prevent product from entering drains. Absorb spill with inert material (e.g. dry sand or earth), then place in a chemical waste container. Sweep up and shovel into suitable containers for disposal. Use a water rinse for final clean-up.

4.8%

7. HANDLING AND STORAGE

Handling:

Keep away from open flames, hot surfaces and sources of ignition. Avoid contact with skin, eyes and clothing. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling. Product residue may remain on/in empty containers. All precautions for handling the product must be used in handling the empty container and residue. **Storage:**

Keep tightly closed in a dry, cool and well-ventilated place. Keep away from heat. Keep out of the reach of children.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures to reduce exposure:

Good general ventilation should be sufficient to control airborne levels . Respiratory protection is not required if good ventilation is maintained .

Personal Protective Equipment

Eye protection: Chemical splash goggles.

Hand protection: Chemical resistant gloves. Includes, neoprene gloves.

Skin and body protection: If major exposure is possible, wear suitable protective clothing and footwear. Chemical resistant apron.

Protective footwear.

Respiratory protection: A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements must

be followed whenever workplace conditions warrant a respirator's use.

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice

Ingredient	CAS # ACGIH		OSHA	Mexico	
Sodium hydroxide	1310-73-2	2 mg/m³ (Ceiling)	2 mg/m³ (CEILING)	2 mg/m³ (Ceiling)	

9. PHYSICAL AND CHEMICAL PROPERTIES

 Physical State:
 Liquid
 Appearance:
 Aqueous solution

 Color:
 Amber
 Boiling point/range:
 Not determined

 Odor:
 Citrus
 Melting point/range:
 Not determined

 Specific gravity:
 1.14
 pH:
 12.5

Specific gravity: 1.14 pH:
Dilution pH: 12.1 (1%) Density:

Dilution pH:12.1 (1%)Density:No information availableBulk density:No information availableDecomposition temperature:Not determinedVapor density:No information availableAutoignition temperature:No information availableEvaporation rate:No information availableSolubility:Soluble

Evaporation rate: No information available Solubility in other No information available VOC:

solvents:

Viscosity: No information available Flash point: 116.6 (°F) 47 (°C)

Partition coefficient (n-octanol/water): No information available

10. STABILITY AND REACTIVITY

Stability: The product is stable

Polymerization: Hazardous polymerisation does not occur

Hazardous decomposition products:Materials to avoid:
None reasonably foreseeable Acids. Strong oxidising agents.

Conditions to avoid: Keep away from open flames, hot surfaces and sources of ignition.

11. TOXICOLOGICAL INFORMATION

Acute toxicity Corrosive , LD50 estimated to be between 200 - 2000 mg/kg.

Component Information: See Section 3

Chronic toxicity: None known

Specific effects

Carcinogenic effects: None known

DIV-O-KLEEN EF 2 of 3

Mutagenic effects:None knownReproductive toxicity:None knownTarget organ effects:None known

12. ECOLOGICAL INFORMATION

Environmental Information: When used for its intended purpose this product should not cause adverse effects in the environment

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Undiluted product is regulated under environmental and transportation laws as an ignitable waste. Undiluted product is regulated under environmental and transportation laws as a corrosive waste. Dispose of according to all federal, state and local applicable regulations.

RCRA Hazard Class: D001, D002

14. TRANSPORT INFORMATION

DOT/TDG: Please refer to the Bill of Lading/receiving documents for up to date shipping information

15. REGULATORY INFORMATION

International Inventories

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL), Korea (ECL), Philippines (PICCS), China (IECSC).

U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

STATE RIGHT TO KNOW

THE TRUE TO TRUE TRUE TO TRUE TRUE TRUE TRUE TRUE TRUE TRUE TRUE							
Ingredient	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:	ILRTK:	CTRTK:
Sodium hydroxide	1310-73-2	Listed	Listed	Listed	Listed	Listed	Listed
Sodium xylene sulfonate	1300-72-7	-	-	-	-	-	-
D-limonene	5989-27-5	-	Listed	-	-	-	-
Alcohol ethoxylates	68131-39-5	-	-	-	-	-	-
Sodium dodecylbenzene sulfonate	25155-30-0	Listed	Listed	Listed	-	Listed	Listed
Water	7732-18-5	-	-	-	-	-	-

CERCLA / SARA

Ingredient	CAS # Weight		CERCLA/SARA RQ (lbs)	Section 302 TPQ (lbs)	Section 313	
Sodium hydroxide	1310-73-2	10 - 20%	1000			
Sodium dodecylbenzene sulfonate	25155-30-0	1 - 5%	1000			

CAA HAP/CAA ODS/CWA Priority Pollutants: None

SARA 311/312 Hazard Categories

Immediate: Y
Delayed: N
Fire: Y
Reactivity: N
Sudden Release of Pressure: N

Canada

WHMIS hazard class: B3 Combustible liquid, E Corrosive material.



16. OTHER INFORMATION

Reason for revision:
Prepared by:
Additional advice:
Not applicable
NAPRAC
None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

DIV-O-KLEEN EF 3 of 3