
MATERIAL SAFETY DATA SHEET

Page 1 of 3
Revised 6/03/04
Replaces 2/02/04
Printed 6/04/04

ALL ULTRA LIQUID DET. 32 USE**MSDS ID: 189-341**

I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: ALL ULTRA LIQUID DET. 32 USE**Product Descriptor:** LAUNDRY DETERGENT**MANUFACTURER:** JOHNSON DIVERSEY, INC.**EMERGENCY PHONE NUMBER:** (800)851-7145

3240 BENCHMARK DRIVE

LADSON, SC 29456-3861

II. HAZARDOUS COMPONENTS

Component Name	CAS Number	%	Exposure Limits	Units
SODIUM ALKYL BENZENE SULFONATE	68411-30-5		Not Established	
ALCOHOL ETHOXYLATE	68131-39-5		Not Established	
SODIUM SILICATE	1344-9-8		Not Established	

III. HAZARDS IDENTIFICATION

POSSIBLE ROUTES OF ENTRY: Ingestion, Skin and Inhalation.**SIGNS AND SYMPTOMS OF OVEREXPOSURE:****ACUTE:** Irritating to skin and eyes. Mists are irritating to skin, eyes and respiratory tract.**CHRONIC:** Same as Acute Effects.**MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE:** Sensitive skin

IV. FIRST AID MEASURES

EYES: Immediately flush eyes with plenty of water for 15 minutes. Get medical attention.**SKIN:** Flush skin with plenty of water. Remove and launder contaminated clothing before reuse. Get medical attention for irritation or injury.**INGESTION:** Do not induce vomiting. Get medical attention. **NOTE:** Never give anything by mouth to an unconscious person.**INHALATION:** Remove to fresh air and seek medical attention.

V. FIRE FIGHTING MEASURES

FLASH POINT (degrees F): N/A**FLAME EXTENSION:** N/A**FLAMMABLE LIMITS IN AIR BY VOLUME:****LEL:** NONE**UEL:** NONE**UNUSUAL FIRE OR EXPLOSIVE HAZARDS:** None known.**EXTINGUISHING MEDIA:** Water, water spray, CO2, foam or dry powder.**FIRE FIGHTING INSTRUCTIONS:** Wear full protective gear and positive pressure breathing apparatus (SCBA) in fire area.**SPECIAL INSTRUCTIONS:** None required.

VI. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED OR SPILLED: Flush small amounts to drain. Collect and return large amounts to container.

This product does not contain a reportable quantity (RQ) under CERCLA.

MATERIAL SAFETY DATA SHEET

Page 2 of 3
Revised 6/03/04
Replaces 2/02/04
Printed 6/04/04

ALL ULTRA LIQUID DET. 32 USE

MSDS ID: 189-341

VII. HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS: Store at ambient room temperature. Avoid contact with heat or moisture.

VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: Safety glasses.
PROTECTIVE GLOVES: Not normally required.
RESPIRATORY PROTECTION: Not normally required.
OTHER PROTECTIVE CLOTHING/EQUIPMENT: Not normally required.
ENGINEERING CONTROLS:
MECHANICAL VENTILATION: None required.
LOCAL VENTILATION: Not usually required.

IX. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Blue slippery liquid; pleasant smelling.
BOILING POINT (DEG F): >100C **FREEZING POINT:** N/A
SPECIFIC GRAVITY/BULK DENSITY: 1.05
pH: 13-14.0 **pH 1% SOLUTION:** N/A
VOLATILE BY VOLUME: N/A **WEIGHT % SOLIDS:** ND
SOLUBILITY IN WATER: Soluble
VAPOR PRESSURE(mmHg): N/A at N/A **VAPOR DENSITY:** N/A

X. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Product stable.
INCOMPATIBILITY WITH OTHER MATERIALS: Strong acids.
HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon, hydrogen, sulfur.
HAZARDOUS POLYMERIZATION: None known.

XI. TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: No data available.
TOXICITY TEST DATA:
No data available.

XII. ECOLOGICAL INFORMATION

ECOTOXICITY TEST DATA: No data available.
ENVIRONMENTAL FATE: No data available.

XIII. DISPOSAL CONSIDERATIONS

RCRA REGULATED: Not Regulated.
WASTE DISPOSAL METHOD: Use until less than 1 inch remains in container, empty container, triple rinse with water, add to operation. Remove or deface label before selling container or disposal. Dispose in a manner consistent with local, state, and federal regulations.

MATERIAL SAFETY DATA SHEET

Page 3 of 3
Revised 6/03/04
Replaces 2/02/04
Printed 6/04/04

ALL ULTRA LIQUID DET. 32 USE

MSDS ID: 189-341

XIV. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

XV. REGULATORY INFORMATION

TSCA: All ingredients in this product are on TSCA inventory.

CERCLA/EPCRA:

Section 313 Toxic Chemicals: None

LISTED CARCINOGEN: None

NTP: No IARC: No OSHA: No

HMIS RATINGS: HEALTH: 2 FIRE: 0 REACTIVITY: 0

PERSONAL PROTECTIVE EQUIPMENT: B

NFPA RATING: HEALTH: 2 FIRE: 0 REACTIVITY: 0 SPECIAL:

STATE RIGHT-TO-KNOW INFORMATION:

WATER - CAS #7732-18-5

ALCOHOL ETHOXYLATE - CAS #68131-39-5

SODIUM XYLENE SULFONATE - CAS #1300-72-7

SODIUM SILICATE - CAS #1344-9-8

SODIUM ALKYL BENZENE SULFONATE - 68411-30-3

CALIFORNIA PROPOSITION 65:

None of the ingredients are on the California proposition 65 list.

XVI. OTHER INFORMATION

DISCLAIMER: The information contained in this material safety data sheet is based on the knowledge of this specific product and current national legislation. It applies to the product as sold, use dilutions may be less hazardous. It may not be valid for this material if used in combination with any other materials or in a process. It is the user's responsibility to evaluate the handling, and use.