



I - PRODUCT IDENTIFICATION AND USE

MSDS ID: 1900

PRODUCT NAME: SU 393 SPRAY SANITIZER

USE: Spray Sanitizer

SUPPLIER:

JohnsonDiversey Canada, Inc.
2401 Bristol Circle
Oakville Ontario, L6H 6P1, Canada

EMERGENCY PHONE:

1-800-668-7171

WHMIS CLASSIFICATION: B2 D2B

CHEMICAL FAMILY: Alcohol

TRADE NAME / SYNONYMS:

CHEMICAL NAME:

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species
Isopropanol	15-40	000067-63-0	LD50 5045 mg/kg	oral/rat
Lactic acid	1-5	000050-21-5	LD50 3730 mg/kg	oral/rat

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: not required

Eye: Not normally required.

Footwear: not required

Respiratory: not required

Other: not required

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye contact. Do not breathe mist or spray.

VENTILATION REQUIREMENTS: mechanical exhaust

INCOMPATIBILITY (Material to Avoid): Heat, strong oxidizing agents, alkali

SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water.

WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. UN1993

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: Clear liquid, isopropyl alcohol odor

S.G. / BULK DENSITY(g/cc): 0.97

pH: 2.42

VAPOUR PRESSURE (mmHg): not available

VAPOUR DENSITY (air=1): not available

ODOUR THRESHOLD: not available

BOILING POINT: 78°C

FREEZING POINT: <-15°C

PERCENT VOLATILE: 95%

SOLUBILITY IN WATER: soluble

EVAPORATION RATE (water=1): not available

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES: May cause irritation.

SKIN: May cause irritation.

INGESTION: May cause irritation.

INHALATION: May cause irritation.

LD50 (calculated): 15440 mg/kg

LC50 (calculated): not available

OTHER TOXIC EFFECTS: TLV - TWA (Isopropanol) 983 mg/m3 (400 ppm); STEL 1,230 mg/m3 (500 ppm)	
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: not available	
VI - FIRST AID MEASURES	
EYES:	Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.
SKIN:	If irritation develops, contact a physician.
INGESTION:	Do not induce vomiting. Drink large volumes of water . Never give anything by mouth to an unconscious patient. Contact a physician.
INHALATION:	Remove patient to fresh air.
VII - FIRE AND EXPLOSION DATA	
FLAMMABLE: Yes, ignited by spark or open flame.	
FLASH POINT, °C: 29°C	AUTO IGNITION TEMPERATURE, °C: N/Av
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []	
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus	
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.	
EXPLOSIVE SENSITIVITY TO: not applicable	
VIII - REACTIVITY DATA	
STABILITY: Stable [x] Unstable []	
CONDITIONS TO AVOID: heat, open flame, sources of ignition	
INCOMPATIBILITY (Material to Avoid) : heat, alkali, strong oxidizing agents	
HAZARDOUS DECOMPOSITION PRODUCTS: CO2, CO	
REACTIVITY: not dangerously reactive	
IX - MSDS PREPARATION	
SOURCES USED: RTECS	PREPARED BY: JohnsonDiversey Canada. Inc. Regulatory Department Food Division Phone (905) 829-1200
PREPARATION DATE: April 15, 2003	
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.	