

# MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 2197

PRODUCT NAME: LIQUID SMOKEHOUSE CLEANER

**USE:** Smokehouse Cleaner

SUPPLIER: EMERGENCY PHONE:

JohnsonDiversey Canada, Inc.

2401 Bristol Circle

Oakville Ontario, L6H 6P1, Canada

1-800-668-7171

WHMIS CLASSIFICATION: E TRADE NAME / SYNONYMS: not applicable

CHEMICAL FAMILY: alkali CHEMICAL NAME: not applicable

### **II - HAZARDOUS INGREDIENTS**

HAZARDOUS INGREDIENT	% w/w	CAS#	LD50 / LC50	Route / Species
Potassium hydroxide	30-60	001310-58-3	LD50 273 mg/kg	oral/rat

## **III - HANDLING AND DISPOSAL PROCEDURES**

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: Natural Rubber, Neoprene or Nitrile Eye: safety goggles Footwear: not required

Respiratory: If mists are generated, use NIOSH approved Other: rubber apron

mask

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid skin contact.

VENTILATION REQUIREMENTS: mechanical exhaust

INCOMPATIBILITY (Material to Avoid): Acids.

SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal.

WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Do not store below 10°C UN1760

#### **IV - PHYSICAL PROPERTIES**

APPEARANCE / ODOUR: Odourless, clear, yellow liquid

S.G. / BULK DENSITY(g/cc): 1.29 pH: (1%) 12.3

VAPOUR PRESSURE (mmHg):not applicableVAPOUR DENSITY (air=1):not applicable

ODOUR THRESHOLD: not applicable BOILING POINT: not available

FREEZING POINT: not available PERCENT VOLATILE: 65%

SOLUBILITY IN WATER: soluble EVAPORATION RATE (water=1): not applicable

## **V - TOXICOLOGICAL PROPERTIES**

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES: Corrosive. May cause severe irritation. May cause permanent damage if not treated promptly.

**SKIN:** Corrosive. May cause severe irritation.

**INGESTION:** Corrosive. May cause severe irritation of the digestive tract.

LD50 (calculated): 910 mg/kg LC50 (calculated): not available

OTHER TOXIC EFFECTS: TLV: CL 2 mg/m3 (Potassium hydroxide)

INHALATION: Breathing spray or mist may cause respiratory irritation.

**EFFECTS OF CHRONIC** not available **EXPOSURE TO MATERIAL: VI - FIRST AID MEASURES** EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician. SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician. INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately. INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty. VII - FIRE AND EXPLOSION DATA FLAMMABLE: No FLASH POINT, °C: **AUTO IGNITION TEMPERATURE,°C:** not applicable N/Ap **EXTINGUISHING MEDIA:** Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other [ ] SPECIAL FIRE FIGHTING PROCEDURES: not applicable. HAZARDOUS COMBUSTION PRODUCTS: not applicable. **EXPLOSIVE SENSITIVITY TO:** not applicable **VIII - REACTIVITY DATA** STABILITY: Unstable [ ] Stable [x] CONDITIONS TO AVOID: Do not store below 10°C INCOMPATIBILITY (Material to Avoid) : Acids **HAZARDOUS DECOMPOSITION PRODUCTS:** Heat released on contact with acids. REACTIVITY: not applicable

#### IX - MSDS PREPARATION

SOURCES USED: RTECS PREPARED BY: Johnson Diversev Canada, Inc.

PREPARATION DATE: April 15, 2003

Regulatory Department
Food Division
Phone (905) 829-1200

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.