



## **MATERIAL SAFETY DATA SHEET**



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 2245						
PRODUCT NAME: LEVER CLEAN SUMABRITE N						
USE: Rinse Additive						
SUPPLIER:			EMERGENCY PHONE:			
JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		1-800-668-7171				
WHMIS CLASSIFICATION: D2B CHEMICAL FAMILY: surfactant		TRADE NAME / SYNONYMS:       not applicable         CHEMICAL NAME:       not applicable				
II - HAZARDOUS INGREDIENTS						
HAZARDOUS INGREDIENT	% w/w		CAS #	LD50 / LC50	Route / Species	
Ethoxy / propoxy block copolymer	10-30		009003-11-6	LD50 5000 mg/kg	oral/rat	
III - HANDLING AND DISPOSAL PROCEDURES						
PERSONAL PROTECTIVE EQUIPMENT:						
	safety glasse	s	Footwe	ar: not required		
Respiratory: not required Other: not required						
SPECIAL HANDLING PROCEDURES AND EQUIPMENT: not applicable						
VENTILATION REQUIREMENTS: General ventilation						
INCOMPATIBILITY (Material to Avoid): oxidizing materials						
SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal.						
WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.						
<b>STORAGE / SHIPPING REQUIREMENT:</b> Store in a cool dry area in a closed container. Do not store above 50°C. Avoid freezing.					g.	
IV - PHYSICAL PROPERTIES						
APPEARANCE / ODOUR: Clear blue liquid						
S.G. / BULK DENSITY(g/cc): 1.01			<b>pH:</b> 7.0			
VAPOUR PRESSURE (mmHg): not available			VAPOUR DENSITY (air=1): not available			
ODOUR THRESHOLD: not available			BOILING POINT: approx. 100°C			
FREEZING POINT: approx. 0°C			PERCENT VOLATILE: approx. 86%			
SOLUBILITY IN WATER: soluble			EVAPORATION RATE (water=1): approx. 1			
V - TOXICOLOGICAL PROPERTIES						
EFFECTS OF ACUTE EXPOSURE TO MATERIAL:         EYES:       May cause irritation.         SKIN:       Repeated or prolonged contact may result in irritation.         INGESTION:       May cause irritation of the digestive tract.	ritation.					
INHALATION: No serious or irreversible effects expected.		I C50 (calculated):				
LD50 (calculated): 35,714 mg/kg	LC50	(calculated): not	applicable			
OTHER TOXIC EFFECTS: none known						

EFFECTS OF CHRONIC none known EXPOSURE TO MATERIAL:						
VI - FIRST AID MEASURES						
<b>EYES:</b> Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.						
SKIN: Flush affected area thoroughly with water. If irritation develo	Flush affected area thoroughly with water. If irritation develops, contact a physician.					
<b>INGESTION:</b> Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a						
physician. INHALATION: Remove patient to fresh air.						
VII - FIRE AND EXPLOSION DATA						
FLAMMABLE: No						
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE, °C: N/Ap.					
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.						
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.						
EXPLOSIVE SENSITIVITY TO: not applicable						
VIII - REACT						
STABILITY: Stable [x] Unstable [ ]						
CONDITIONS TO AVOID: not applicable						
INCOMPATIBILITY (Material to Avoid) : oxidizing materials						
	intact with oxidizing materials.					
REACTIVITY: not dangerously reactive	¥					
IX - MSDS PREPARATION						
SOURCES USED: RTECS, Raw Material MSDS	PREPARED BY: JohnsonDiversev Canada, Inc. Regulatory Department					
PREPARATION DATE: April 15, 2003	Institutional Division Phone (905) 829-1200					
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.						