



MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 2305						
PRODUCT NAME: CREST-LO						
USE: Laundry Detergent						
SUPPLIER:			EMERGENCY PHONE:			
JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		1-800-668-7171				
WHMIS CLASSIFICATION: D2B CHEMICAL FAMILY: surfactant		TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable				
II - HAZARDOUS INGREDIENTS						
HAZARDOUS INGREDIENT	% w/w	1	CAS #	LD50 / LC50	Route / Species	
Sodium carbonate	15-40		000497-19-8	LD50 4090 mg/kg	oral/rat	
Sodium nitrilotriacetate	10-30		005064-31-3	LC50 1100 mg/kg	oral/rat	
Sodium dodecylbenzene sulphonate Sodium silicate	7-13 7-13		025155-30-0 006834-92-0	LC50 1260 mg/kg LD50 1153 mg/kg	oral/rat oral/rat	
	III - HANDLING AND DIS				Ulai/Tat	
PERSONAL PROTECTIVE EQUIPMENT: Gloves: Nitrile, Neoprene or Natural Rubber Eye: Respiratory: not required SPECIAL HANDLING PROCEDURES AND EQUIPMENT: VENTILATION REQUIREMENTS: general ventilation INCOMPATIBILITY (Material to Avoid): cationic surfactant SPILL PROCEDURES: Sweep or scoop up material for disp WASTE DISPOSAL: Dispose according to municipal, province STORAGE / SHIPPING REQUIREMENT: Store in a cool dry	posal. Wash cial, and fede	r: and skin spill area eral regul	a with large volumes of ations.	· · · · · · · · · · · · · · · · · · ·		
IV - PHYSICAL PROPERTIES						
APPEARANCE / ODOUR: white, free-flowing, granular powder, perfume S.G. / BULK DENSITY(g/cc): 0.32-0.35 VAPOUR PRESSURE (mmHg): not applicable ODOUR THRESHOLD: not available		ed pH: (1% solution) 10.5-11.0 VAPOUR DENSITY (air=1): not applicable BOILING POINT: not applicable				
FREEZING POINT: not applicable		PERCENT VOLATILE: not applicable				
SOLUBILITY IN WATER: soluble			EVAPORATION RATE (water=1): not applicable			
V - TOXICOLOGICAL PROPERTIES						
EFFECTS OF ACUTE EXPOSURE TO MATERIAL:EYES:May cause irritation.SKIN:May cause irritation.INGESTION:May cause irritation.INHALATION:Breathing dust may cause respiratory irritation						

LD50 (calculated): approx. 2.5 g/kg	LC50 (calculated): not applicable					
OTHER TOXIC EFFECTS: TLV (Sodium silicate) 5 mg/m3						
EXPOSURE TO MATERIAL: showed evidence of urinary tract (bladde	y tests, rats and mice continuously fed highly exaggerated doses of NTA er and kidney) toxicity, including cancer; lower doses showed none of as NTA would not be condisered an occupational (human) carcinogen of					
VI - FIRST AID MEASURES						
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.						
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.						
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Contact a physician.						
INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.						
VII - FIRE AND EXPLOSION DATA						
FLAMMABLE: No	1					
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE,°C:					
EXTINGUISHING MEDIA: Water [X] Dry Chemical [X] Carbon	n Dioxide [X] Foam [X] Other []					
SPECIAL FIRE FIGHTING PROCEDURES: none required						
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitrogen.						
EXPLOSIVE SENSITIVITY TO: not applicable						
VIII - REACTIVITY DATA						
STABILITY: Stable [X] Unstable []						
CONDITIONS TO AVOID: High temperture and high humidity						
INCOMPATIBILITY (Material to Avoid) : Strong oxidizers, acids, cationic surfactants.						
HAZARDOUS DECOMPOSITION PRODUCTS: Heat and carbon dioxide released on contact with acid.						
REACTIVITY: not dangerously reactive						
IX - MSDS PREPARATION						
SOURCES USED: MSDS, RTECS	PREPARED BY: JohnsonDiversev Canada, Inc. Regulatory Department					
PREPARATION DATE: April 15, 2003	Institutional Division Phone (905) 829-1200					
Information on this form is furnished in compliance with the Regulations rea- not to be used for any other purpose, nor is it to be reproduced or publisher person or property resulting from any use of the material if reasonable safet assumes no responsibility for injury to any person or property resulting from procedures are followed. Each user assumes the risk in his use of the mate- context of the intended use.	d. JohnsonDiversey Canada assumes no responsibility for injury to any ty procedures are not adhered to. In addition, JohnsonDiversey Canada n any abnormal use or theft of the material, even if reasonable safety					