PRODUCT NAME: LEVER BAC

# MATERIAL SAFETY DATA SHEET

PRODUCT CONTROLLED UNDER PCP AND/OR FOOD & DRUG ACT

I - PRODUCT IDENTIFICATION AND USE MSDS ID: 2347

1-800-668-7171

**USE:** Hand Cleaner DIN 02095106

SUPPLIER: EMERGENCY PHONE:

JohnsonDiversey Canada, Inc.

2401 Bristol Circle

Oakville Ontario, L6H 6P1, Canada

WHMIS CLASSIFICATION: exempt TRADE NAME / SYNONYMS:

CHEMICAL FAMILY: Cationic Surfactant CHEMICAL NAME:

#### **II - HAZARDOUS INGREDIENTS**

HAZARDOUS INGREDIENT	% w/w	CAS#	LD50 / LC50	Route / Species
Sodium cocyl isethionate	1-5	061789-32-0	LD50 4330 mg/kg	oral/rat
Ammonium lauryl ether sulfate	5-10	032612-48-9	LD50 630 mg/kg	oral/rat
Proplyene glycol	1-5	000057-55-6	LD50 20 g/kg	oral/rat

### **III - HANDLING AND DISPOSAL PROCEDURES**

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: not required Eye: not required Footwear: not required

Respiratory: not required Other: not required

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid ingestion. Avoid eye contact.

VENTILATION REQUIREMENTS: general ventilation

INCOMPATIBILITY (Material to Avoid): none known

SPILL PROCEDURES: Sweep or scoop up material for disposal.

WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container.

#### **IV - PHYSICAL PROPERTIES**

APPEARANCE / ODOUR: Green, opaque liquid, mild perfume

S.G. / BULK DENSITY(g/cc): 1.04 pH: 6.0

 VAPOUR PRESSURE (mmHg):
 not available

 VAPOUR DENSITY (air=1):
 not available

ODOUR THRESHOLD: not available BOILING POINT: 100°C

FREEZING POINT: not available PERCENT VOLATILE: 95%

SOLUBILITY IN WATER: soluble EVAPORATION RATE (water=1): not available

#### **V - TOXICOLOGICAL PROPERTIES**

## EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

**EYES:** May cause irritation.

**SKIN:** Repeated or prolonged contact may result in irritation.

**INGESTION:** Possible gastrointestinal distrurbances if large amounts are ingested.

**INHALATION:** No serious or irreversible effects expected (if treated promptly).

LD50 (calculated): 16,740 mg/kg LC50 (calculated): not available

OTHER TOXIC EFFECTS: TLV (Propylene glycol): 50 ppm

EFFECTS OF CHRONIC not available

**EXPOSURE TO MATERIAL:** 

#### **VI - FIRST AID MEASURES**

EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.

**SKIN:** If irritation occurs, discontinue use.

INGESTION: Do not induce vomiting. Drink large volumes of water . Never give anything by mouth to an unconscious patient. Contact a

physician.

INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.

## VII - FIRE AND EXPLOSION DATA

FLAMMABLE: No

FLASH POINT, °C: not applicable AUTO IGNITION TEMPERATURE, °C: n/ap.

**EXTINGUISHING MEDIA:** Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other [ ]

SPECIAL FIRE FIGHTING PROCEDURES: not applicable

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, sulphur.

**EXPLOSIVE SENSITIVITY TO:** not applicable

## **VIII - REACTIVITY DATA**

STABILITY: Stable [x] Unstable [ ]

CONDITIONS TO AVOID: not applicable

INCOMPATIBILITY (Material to Avoid): not applicable

April 15, 2003

HAZARDOUS DECOMPOSITION PRODUCTS: CO, CO2, Oxides of nitrogen and sulfur`

**REACTIVITY:** not dangerously reactive

PREPARATION DATE:

## **IX - MSDS PREPARATION**

SOURCES USED: RTECS PREPARED BY: Johnson Diversev Canada. Inc.

Regulatory Department Institutional Division Phone (905) 829-1200

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.