

MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 2444

PRODUCT NAME: SPIRAL 202

USE: High Gloss Sealer Finish

SUPPLIER: EMERGENCY PHONE:

JohnsonDiversey Canada, Inc.

2401 Bristol Circle

Oakville Ontario, L6H 6P1, Canada

1-800-668-7171

WHMIS CLASSIFICATION: D2B TRADE NAME / SYNONYMS: not applicable

CHEMICAL FAMILY: Acrylic CHEMICAL NAME: not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS#	LD50 / LC50	Route / Species
Tributoxyethyl phosphate	1-5	000078-51-3	LD50 3000 mg/kg	oral/rat
Diethylene glycol monomethyl ether	1-5	000111-77-3	LD50 5500 mg/kg	oral/rat

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: natural rubber, neoprene or nitrile Eye: safety glasses Footwear: not required

Respiratory: If mists are generated, use NIOSH approved **Other:** not applicable

mask.

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact.

VENTILATION REQUIREMENTS: general ventilation

INCOMPATIBILITY (Material to Avoid): Acids

SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal.

Wash spill area with large volumes of water.

WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Avoid freezing.

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: White, milky liquid.

S.G. / BULK DENSITY(g/cc): 1.01 pH: 9.0 - 9.5

VAPOUR PRESSURE (mmHg): not available VAPOUR DENSITY (air=1): not available

ODOUR THRESHOLD: not available BOILING POINT: not available

FREEZING POINT: not available PERCENT VOLATILE: approx. 80%

SOLUBILITY IN WATER: dispersable EVAPORATION RATE (water=1): not available

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES: May cause irritation. May cause temporary or permanent damage if not treated promptly.

SKIN: May cause irritation.

INGESTION: Irritation of the digestive tract.

INHALATION: Excessive exposure may cause headache and nausea.

LD50 (calculated): 76726 mg/kg LC50 (calculated): not applicable

OTHER TOXIC EFFECTS: none known

EFFECTS OF CHRONIC none known

EXPOSURE TO MATERIAL:

VI - FIRST AID MEASURES

EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.

SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.

INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a

physician immediately.

INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.

VII - FIRE AND EXPLOSION DATA

FLAMMABLE: No.

FLASH POINT, °C: not applicable AUTO IGNITION TEMPERATURE, °C: N/Ap

EXTINGUISHING MEDIA: Water [X] Dry Chemical [X] Carbon Dioxide [X] Foam [X] Other []

SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.

EXPLOSIVE SENSITIVITY TO: not applicable

VIII - REACTIVITY DATA

STABILITY: Stable [X] Unstable []

CONDITIONS TO AVOID: none known

INCOMPATIBILITY (Material to Avoid): acids

HAZARDOUS DECOMPOSITION PRODUCTS: Oxides of carbon, nitrogen

REACTIVITY: not dangerously reactive

IX - MSDS PREPARATION

SOURCES USED: RTECS, Raw Material MSDS PREPARED BY: JohnsonDiversev Canada. Inc.

PREPARATION DATE: April 15, 2003

Regulatory Department
Institutional Division
Phone (905) 829-1200

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.