



MATERIAL SAFETY DATA SHEET

I - PRODUCT IDENTIFICATION AND USE MSDS ID: 2514						
PRODUCT NAME: OGG-5						
USE: Open Gear Grease						
SUPPLIER:		EMERGENCY PHONE:				
JohnsonDiversey Canada, Inc. 2401 Bristol Circle		1-800-668-7171				
Oakville Ontario, L6H 6P1, Canada						
WHMIS CLASSIFICATION: not applicable CHEMICAL FAMILY: Petroleum Hydrocarbon		TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable				
II - HAZARDOUS INGREDIENTS						
HAZARDOUS INGREDIENT	% w/w	v	CAS #	LD50 / LC50	Route / Species	
Petroleum hydrocarbon	25-40		064742-52-5	LD50 5000 mg/kg	oral/rat	
Asphalt	10-30		008052-42-4	not available	n/a	
Graphite	10-30		000077-42-5	not available	n/a	
Lithium stearate			007620-77-1	LD50 >5000 mg/kg	oral/rat	
III - HANDLING AND DISPOSAL PROCEDURES						
PERSONAL PROTECTIVE EQUIPMENT:						
Gloves: not normally required Eye: safety glasses Footwear: not required						
Respiratory: not normally required Other: not required						
SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye contact. Individuals with sensitive skin may require impermeable gloves to prevent irritation. A NIOSH approved respirator is required if the permissible exposure limit (PEL) of 5 mg/m3 for oil mist is exceeded.						
VENTILATION REQUIREMENTS: general ventilation						
INCOMPATIBILITY (Material to Avoid): Oxidizing Materials						
SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal.						
WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.						
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container.						
IV - PHYSICAL PROPERTIES						
APPEARANCE / ODOUR: Black grease						
S.G. / BULK DENSITY(g/cc): 1.04			pH: not applicable			
VAPOUR PRESSURE (mmHg): not available		VAPOUR DENSITY (air=1): >1				
ODOUR THRESHOLD: not available			BOILING POINT: >315°C			
FREEZING POINT: not available		PERCENT VOLATILE: not available				
SOLUBILITY IN WATER: insoluble		EVAPORATION RATE (water=1): not available				
V - TOXICOLOGICAL PROPERTIES						
EFFECTS OF ACUTE EXPOSURE TO MATERIAL:						
EYES: May cause irritation. No serious or irreversible effects expected if treated promptly.						
SKIN: Repeated or prolonged contact may result in irritation.						
INGESTION: May cause irritation of the digestive tract.						

LC50 (calculated): Not available MEASURES						
MEASURES						
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.						
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.						
INGESTION: Do not induce vomiting. Contact a physician immediately.						
INHALATION: Remove patient to fresh air.						
VII - FIRE AND EXPLOSION DATA						
AUTO IGNITION TEMPERATURE, °C: N/Av.						
Dioxide [X] Foam [X] Other []						
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.						
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.						
EXPLOSIVE SENSITIVITY TO: not applicable						
VIII - REACTIVITY DATA						
STABILITY: Stable [X] Unstable []						
CONDITIONS TO AVOID: high temperature						
INCOMPATIBILITY (Material to Avoid) : Oxidizing materials.						
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide and smoke.						
REACTIVITY: not dangerously reactive.						
IX - MSDS PREPARATION						
PREPARED BY: JohnsonDiversev Canada. Inc. Regulatory Department						
Industrial Division Phone (905) 829-1200						
ecting Controlled Products under the Hazardous Products Act and is JohnsonDiversey Canada assumes no responsibility for injury to any procedures are not adhered to. In addition, JohnsonDiversey Canada any abnormal use or theft of the material, even if reasonable safety ial and should review the data and recommendations in the specific						