

# MATERIAL SAFETY DATA SHEET

THIS IS NOT A CONTROLLED PRODUCT UNDER WHMIS REGULATION

I - PRODUCT IDENTIFICATION AND USE MSDS ID: 2540

PRODUCT NAME: ULTRAGARD 200

**USE:** Synthetic Lubricant

SUPPLIER: EMERGENCY PHONE:

JohnsonDiversey Canada, Inc.

2401 Bristol Circle

Oakville Ontario, L6H 6P1, Canada

1-800-668-7171

WHMIS CLASSIFICATION: not applicable TRADE NAME / SYNONYMS: not applicable

CHEMICAL FAMILY: Lubricating Oil CHEMICAL NAME: not applicable

**II - HAZARDOUS INGREDIENTS** 

 HAZARDOUS INGREDIENT
 % w/w
 CAS #
 LD50 / LC50
 Route / Species

 Polyalphaolefin
 60-100
 068037-01-4
 LD50 >5000 mg/kg
 oral/rat

#### **III - HANDLING AND DISPOSAL PROCEDURES**

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: not normally required Eye: safety glasses Footwear: not required

Respiratory: If mists are generated, use NIOSH approved Other: not required

mask

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye contact. Individuals with sensitive skin may require impermeable gloves

to prevent irritation. A NIOSH approved respirator is required if the permissible

exposure limit (PEL) of 5 mg/m3 for oil mist is exceeded.

**VENTILATION REQUIREMENTS:** general ventilation

INCOMPATIBILITY (Material to Avoid): oxidizing materials

SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal.

Wash spill area with large volumes of water.

**WASTE DISPOSAL:** Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container.

## **IV - PHYSICAL PROPERTIES**

APPEARANCE / ODOUR: Clear, colourless liquid

S.G. / BULK DENSITY(g/cc): 0.83 ph: not applicable

VAPOUR PRESSURE (mmHg): 0.01 @ 20°C VAPOUR DENSITY (air=1): not available

ODOUR THRESHOLD:not availableBOILING POINT:413°C

FREEZING POINT: not available PERCENT VOLATILE: 0%

SOLUBILITY IN WATER: insoluble EVAPORATION RATE (water=1): not applicable

## **V - TOXICOLOGICAL PROPERTIES**

#### **EFFECTS OF ACUTE EXPOSURE TO MATERIAL:**

EYES: May cause irritation. No serious or irreversible effects expected if treated promptly.

**SKIN:** Repeated or prolonged contact may result in irritation.

INGESTION: May cause irritation of the digestive tract.INHALATION: No serious or irreversible effects expected.

LD50 (calculated): >5000 mg/kg LC50 (calculated): Not available OTHER TOXIC EFFECTS: None known **EFFECTS OF CHRONIC** None known. **EXPOSURE TO MATERIAL:** VI - FIRST AID MEASURES EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician. SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician. INGESTION: Drink large volumes of water. Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately. INHALATION: Remove patient to fresh air. VII - FIRE AND EXPLOSION DATA FLAMMABLE: No **AUTO IGNITION TEMPERATURE,°C:** FLASH POINT, °C: 243°C N/A **EXTINGUISHING MEDIA:** Water [X] Dry Chemical [X] Carbon Dioxide [X] Foam [X] Other [ ] SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus. **HAZARDOUS COMBUSTION PRODUCTS:** Oxides of carbon. **EXPLOSIVE SENSITIVITY TO:** not applicable **VIII - REACTIVITY DATA** STABILITY: Stable [X] Unstable [ ] CONDITIONS TO AVOID: high temperature INCOMPATIBILITY (Material to Avoid): not available **HAZARDOUS DECOMPOSITION PRODUCTS:** Carbon monoxide REACTIVITY: not dangerously reactive IX - MSDS PREPARATION PREPARED BY: SOURCES USED: Supplier MSDS JohnsonDiversey Canada, Inc. Regulatory Department

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.

Industrial Division

Phone (905) 829-1200

PREPARATION DATE:

April 15, 2003