



I - PRODUCT IDENTIFICATION AND USE

MSDS ID: 2622

PRODUCT NAME: WSM-501C

USE: Roll Release Agent

SUPPLIER:

JohnsonDiversey Canada, Inc.
2401 Bristol Circle
Oakville Ontario, L6H 6P1, Canada

EMERGENCY PHONE:

1-800-668-7171

WHMIS CLASSIFICATION: E

CHEMICAL FAMILY: surfactant

TRADE NAME / SYNONYMS: not applicable

CHEMICAL NAME: not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species
Dipropylene glycol methyl ether	1-5	034590-94-8	LD50 5660 mg/kg	oral/rat
Potassium dodecylbenzene sulfonate	1-5	027177-77-1	not available	
Tetrapotassium pyrophosphate	1-5	007320-34-5	LD50 2980 mg/kg	oral/rat

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: neoprene or polyvinyl alcohol

Eye: safety glasses

Footwear: not required

Respiratory: If mists are generated, use NIOSH approved mask

Other: not required

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact. Do not breathe mist, spray or vapours.

VENTILATION REQUIREMENTS: general ventilation

INCOMPATIBILITY (Material to Avoid): Strong acids, oxidizers, soft metals

SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water.

WASTE DISPOSAL: Wash spill area with large volumes of water.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Avoid freezing. UN1814

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: Light yellow liquid

S.G. / BULK DENSITY(g/cc): 1.036

pH: (10% solution): 10.5-11.5

VAPOUR PRESSURE (mmHg): not available

VAPOUR DENSITY (air=1): not applicable

ODOUR THRESHOLD: not applicable

BOILING POINT: approx. 100°C

FREEZING POINT: 1°C

PERCENT VOLATILE: Approx 90%

SOLUBILITY IN WATER: soluble

EVAPORATION RATE (water=1): 1

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES: May cause severe irritation. May cause temporary or permanent damage if not treated promptly.

SKIN: May cause irritation.

INGESTION: May cause headache, nausea, dizziness, vomiting and diarrhea.

INHALATION: Breathing spray or mist may cause respiratory irritation.

LD50 (calculated): 2980 mg/kg		LC50 (calculated):	
OTHER TOXIC EFFECTS: Dipropylene Glycol Methyl Ether TLV-STEL 909 mg/m3 (150 ppm) skin, TWA 606 mg/m3 (100 ppm)			
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: None known			
VI - FIRST AID MEASURES			
EYES:	Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.		
SKIN:	Flush affected area thoroughly with water. If irritation develops, contact a physician.		
INGESTION:	Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.		
INHALATION:	Remove patient to fresh air. Get medical attention for any breathing difficulty.		
VII - FIRE AND EXPLOSION DATA			
FLAMMABLE: No			
FLASH POINT, °C: >100°C		AUTO IGNITION TEMPERATURE, °C: N/ap	
EXTINGUISHING MEDIA: Water [X] Dry Chemical [X] Carbon Dioxide [X] Foam [X] Other []			
SPECIAL FIRE FIGHTING PROCEDURES: not required			
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, sulphur.			
EXPLOSIVE SENSITIVITY TO: not applicable			
VIII - REACTIVITY DATA			
STABILITY: Stable [X] Unstable []			
CONDITIONS TO AVOID: high temperature, high humidity			
INCOMPATIBILITY (Material to Avoid) : strong acids, oxidizers, soft metals			
HAZARDOUS DECOMPOSITION PRODUCTS: Heat released on contact with acids.			
REACTIVITY: not dangerously reactive			
IX - MSDS PREPARATION			
SOURCES USED: MSDS, RTECS		PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department Industrial Division Phone (905) 829-1200	
PREPARATION DATE: April 15, 2003			
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.			