

MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 2635 PRODUCT NAME: WSM-140 USE: Stickies Control Agent SUPPLIER: **EMERGENCY PHONE:** JohnsonDiversey Canada, Inc. 1-800-668-7171 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada WHMIS CLASSIFICATION: TRADE NAME / SYNONYMS: not applicable D2B CHEMICAL FAMILY: Polymer/surfactant **CHEMICAL NAME:** not applicable **II - HAZARDOUS INGREDIENTS** HAZARDOUS INGREDIENT % w/w CAS# LD50 / LC50 **Route / Species** None **III - HANDLING AND DISPOSAL PROCEDURES** PERSONAL PROTECTIVE EQUIPMENT: Gloves: natural rubber Eye: safety glasses Footwear: not required If mists are generated, use NIOSH approved Respiratory: Other: not required SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact. **VENTILATION REQUIREMENTS:** General ventilation. INCOMPATIBILITY (Material to Avoid): Strong alkali and oxidizers. SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water. WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations. STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. **IV - PHYSICAL PROPERTIES** APPEARANCE / ODOUR: Clear colourless liquid S.G. / BULK DENSITY(g/cc): 4.5 ± 0.5 1.055 pH: VAPOUR PRESSURE (mmHg): not available VAPOUR DENSITY (air=1): not applicable ODOUR THRESHOLD: **BOILING POINT:** approx. 100°C not applicable FREEZING POINT: PERCENT VOLATILE: approx. 0°C approx. 90% SOLUBILITY IN WATER: soluble **EVAPORATION RATE (water=1):** approx. 1 **V - TOXICOLOGICAL PROPERTIES EFFECTS OF ACUTE EXPOSURE TO MATERIAL:** EYES: May cause irritation. May cause temporary or permanent damage if not treated promptly. SKIN: Repeated or prolonged contact may result in irritation. INGESTION: May cause severe irritation of the digestive tract. May cause temporary or permanent damage if not treated promptly. INHALATION: Breathing spray or mist may cause respiratory irritation. LC50 (calculated): LD50 (calculated): not available

OTHER TOXIC EFFECTS: None known. **EFFECTS OF CHRONIC** None known. **EXPOSURE TO MATERIAL: VI - FIRST AID MEASURES** EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately. SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician. INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately. INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty. VII - FIRE AND EXPLOSION DATA FLAMMABLE: No FLASH POINT, °C: not applicable **AUTO IGNITION TEMPERATURE,°C:** N/App. **EXTINGUISHING MEDIA:** Carbon Dioxide [x] Water [x] Dry Chemical [x] Foam [x] Other [x] SPECIAL FIRE FIGHTING PROCEDURES: None **HAZARDOUS COMBUSTION PRODUCTS:** not applicable. **EXPLOSIVE SENSITIVITY TO:** not applicable **VIII - REACTIVITY DATA** STABILITY: Unstable [] Stable [x] **CONDITIONS TO AVOID:** high temperature INCOMPATIBILITY (Material to Avoid): Strong alkali and oxidizing materials. HAZARDOUS DECOMPOSITION PRODUCTS: Carbon dioxide, carbon monoxide. REACTIVITY: not dangerously reactive. IX - MSDS PREPARATION SOURCES USED: **MSDS** PREPARED BY: JohnsonDiversev Canada. Inc.

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.

Regulatory Department Industrial Division

Phone (905) 829-1200

PREPARATION DATE:

April 15, 2003