



MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 2664					
PRODUCT NAME: SURE SAFE 440					
USE: Non-Caustic Paper Mill Boil-out Compound					
SUPPLIER:		EMERGENCY PHONE:			
JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		1-800-668-7171			
WHMIS CLASSIFICATION: D2B CHEMICAL FAMILY: alkali		TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable			
II - HAZARDOUS INGREDIENTS					
HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species	
Triethanolamine Potassium carbonate	1-5 3-7	000102-71-6 000584-08-7	LD50 8680 mg/kg LD50 1870 mg/kg mg/kg	oral/rat oral/rat	
Tetrasodium edta Dipropylene glycol mehtyl ether	7-13 3-7	000064-02-8 034590-94-8	LD50 3200 mg/kg LD50 5660 mg/kg	oral/rat oral/rat	
Fatty acid	1-5	068937-75-7	LD50 >5 mg/kg	oral/rat	
III - HANDLING AND DISPOSAL PROCEDURES					
PERSONAL PROTECTIVE EQUIPMENT: Gloves: natural rubber or neoprene Eye: safety goggles Footwear: not required Respiratory: If mists are generated, use NIOSH approved Other: not required mask Description Description Description					
SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye contact.					
VENTILATION REQUIREMENTS: general ventilation INCOMPATIBILITY (Material to Avoid): Concentrated Acids					
SPILL PROCEDURES: Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water.					
WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.					
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Avoid freezing.					
IV - PHYSICAL PROPERTIES					
APPEARANCE / ODOUR: Clear, light amber liquid					
S.G. / BULK DENSITY(g/cc): 1.10 ± 0.01		pH: 11.5 ± 0.5			
VAPOUR PRESSURE (mmHg): 17.5 @ 20°C		VAPOUR DENSITY (air=1): not available			
ODOUR THRESHOLD: not available		BOILING POINT: 101°C			
EZING POINT: -2°C		PERCENT VOLATILE: 81%			
SOLUBILITY IN WATER: soluble		EVAPORATION RATE (water=1): not available			
V - TOXICOLOGICAL PROPERTIES					
EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: May cause severe irritation. May cause temporary or permanent damage if not treated promptly. SKIN: May cause irritation.					

INGESTION: May cause severe irritation of the digestive tract. INHALATION: May cause irritation.				
LD50 (calculated): 12,800 mg/kg	LC50 (calculated):			
OTHER TOXIC EFFECTS: Potassium Carbonate TLV 10 mg/m3 Dipropylene Glycol Methyl Ether TLV-STEL 909 mg/m3 (150 ppm) skin, TWA 606 mg/m3 (100 ppm)				
EFFECTS OF CHRONIC Same as above EXPOSURE TO MATERIAL:				
VI - FIRST AID MEASURES				
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.				
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.				
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.				
INHALATION: Remove patient to fresh air.				
VII - FIRE AND E				
FLAMMABLE: No				
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE,°C: N/App.			
EXTINGUISHING MEDIA: Water [X] Dry Chemical [X] Carbon Dioxide [X] Foam [X] Other []				
SPECIAL FIRE FIGHTING PROCEDURES: not required				
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitrogen.				
EXPLOSIVE SENSITIVITY TO: not applicable				
VIII - REACTIVITY DATA				
STABILITY: Stable [X] Unstable []				
CONDITIONS TO AVOID: None				
INCOMPATIBILITY (Material to Avoid) : Concentrated acids				
HAZARDOUS DECOMPOSITION PRODUCTS: None				
REACTIVITY: not dangerously reactive				
IX - MSDS PREPARATION				
SOURCES USED: RTECS, ChemInfo	PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department			
PREPARATION DATE: April 15, 2003	Industrial Division Phone (905) 829-1200			
Information on this form is furnished in compliance with the Regulations res not to be used for any other purpose, nor is it to be reproduced or published person or property resulting from any use of the material if reasonable safet assumes no responsibility for injury to any person or property resulting from procedures are followed. Each user assumes the risk in his use of the material context of the intended use.	d. JohnsonDiversey Canada assumes no responsibility for injury to any y procedures are not adhered to. In addition, JohnsonDiversey Canada any abnormal use or theft of the material, even if reasonable safety			