

MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 2667

PRODUCT NAME: ROLL-AID 100

USE: Roll Release Agent

SUPPLIER: EMERGENCY PHONE:

JohnsonDiversey Canada, Inc.

2401 Bristol Circle

Oakville Ontario, L6H 6P1, Canada

1-800-668-7171

WHMIS CLASSIFICATION: E TRADE NAME / SYNONYMS: not applicable

CHEMICAL FAMILY: surfactant CHEMICAL NAME: not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS#	LD50 / LC50	Route / Species
Dipropylene glycol methylether	1-5	034590-94-8	LD50 5660 mg/kg	oral/rat
Sodium hydroxide	0.5- 1.5	001310-73-2	LD50 500 mg/kg	oral/rat

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: natural rubber or neoprene Eye: safety glasses Footwear: not required

Respiratory: If mists are generated, use NIOSH approved Other: not required

mask

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact. Do not breathe mist, spray or vapours.

VENTILATION REQUIREMENTS: general ventilation

 $\textbf{INCOMPATIBILITY (Material to Avoid):} \quad \textbf{Strong acid, oxidizers.}$

SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal.

Wash spill area with large volumes of water.

WASTE DISPOSAL: Wash spill area with large volumes of water.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Avoid freezing. UN1760

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: Clear colourless to light yellow liquid

S.G. / BULK DENSITY(g/cc): 1.040 pH: (concentrate): 13.2

VAPOUR PRESSURE (mmHg): not available VAPOUR DENSITY (air=1): not applicable

ODOUR THRESHOLD: not applicable BOILING POINT: approx. 100°C

FREEZING POINT: <°C PERCENT VOLATILE: Approx 90%

SOLUBILITY IN WATER: soluble EVAPORATION RATE (water=1): 1

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES: My cause severe irritation. May cause temporary or permanent damage if not treated promptly.

SKIN: May cause irritation.

INGESTION: May cause headache, nausea, dizziness, vomiting and diarrhea.

INHALATION: Breathing spray or mist may cause respiratory irritation.

LD50 (calculated): >5000 mg/kg LC50 (calculated):

1 of 2

OTHER TOXIC EFFECTS: Dipropylene Glycol Methyl Ether TLV-STEL 909 mg/m3 (150 ppm) skin, TWA 606 mg/m3 (100 ppm) **EFFECTS OF CHRONIC** None known **EXPOSURE TO MATERIAL: VI - FIRST AID MEASURES** EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately. SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician. INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately. INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty. VII - FIRE AND EXPLOSION DATA FLAMMABLE: No FLASH POINT, °C: >100°c **AUTO IGNITION TEMPERATURE,°C:** N/ap **EXTINGUISHING MEDIA:** Water [X] Dry Chemical [X] Carbon Dioxide [X] Foam [X] Other [] SPECIAL FIRE FIGHTING PROCEDURES: not required **HAZARDOUS COMBUSTION PRODUCTS:** Oxides of carbon. **EXPLOSIVE SENSITIVITY TO:** not applicable **VIII - REACTIVITY DATA** STABILITY: Unstable [] Stable [X] **CONDITIONS TO AVOID:** high temperature, high humidity INCOMPATIBILITY (Material to Avoid): Strong Acid, Oxidizers HAZARDOUS DECOMPOSITION PRODUCTS: Heat released on contact with acids. REACTIVITY: not dangerously reactive IX - MSDS PREPARATION SOURCES USED: MSDS, RTECS PREPARED BY: JohnsonDiversev Canada. Inc. Regulatory Department Industrial Division PREPARATION DATE: April 15, 2003 Phone (905) 829-1200 Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.