

MATERIAL SAFETY DATA SHEET



MSDS ID: 2683

I - PRODUCT IDENTIFICATION AND USE

PRODUCT NAME: SURE SAFE 430

USE: Non-Caustic Paper Mill Boil-out Compound

SUPPLIER: EMERGENCY PHONE:

JohnsonDiversey Canada, Inc.

2401 Bristol Circle

Oakville Ontario, L6H 6P1, Canada

1-800-668-7171

WHMIS CLASSIFICATION: D2B TRADE NAME / SYNONYMS: not applicable

CHEMICAL FAMILY: alkali CHEMICAL NAME: not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS#	LD50 / LC50	Route / Species
Triethanolamine	1-5	000102-71-6	LD50 8680 mg/kg	oral/rat
Potassium carbonate	3-7	000584-08-7	LD50 1870 mg/kg mg/kg	oral/rat
Tetrasodium edta	7-13	000064-02-8	LD50 3200 mg/kg	oral/rat
Alkyl polyoxyethylene glycol ether	1-5	068439-46-3	LD50 1400 mg/kg	oral/rat
Dipropylene glycol mehtyl ether	3-7	034590-94-8	LD50 5660 mg/kg	oral/rat

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: natural rubber or neoprene Eye: safety goggles Footwear: not required

Respiratory: If mists are generated, use NIOSH approved Other: not required

mask

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye contact.

VENTILATION REQUIREMENTS: general ventilation

INCOMPATIBILITY (Material to Avoid): Concentrated Acids

SPILL PROCEDURES: Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water.

WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Avoid freezing.

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: Clear, light amber liquid

S.G. / BULK DENSITY(g/cc): 1.09 pH: 10.8 ± 0.5

VAPOUR PRESSURE (mmHg): 17.5 @ 20°C VAPOUR DENSITY (air=1): not available

ODOUR THRESHOLD: not available BOILING POINT: 101°C

FREEZING POINT: -2°C PERCENT VOLATILE: 77%

SOLUBILITY IN WATER: soluble EVAPORATION RATE (water=1): not available

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES: May cause severe irritation. May cause temporary or permanent damage if not treated promptly.

SKIN: May cause irritation.

INGESTION: May cause severe irritation of the digestive tract. INHALATION: May cause irritation. LD50 (calculated): 12,800 mg/kg LC50 (calculated): OTHER TOXIC EFFECTS: Potassium Carbonate TLV 10 mg/m3; Dipropylene Glycol Methyl Ether STEL 909 mg/m3 (150 ppm) skin, TWA 606 mg/m3 (100 ppm) **EFFECTS OF CHRONIC** Same as above **EXPOSURE TO MATERIAL: VI - FIRST AID MEASURES** EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately. SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician. INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately. INHALATION: Remove patient to fresh air. VII - FIRE AND EXPLOSION DATA FLAMMABLE: Nο FLASH POINT, °C: not applicable **AUTO IGNITION TEMPERATURE,°C:** N/App. **EXTINGUISHING MEDIA:** Water [X] Dry Chemical [X] Carbon Dioxide [X] Foam [X] Other [] SPECIAL FIRE FIGHTING PROCEDURES: not required **HAZARDOUS COMBUSTION PRODUCTS:** Oxides of carbon, nitrogen. **EXPLOSIVE SENSITIVITY TO:** not applicable **VIII - REACTIVITY DATA** Unstable [] STABILITY: Stable [X] CONDITIONS TO AVOID: INCOMPATIBILITY (Material to Avoid): Concentrated acids HAZARDOUS DECOMPOSITION PRODUCTS: None REACTIVITY: not dangerously reactive IX - MSDS PREPARATION PREPARED BY: SOURCES USED: RTECS. ChemInfo JohnsonDiversey Canada, Inc. Regulatory Department Industrial Division PREPARATION DATE: April 15, 2003 Phone (905) 829-1200

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.