

MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 2684

PRODUCT NAME: PC-3920 E

USE: Acidic Aluminium Brightener

SUPPLIER: EMERGENCY PHONE:

JohnsonDiversey Canada, Inc.

2401 Bristol Circle

Oakville Ontario, L6H 6P1, Canada

1-800-668-7171

WHMIS CLASSIFICATION: D2B E TRADE NAME / SYNONYMS: not applicable

CHEMICAL FAMILY: Acid CHEMICAL NAME: not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS#	LD50 / LC50	Route / Species
Oxalic acid	7-10	000144-62-7	LD50 375 mg/kg	oral/rat
Alkyl polyoxyethylene glycol ether	1-5	068439-46-3	LD50 1400 mg/kg	oral/rat

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: natural rubber or neoprene Eye: safety goggles Footwear: rubber boots

Respiratory: If mists are generated, use NIOSH approved **Other:** rubber apron

mask

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact. Do not breathe mist or spray.

VENTILATION REQUIREMENTS: general ventilation

INCOMPATIBILITY (Material to Avoid): Alkaline or chlorinated materials.

SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal.

Wash spill area with large volumes of water.

WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Avoid freezing. UN1760

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: Hazy coulourless liquid - mild odour

S.G. / BULK DENSITY(g/cc): 1.03 **pH:** (concentrate) 2.5 ± 0.3

VAPOUR PRESSURE (mmHg): not available VAPOUR DENSITY (air=1): not available

ODOUR THRESHOLD: not available BOILING POINT: approx. 100°C

FREEZING POINT: not available PERCENT VOLATILE: 85%

SOLUBILITY IN WATER: Soluble EVAPORATION RATE (water=1): not available

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES: crrosive. May cause severe irritation. May cause permanent damage if not treated promptly.

SKIN: Corrosive. May cause severe irritation. May cause temporary or permanent damage if not treated promptly.

INGESTION: Corrosive. May cause severe irritation of the digestive tract. Ingestion of large doses can be fatal.

INHALATION: Inhalation of spray or mist may cause respiratory irritation. May cause headache and nausea.

LD50 (calculated): 4600 mg/kg LC50 (calculated): not available

1 of 2

OTHER TOXIC EFFECTS: Oxalic Acid TLV-TWA 1 mg/m3

EFFECTS OF CHRONIC none known
EXPOSURE TO MATERIAL:

VI - FIRST AID MEASURES

EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.

INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.

VII - FIRE AND EXPLOSION DATA

Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a

FLAMMABLE: No

SKIN:

INGESTION:

FLASH POINT, °C: not applicable AUTO IGNITION TEMPERATURE, °C: N/Ap

EXTINGUISHING MEDIA: Water [X] Dry Chemical [X] Carbon Dioxide [X] Foam [X] Other []

Flush affected area thoroughly with water. If irritation persists, contact a physician.

SPECIAL FIRE FIGHTING PROCEDURES: not required

physician immediately.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.

EXPLOSIVE SENSITIVITY TO: not applicable

VIII - REACTIVITY DATA

STABILITY: Stable [x] Unstable []

CONDITIONS TO AVOID: not applicable

INCOMPATIBILITY (Material to Avoid): Alkaline or chlorinated materials.

HAZARDOUS DECOMPOSITION PRODUCTS: not available

April 15, 2003

REACTIVITY: not dangerously reactive

PREPARATION DATE:

IX - MSDS PREPARATION

SOURCES USED: RTECS, ChemInfo PREPARED BY: Johnson Diversev Canada. Inc.

Regulatory Department Industrial Division Phone (905) 829-1200

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.