



## **MATERIAL SAFETY DATA SHEET**



I - PRODUCT	<b>IDENTIF</b>	ICATI	ON AND USE	MSDS	ID: 2727	
PRODUCT NAME: GLASS CLEANER						
USE: Glass Cleaner						
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		EMERGENCY PHONE: 1-800-668-7171				
WHMIS CLASSIFICATION: D2B CHEMICAL FAMILY: Alkali/Solvent		TRADE NAME / SYNONYMS:       not applicable         CHEMICAL NAME:       not applicable				
II - HAZ	ZARDOUS	5 INGF	REDIENTS		-	
HAZARDOUS INGREDIENT	% w/w		CAS #	LD50 / LC50	Route / Species	
Isopropanol	1-5		000067-63-0	LD50 5045 mg/kg	oral/rat	
Dipropylene glycol methyl ether	1-5		034590-94-8	LD50 5660 mg/kg	oral/rat	
Respiratory: If mists are generated, use NIOSH approved mask	Avoid eye co spilled production	: not rec ontact. D ct to go t ral regula	oo not breathe mist, sp to drain. Mop up or so ations.	· ·	ay for disposal.	
· · ·	IYSICAL					
APPEARANCE / ODOUR: Clear blue liquid						
S.G. / BULK DENSITY(g/cc): 1.01			<b>pH:</b> 10.5 ± 0.5			
VAPOUR PRESSURE (mmHg): not available		VAPOUR DENSITY (air=1): not available				
ODOUR THRESHOLD: not available		BOILING POINT: approx. 100°C				
FREEZING POINT: approx. 0°C		PERCENT VOLATILE: approx. 99%				
SOLUBILITY IN WATER: Soluble			EVAPORATION RATE (water=1): approx. 1			
V - ΤΟΧΙΟ	COLOGIC	AL PR	OPERTIES			
EFFECTS OF ACUTE EXPOSURE TO MATERIAL:         EYES:       May cause severe irritation.         SKIN:       Repeated or prolonged contact may result in irrit						
<b>INGESTION:</b> May cause severe irritation of the digestive tract <b>INHALATION:</b> Breathing spray or mist may cause respiratory i						

OTHER TOXIC EFFECTS: TLV - TWA (Isopropanol): 400 ppm; TLV (D						
	pipropylene glycol methyl ether): TWA 100 ppm, STEL 150 ppm					
EFFECTS OF CHRONIC none known EXPOSURE TO MATERIAL:						
VI - FIRST AII	D MEASURES					
EYES: Flush eyes with plenty of water for at least 15 minutes. Ho	old eyelids open while rinsing. Contact a physician immediately.					
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.						
<b>INGESTION:</b> Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.						
<b>INHALATION:</b> Remove patient to fresh air. Get medical attention for any	breathing difficulty.					
VII - FIRE AND EXPLOSION DATA						
FLAMMABLE: No.						
FLASH POINT, °C: 97°C (Pensky-Martens)	AUTO IGNITION TEMPERATURE, °C: N/Ap					
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbor	n Dioxide [x] Foam [x] Other [ ]					
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.						
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.						
EXPLOSIVE SENSITIVITY TO: not applicable						
VIII - REACT						
STABILITY: Stable [X] Unstable []						
CONDITIONS TO AVOID: high temperature						
INCOMPATIBILITY (Material to Avoid) : not applicable						
HAZARDOUS DECOMPOSITION PRODUCTS: not applicable						
<b>REACTIVITY:</b> not dangerously reactive						
IX - MSDS PF	REPARATION					
SOURCES USED: RTECS, RM MSDS	PREPARED BY: JohnsonDiversev Canada. Inc. Regulatory Department					
PREPARATION DATE: April 15, 2003	Institutional Division Phone (905) 829-1200					
Information on this form is furnished in compliance with the Regulations re- not to be used for any other purpose, nor is it to be reproduced or publishe						
person or property resulting from any use of the material if reasonable safe assumes no responsibility for injury to any person or property resulting from procedures are followed. Each user assumes the risk in his use of the mate context of the intended use.	n any abnormal use or theft of the material, even if reasonable safety					