



MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 2804						
PRODUCT NAME: DYNA JET						
USE: Heavy Duty Vehicle and Machinery Cleaner						
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		EMERGENCY PHONE: 1-800-668-7171				
WHMIS CLASSIFICATION: E CHEMICAL FAMILY: alkali		TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable				
II - HAZARDOUS INGREDIENTS						
HAZARDOUS INGREDIENT	% w/w	,	CAS #	LD50 / LC50	Route / Species	
Sodium hydroxide Tetrasodium edta	7-13 7-13		001310-73-2 000064-02-8	LDLo 500 mg/kg LD50 3200 mg/kg	oral/rab oral/rat	
III - HANDLING	AND DIS	POSA	L PROCEDURES			
Gloves: Natural Rubber or Neoprene Eye: s Respiratory: If mists are generated, use NIOSH approved mask SPECIAL HANDLING PROCEDURES AND EQUIPMENT: VENTILATION REQUIREMENTS: general ventilation INCOMPATIBILITY (Material to Avoid): Acids, soft metals SPILL PROCEDURES: Contain the spill. Do not allow the s Wash spill area with large volumes WASTE DISPOSAL: Dispose according to municipal, province STORAGE / SHIPPING REQUIREMENT: Avoid freezing.	Avoid eye a	t rubber	contact. Do not breathe	e mist or spray.	ay for disposal.	
IV - Pł	HYSICAL	PROP	ERTIES			
APPEARANCE / ODOUR: Pale yellow liquid S.G. / BULK DENSITY(g/cc): 1.20 VAPOUR PRESSURE (mmHg): not available ODOUR THRESHOLD: not applicable		pH: (Concentrate): 13.0 ± 0.3 VAPOUR DENSITY (air=1): not available BOILING POINT: >100°C				
FREEZING POINT: Approx. 0°C			PERCENT VOLATILE: 70%			
SOLUBILITY IN WATER: soluble			EVAPORATION RATE (water=1): 1			
V - TOXIC	COLOGIC	AL PR	OPERTIES			
EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: Corrosive. May cause severe irritation. May cause SKIN: Corrosive. May cause severe irritation. May cause INGESTION: Corrosive. May cause severe irritation of the dig	use tempora gestive tract	ary or pe . May ca	manent damage if not	treated promptly.	ated promptly.	
INHALATION: Inhalation of spray or mist may cause irritation of respirator LD50 (calculated): 4620 mg/kg		LC50 (calculated): Not applicable				

OTHER TOXIC EFFECTS: TLV: Sodium hydroxide TWA 2 mg/m3						
EFFECTS OF CHRONIC None Known EXPOSURE TO MATERIAL:						
VI - FIRST AID MEASURES						
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.						
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.						
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.						
INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.						
VII - FIRE AND EXPLOSION DATA						
FLAMMABLE: No						
FLASH POINT, °C: not applicable AUTO IGNITION TEMPERATURE,°C:	N/app.					
EXTINGUISHING MEDIA: Water [X] Dry Chemical [X] Carbon Dioxide [X] Foam [X] Other []						
SPECIAL FIRE FIGHTING PROCEDURES: not required						
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitrogen.						
EXPLOSIVE SENSITIVITY TO: not applicable						
VIII - REACTIVITY DATA						
STABILITY: Stable [X] Unstable []						
CONDITIONS TO AVOID: not applicable						
INCOMPATIBILITY (Material to Avoid) : Acids						
HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide. Heat released on contact with acids.						
REACTIVITY: not dangerously reactive						
IX - MSDS PREPARATION						
	JohnsonDiversev Canada. Inc. Regulatory Department Industrial Division Phone (905) 829-1200					
PREPARATION DATE: April 15, 2003						
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.						