



## **MATERIAL SAFETY DATA SHEET**



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 2827					
PRODUCT NAME: AQUAFOAM					
USE: Chlorinated Spray/Foam Cleaner					
SUPPLIER:			EMERGENCY PHONE:		
JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		1-800-668-7171			
WHMIS CLASSIFICATION: D1A E CHEMICAL FAMILY: Chlorinated Alkali		TRADE NAME / SYNONYMS:       not applicable         CHEMICAL NAME:       not applicable			
II - HAZARDOUS INGREDIENTS					
HAZARDOUS INGREDIENT	% w/w	/	CAS #	LD50 / LC50	Route / Species
Potassium hydroxide Potassium hypochlorite	1-5 1-5		001310-58-3 007778-66-7	LD50 273 mg/kg not available	oral/rat
Sodium silicate Sodium tripolyphosphate	1-5 9-13		001344-09-8 007758-29-4	LD50 3300 mg/kg LD50 4100 mg/kg	oral/rat oral/rat
Dodecyldimethylamine oxide		POSA	001643-20-5	LD50 >500 mg/kg	oral/rat
III - HANDLING AND DISPOSAL PROCEDURES					
PERSONAL PROTECTIVE EQUIPMENT:	cofoty goggl		Footwa		·:•••
Gloves:       Natural Rubber or Neoprene       Eye:       safety goggles       Footwear:       not normally required         Respiratory:       If mists are generated, use NIOSH approved       Other:       rubber apron         mask       mask       mask       mask					
SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Do not breathe mist or spray. Avoid eye contact.					
VENTILATION REQUIREMENTS: mechanical exhaust					
INCOMPATIBILITY (Material to Avoid): Acids, reducing agents, ammonia and amines.					
SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water.					
WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.					
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. UN1760					
IV - PHYSICAL PROPERTIES					
APPEARANCE / ODOUR: Clear, yellow liquid, chlorine odour					
S.G. / BULK DENSITY(g/cc): 1.23		рН: 12.5 - 13.0			
VAPOUR PRESSURE (mmHg): not applicable		VAPOUR DENSITY (air=1): not applicable			
ODOUR THRESHOLD: not available		BOILING POINT: approx. 100°C			
FREEZING POINT: not available		PERCENT VOLATILE: 65%			
SOLUBILITY IN WATER: soluble		EVAPORATION RATE (water=1): not applicable			
V - TOXICOLOGICAL PROPERTIES					
EFFECTS OF ACUTE EXPOSURE TO MATERIAL:         EYES:       Corrosive. May cause severe irritation. May cause permanent damage if not treated promptly.         SKIN:       Corrosive. May cause severe irritation.					

<b>INGESTION:</b> Corrosive. May cause severe irritation of the digestive tract. May cause temporary or permanent damage if not treated promptly.					
<b>INHALATION:</b> Inhalation of spray or mist may cause irritation of respiratory tract.					
LD50 (calculated): 273 mg/kg	LC50 (calculated): not available				
OTHER TOXIC EFFECTS: Potassium hypochlorite TLV-TWA 0.5 ppm CL2, STEL 1 ppm CL2					
EFFECTS OF CHRONIC not available EXPOSURE TO MATERIAL:					
VI - FIRST AID MEASURES					
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.					
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.					
<b>INGESTION:</b> Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.					
<b>INHALATION:</b> Remove patient to fresh air. Get medical attention for any breathing difficulty.					
VII - FIRE AND EXPLOSION DATA					
FLAMMABLE: No					
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE,°C: N/Ap				
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []					
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.					
HAZARDOUS COMBUSTION PRODUCTS: Chlorine gas may be released when heated. Oxides of carbon, nitrogen.					
EXPLOSIVE SENSITIVITY TO: not applicable					
VIII - REACTIVITY DATA					
STABILITY: Stable [x] Unstable [ ]					
CONDITIONS TO AVOID: Elevated temperatures speed up chlorine loss.					
INCOMPATIBILITY (Material to Avoid) : Acids, reducing agents, amines and ammonia.					
HAZARDOUS DECOMPOSITION PRODUCTS: Contact with acids will produce heat and release chlorine gas. Reducing agents can generate heat releasing chlorine. Contact with ammonia and nitrogen containing compounds can produce nitrogen gas and chloramines. Contact with aluminum or zinc may generate flammable hydrogen gas.					
REACTIVITY: not applicable					
IX - MSDS PREPARATION					
SOURCES USED:       RTECS, Supplier MSDS         PREPARATION DATE:       April 15, 2003	PREPARED BY: JohnsonDiversev Canada. Inc. Regulatory Department Food Division Phone (905) 829-1200				
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.					