



MATERIAL SAFETY DATA SHEET



I - PRODUC	MSDS ID: 2854				
PRODUCT NAME: VISCOCID					
USE: Acid Cleaner					
SUPPLIER:		EMERGENCY PHONE:			
JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		1-800-668-7171			
WHMIS CLASSIFICATION: B3 D2B E CHEMICAL FAMILY: mineral acid		TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable			
II - HAZARDOUS INGREDIENTS					
HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species	
Phosphoric acid	15-40	007664-38-2	LD50 1530 mg/kg	oral/rat	
N-tallow alkyl-2-2'-iminobis ethanol-n-oxide	3-7	061791-46-6	LD50 2000 mg/kg	oral/rat	
Diethylene glycol monobutyl ether Diethylene glycol monoethyl ether	1-5 1-5	000112-34-5 000111-90-0	LD50 5660 mg/kg LD50 5540 mg/kg	oral/rat oral/rat	
N-myristyl dimethylamine oxide	1-5	003332-27-2	not available	oraintat	
III - HANDLING AND DISPOSAL PROCEDURES					
PERSONAL PROTECTIVE EQUIPMENT: Gloves: Natural Rubber, Neoprene or Nitrile Eye: Safety goggles Footwear: Notrequired Respiratory: If mists are generated, use NIOSH approved mask Other: Rubber apron SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Do not breathe mist, spray or vapours . Avoid eye and skin contact. VENTILATION REQUIREMENTS: mechanical exhaust INCOMPATIBILITY (Material to Avoid): Alkaline and chlorinated materials. SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water. WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.					
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. UN1760					
IV - PHYSICAL PROPERTIES					
APPEARANCE / ODOUR: Light orange liquid					
S.G. / BULK DENSITY(g/cc): 1.2		pH: <1.0 VAPOUR DENSITY (air=1): not applicable			
VAPOUR PRESSURE (mmHg): not applicable ODOUR THRESHOLD: not available		VAPOUR DENSITY (air=1): not applicable BOILING POINT: 100°C			
FREEZING POINT: not available		PERCENT VOLATILE: 90%			
SOLUBILITY IN WATER: soluble		EVAPORATION RATE (water=1): not applicable			
V - TOXICOLOGICAL PROPERTIES					
EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: Corrosive. May cause severe irritation. May cause permanent damage if not treated promptly. SKIN: Corrosive. May cause severe irritation. May cause temporary or permanent damage if not treated promptly.					

INGESTION: Corrosive. May cause severe irritation of the digestive tract. May cause temporary or permanent damage if not treated promptly.				
INHALATION: May cause irritation of respiratory tract.	UN3264			
LD50 (calculated): 3950 mg/kg	LC50 (calculated): Not available			
OTHER TOXIC EFFECTS: Breathing vapours may cause delayed lung injury. TLV: (Phosphoric acide) TWA 1 mg/m3, STEL 3 mg/m3; (Diethylene glycol monoethyl ether) 100 mg/m3				
EFFECTS OF CHRONIC Not available. EXPOSURE TO MATERIAL:				
VI - FIRST AID MEASURES				
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.				
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.				
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.				
INHALATION: Remove patient to fresh air. Get medical attention for any breathing difficulty.				
VII - FIRE AND EXPLOSION DATA				
FLAMMABLE: Yes, combustible if heated.				
FLASH POINT, °C: 51	AUTO IGNITION TEMPERATURE,°C: N/Ap.			
EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon	Dioxide [x] Foam [x] Other []			
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.				
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitrogen.				
EXPLOSIVE SENSITIVITY TO: not applicable				
VIII - REACTIVITY DATA				
STABILITY: Stable [x] Unstable []				
CONDITIONS TO AVOID: not applicable				
INCOMPATIBILITY (Material to Avoid) : Alkaline and chlorinated materials. Aluminum, brass, copper, iron.				
HAZARDOUS DECOMPOSITION PRODUCTS: Contact with chlorinated materials will release chlorine gas. Contact with alkali will generate heat. Contact with soft metals forms flammable hydrogen gas.				
REACTIVITY: Not dangerously reactive.				
IX - MSDS PREPARATION				
SOURCES USED: RTECS	PREPARED BY: JohnsonDiversev Canada, Inc. Regulatory Department			
PREPARATION DATE: April 15, 2003	Food Division Phone (905) 829-1200			
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.				