



MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 2885						
PRODUCT NAME: D'SMOKE II						
USE: Exhaust Deposit Remover						
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		EMERGENCY PHONE: 1-800-668-7171				
WHMIS CLASSIFICATION: D2B E CHEMICAL FAMILY: caustic alkali			TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable			
II - HAZARDOUS INGREDIENTS						
HAZARDOUS INGREDIENT	% w/w	1	CAS #	LD50 / LC50	Route / Species	
Sodium hydroxide Ethylene glycol monobutyl ether Sodium nitrilotriacetate Alcohol ethoxylate	3-7 3-7 1-5 1-5		001310-73-2 000111-76-2 005064-31-3 068439-46-3	LDLo 500 mg/kg LD50 560 mg/kg LD50 1100 mg/kg LD50 1400 mg/kg	oral/rab oral/rat oral/rat oral/rat	
III - HANDLING AND DISPOSAL PROCEDURES						
PERSONAL PROTECTIVE EQUIPMENT: Gloves: impermeable gloves Eye: safety glasses Footwear: not required Respiratory: If mists are generated, use NIOSH approved mask Other: not required Image: Contain the spill on the spill on the spill of the spill of the spill area with large volumes of water. SPECIAL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water. WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations. STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container.						
IV - PHYSICAL PROPERTIES						
APPEARANCE / ODOUR: Pale yellow liquid. S.G. / BULK DENSITY(g/cc): 1.12 VAPOUR PRESSURE (mmHg): not available ODOUR THRESHOLD: not available FREEZING POINT: 0°C SOLUBILITY IN WATER: soluble			pH: (concentrate): > 13 VAPOUR DENSITY (air=1): not available BOILING POINT: approx. 100°C PERCENT VOLATILE: 80% EVAPORATION RATE (water=1): 1			
V - TOXICOLOGICAL PROPERTIES						
EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: Corrosive. May cause severe irritation. May cause permanent damage if not treated promptly. SKIN: Corrosive. May cause severe irritation. May cause temporary or permanent damage if not treated promptly. INGESTION: Corrosive. May cause severe irritation of the digestive tract. May cause permanent damage if not treated promptly.						

INHALATION: Breathing spray may cause respiratory irritation.						
LD50 (calculated): 4560 mg/kg	LC50 (calculated): not available					
OTHER TOXIC EFFECTS: none known						
EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: This product contains NTA. In laboratory tests, rats and mice continuously fed highly exaggerated doses of NTA showed evidence of urinary tract (bladder and kidney) toxicity, including cancer; lower doses showed none of these toxic effects. By ACGIH guidelines, NTA would not be considered an occupational (human) carcinogen of any practical significance.						
VI - FIRST AID MEASURES						
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.						
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.						
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.						
INHALATION: Remove patient to fresh air.						
VII - FIRE AND EXPLOSION DATA						
FLAMMABLE: No.						
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE,°C: N/Ap					
EXTINGUISHING MEDIA: Water [X] Dry Chemical [X] Carbon Dioxide [X] Foam [X] Other []						
SPECIAL FIRE FIGHTING PROCEDURES: not required						
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitrogen.						
EXPLOSIVE SENSITIVITY TO: not applicable						
VIII - REACT						
STABILITY: Stable [x] Unstable []						
CONDITIONS TO AVOID: not applicable						
INCOMPATIBILITY (Material to Avoid) : acidic materials						
HAZARDOUS DECOMPOSITION PRODUCTS: Heat released on contact with acids.						
REACTIVITY: not dangerously reactive						
IX - MSDS PR	EPARATION					
SOURCES USED: RTECS	PREPARED BY: JohnsonDiversey Canada, Inc. Regulatory Department					
PREPARATION DATE: April 15, 2003	Industrial Division Phone (905) 829-1200					
Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.						