



I - PRODUCT IDENTIFICATION AND USE

MSDS ID: 2918173

PRODUCT NAME: **LOW FOAMING OIL SPLITTING CLEANER 515**

USE: Low foaming oil splitting cleaner

SUPPLIER:

JohnsonDiversey Canada, Inc.
2401 Bristol Circle
Oakville Ontario, L6H 6P1, Canada

EMERGENCY PHONE:

1-800-668-7171

WHMIS CLASSIFICATION: D2B

CHEMICAL FAMILY: Alkali

TRADE NAME / SYNONYMS: not applicable

CHEMICAL NAME: not applicable

II - HAZARDOUS INGREDIENTS

HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species
Linear alcohol ethoxylate	1-5	068439-46-3	LD50 1378 mg/kg	oral/rat

III - HANDLING AND DISPOSAL PROCEDURES

PERSONAL PROTECTIVE EQUIPMENT:

Gloves: Natural Rubber or Neoprene

Eye: safety glasses

Footwear: not required

Respiratory: If mists are generated, use NIOSH approved mask

Other: not required

SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and prolonged skin contact. Do not breathe mists or spray.

VENTILATION REQUIREMENTS: general ventilation

INCOMPATIBILITY (Material to Avoid): Strong acids, strong oxidizers.

SPILL PROCEDURES: Contain the spill. Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water.

WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.

STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Avoid freezing.

IV - PHYSICAL PROPERTIES

APPEARANCE / ODOUR: Clear blue liquid; very mild odour.

S.G. / BULK DENSITY(g/cc): 1.06

pH: (concentrate) 9.5

VAPOUR PRESSURE (mmHg): not available

VAPOUR DENSITY (air=1): not available

ODOUR THRESHOLD: not available

BOILING POINT: approx. 100°C

FREEZING POINT: 0°C

PERCENT VOLATILE: 75%

SOLUBILITY IN WATER: soluble

EVAPORATION RATE (water=1): <1

V - TOXICOLOGICAL PROPERTIES

EFFECTS OF ACUTE EXPOSURE TO MATERIAL:

EYES: May cause irritation. No serious or irreversible effects expected if treated promptly.

SKIN: Repeated or prolonged contact may result in irritation.

INGESTION: May cause irritation of the digestive tract.

INHALATION: Breathing spray or mist may cause respiratory irritation.

LD50 (calculated): >5000 mg/kg oral/rat

LC50 (calculated): not available

OTHER TOXIC EFFECTS: TLV: Monoethanolamine 3 ppm.

EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: none known.

VI - FIRST AID MEASURES

EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.

SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.

INGESTION: Drink large volumes of water. Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician.

INHALATION: Remove patient to fresh air.

VII - FIRE AND EXPLOSION DATA

FLAMMABLE: No.

FLASH POINT, °C: not applicable

AUTO IGNITION TEMPERATURE, °C: N/Ap

EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []

SPECIAL FIRE FIGHTING PROCEDURES: not required.

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon, nitrogen.

EXPLOSIVE SENSITIVITY TO: not applicable

VIII - REACTIVITY DATA

STABILITY: Stable [x] Unstable []

CONDITIONS TO AVOID: Not applicable.

INCOMPATIBILITY (Material to Avoid) : Strong acids, strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS: Heat released on contact with acids.

REACTIVITY: not dangerously reactive.

IX - MSDS PREPARATION

SOURCES USED: RTECS

PREPARED BY: JohnsonDiversey Canada, Inc.
Regulatory Department
Industrial Division
Phone (905) 829-1200

PREPARATION DATE: April 15, 2003

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.