



I - PRODUCT IDENTIFICATION AND USE				MSDS ID: 2951	
PRODUCT NAME: VINTAGE					
USE: Protective Plastic Treatment					
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada			EMERGENCY PHONE: 1-800-668-7171		
WHMIS CLASSIFICATION: D2B			TRADE NAME / SYNONYMS: not applicable		
CHEMICAL FAMILY: not applicable			CHEMICAL NAME: not applicable		
II - HAZARDOUS INGREDIENTS					
HAZARDOUS INGREDIENT	% w/w	CAS #	LD50 / LC50	Route / Species	
Methoxy polyethylene glycol	7-13	009004-74-4	LD50 22000 mg/kg	oral/rat	
III - HANDLING AND DISPOSAL PROCEDURES					
PERSONAL PROTECTIVE EQUIPMENT:					
Gloves: not required		Eye: safety glasses		Footwear: not required	
Respiratory: If mists are generated, use NIOSH approved mask.		Other: not required			
SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye contact. Do not breathe mist or spray.					
VENTILATION REQUIREMENTS: general ventilation					
INCOMPATIBILITY (Material to Avoid): oxidizing materials					
SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal.					
WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.					
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container.					
IV - PHYSICAL PROPERTIES					
APPEARANCE / ODOUR: Yellow liquid					
S.G. / BULK DENSITY(g/cc): 1.02			pH: (concentrate): 8.0		
VAPOUR PRESSURE (mmHg): not available			VAPOUR DENSITY (air=1): not available		
ODOUR THRESHOLD: not available			BOILING POINT: approx. 100°C		
FREEZING POINT: not available			PERCENT VOLATILE: approx. 80%		
SOLUBILITY IN WATER: dispersable			EVAPORATION RATE (water=1): not available		
V - TOXICOLOGICAL PROPERTIES					
EFFECTS OF ACUTE EXPOSURE TO MATERIAL:					
EYES: May cause irritation. No serious or irreversible effects expected.					
SKIN: No serious or irreversible effects expected.					
INGESTION: May cause nausea. No serious or irreversible effects expected.					
INHALATION: Breathing spray or mist may cause respiratory irritation.					
LD50 (calculated): 22000 mg/kg			LC50 (calculated): not applicable		
OTHER TOXIC EFFECTS: none known					

EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: none known

VI - FIRST AID MEASURES

EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician.

SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.

INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician.

INHALATION: Remove patient to fresh air.

VII - FIRE AND EXPLOSION DATA

FLAMMABLE: No

FLASH POINT, °C: not applicable

AUTO IGNITION TEMPERATURE, °C: N/Ap.

EXTINGUISHING MEDIA: Water [x] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []

SPECIAL FIRE FIGHTING PROCEDURES: not required

HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.

EXPLOSIVE SENSITIVITY TO: not applicable

VIII - REACTIVITY DATA

STABILITY: Stable [x] Unstable []

CONDITIONS TO AVOID: not applicable

INCOMPATIBILITY (Material to Avoid) : oxidizing materials

HAZARDOUS DECOMPOSITION PRODUCTS: oxides of carbon

REACTIVITY: not dangerously reactive

IX - MSDS PREPARATION

SOURCES USED: RTECS, Supplier MSDS

PREPARED BY: JohnsonDiversey Canada, Inc.
Regulatory Department
Institutional Division
Phone (905) 829-1200

PREPARATION DATE: April 15, 2003

Information on this form is furnished in compliance with the Regulations respecting Controlled Products under the Hazardous Products Act and is not to be used for any other purpose, nor is it to be reproduced or published. JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any use of the material if reasonable safety procedures are not adhered to. In addition, JohnsonDiversey Canada assumes no responsibility for injury to any person or property resulting from any abnormal use or theft of the material, even if reasonable safety procedures are followed. Each user assumes the risk in his use of the material and should review the data and recommendations in the specific context of the intended use.