



MATERIAL SAFETY DATA SHEET



I - PRODUCT	ON AND USE	MSDS ID: 3137					
PRODUCT NAME: SCA 201							
USE: Iron Phosphatizer							
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle		EMERGENCY PHONE: 1-800-668-7171					
Oakville Ontario, L6H 6P1, Canada							
WHMIS CLASSIFICATION: E CHEMICAL FAMILY: Phosphoric acid		TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable					
II - HAZ	ZARDOU	S INGF	REDIENTS	1	1		
HAZARDOUS INGREDIENT	% w/w	1	CAS #	LD50 / LC50	Route / Species		
Phosphoric acid	5-10		007664-38-2	LD50 1530 mg/kg	oral/rat		
Sodium acid pyrophosphate	1-5		007758-16-9	LD50 3600 mg/kg	oral/rat		
Linear alcohol ethoxylate Linear fatty alchohol ethoxylate	1-5 1-5		068439-46-3 009002-92-0	LD50 5000 mg/kg LD50 4150 mg/kg	oral/rat oral/rat		
			L PROCEDURES	· · · · · · · · · · · · · · · · · · ·	υιαι/ται		
Respiratory: If mists are generated, use NIOSH approved mask Other: not required SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Avoid eye and skin contact. Do not breathe mist, spray or vapours. VENTILATION REQUIREMENTS: general ventilation INCOMPATIBILITY (Material to Avoid): Chlorinated or alkaline materials SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal. Wash spill area with large volumes of water. WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations. STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. UN1760							
	APPEARANCE / ODOUR: Clear, colourless liquid			pH: (Concentrate): 2.4			
S.G. / BULK DENSITY(g/cc): 1.09 VAPOUR PRESSURE (mmHg): not available		VAPOUR DENSITY (air=1): not available					
ODOUR THRESHOLD: not available			. ,	rox. 100°C			
FREEZING POINT: approx. 0°C				B0%			
SOLUBILITY IN WATER: soluble		EVAPORATION RATE (water=1): 1					
V - TOXICOLOGICAL PROPERTIES							
EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: Corrosive. May cause severe irritation. May cause permanent damage if not treated promptly. SKIN: Corrosive. May cause severe irritation. May cause temporary or permanent damage if not treated promptly. INGESTION: Corrosive. May cause severe irritation of the digestive tract.							

INHALATION: Breathing mist may cause respiratory irritation.	·					
LD50 (calculated): 11,270 mg/kg	LC50 (calculated): Not available					
OTHER TOXIC EFFECTS: Phosphoric Acid TWA 1 mg/m3, STEL 3 mg/m3						
EFFECTS OF CHRONIC None known. EXPOSURE TO MATERIAL:						
VI - FIRST AID MEASURES						
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.						
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.						
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.						
VII - FIRE AND EXPLOSION DATA						
FLAMMABLE: No						
FLASH POINT, °C: not applicable	AUTO IGNITION TEMPERATURE,°C: N/App.					
EXTINGUISHING MEDIA: Water [X] Dry Chemical [X] Carbon Dioxide [X] Foam [X] Other []						
SPECIAL FIRE FIGHTING PROCEDURES: not required.						
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.						
EXPLOSIVE SENSITIVITY TO: not applicable						
VIII - REACTIVITY DATA						
STABILITY: Stable [X] Unstable []						
CONDITIONS TO AVOID: not applicable						
INCOMPATIBILITY (Material to Avoid) : Alkaline or chlorinated materials.						
HAZARDOUS DECOMPOSITION PRODUCTS: Contact with alkali v gas.	5					
REACTIVITY: not dangerously reactive.						
IX - MSDS PREPARATION						
SOURCES USED: RTECS	PREPARED BY: JohnsonDiversev Canada. Inc.					
	Regulatory Department					
PREPARATION DATE: April 15, 2003	Industrial Division Phone (905) 829-1200					
Information on this form is furnished in compliance with the Regulations re- not to be used for any other purpose, nor is it to be reproduced or publishe person or property resulting from any use of the material if reasonable safet assumes no responsibility for injury to any person or property resulting from procedures are followed. Each user assumes the risk in his use of the material context of the intended use.	d. JohnsonDiversey Canada assumes no responsibility for injury to any ty procedures are not adhered to. In addition, JohnsonDiversey Canada n any abnormal use or theft of the material, even if reasonable safety					