## MATERIAL SAFETY DATA SHEET



## **PF 300**

HMIS NFPA			Personal protective equipment			
Health		3	3	~		mh
Fire Hazard		0	0			
Reactivity		0	0			
						LOCAL CONTRACTOR OF THE PARTY O

Version Number: 2 Preparation date: 2004-09-28

# PRODUCT AND COMPANY IDENTIFICATION

PF 300 Product name:

MSDS #: 32614500053

11060100, 11060040, 11060470, 11060150 Product code:

Recommended use: Disinfectant.

Manufacturer, importer, supplier:

**US** Headquarters Canadian Headquarters JohnsonDiversey, Inc. JohnsonDiversey - Canada, Inc. 8310 16th St. 2401 Bristol Circle Sturtevant, Wisconsin 53177-0902 Oakville, Ontario L6H 6P1

Phone: 1-888-352-2249 MSDS Internet Address: www.johnsondiversey.com

Emergency telephone number: 1-800-851-7145 (Prosar); 1-651-917-6133 (Int'l Prosar); 01-800-710-3400 (México)

Phone: 1-800-668-3131

## 2. HAZARDS IDENTIFICATION

# EMERGENCY OVERVIEW

DANGER. CORROSIVE. HARMFUL IF SWALLOWED OR INHALED. CAUSES SKIN IRRITATION. Prolonged or repeated skin contact may cause allergic reactions in some individuals . Causes asthmatic signs and symptoms in sensitive individuals

Principle routes of exposure: Eyes. Skin. Inhalation.

Corrosive. May cause permanent damage. Prolonged or repeated skin contact may cause allergic Skin contact:

reactions in some individuals.

Corrosive. Causes irreversible eye damage . Eye contact:

Inhalation: May cause irritation and corrosive effects to nose, throat and respiratory tract. Causes asthmatic signs and

symptoms in sensitive individuals.

Ingestion: Corrosive. Causes burns to mouth, throat and stomach.

# 3. COMPOSITION/INFORMATION ON INGREDIENTS

# **HAZARDOUS COMPONENTS**

Ingredient	CAS#	Weight %	LD50 Oral	LD50 Dermal	LC50 Inhalation
Ethyl alcohol	64-17-5	0.1 - 1.5%	7060 mg/kg (rat)	Not available	20 g/kg/10H (rat)
Glutaraldehyde	111-30-8	100	134 mg/kg (rat)	.56 mL/kg (rabbit)	480 mg/m <sup>3</sup> (rat)

# 4. FIRST AID MEASURES

Immediately flush eyes with running water for 15-30 minutes . Eye contact:

Skin contact: Immediately flush skin with running water for 15-30 minutes. Remove and wash contaminated clothing

and footwear before re-use.

Inhalation: If breathing is affected, remove to fresh air. Get medical attention immediately.

Do not induce vomiting. Immediately drink one cupful of water or milk. Never give anything by mouth to an Inaestion:

unconscious person. Get medical attention immediately.

Persons with pre-existing respiratory conditions should be particularly careful about possible respiratory **Aggravated Medical Conditions:** 

effects, Individuals with chronic respiratory disorders such as asthma, chronic bronchitis, emphysema,

etc., may be more susceptible to irritating effects.

PF 300 1 of 3

## 5. FIRE-FIGHTING MEASURES

Suitable extinguishing media: Use dry chemical, CO2, water spray or "alcohol" foam.

Specific hazards: Not applicable **Unusual hazards:** None known

Specific methods: No special methods required

Special protective equipment for firefighters: As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or

equivalent) and full protective gear

Extinguishing media which must not be used for safety reasons: No information available

# 6. ACCIDENTAL RELEASE MEASURES

Personal precautions: Put on appropriate personal protective equipment (see Section 8.).

**Environmental precautions** Prevent product from entering drains. Soak up with inert absorbent material. Sweep up and shovel into

and clean-up methods: suitable containers for disposal. Use a water rinse for final clean-up.

## 7. HANDLING AND STORAGE

## Handling:

Access to treated areas should be prohibited without the use of suitable PPE for a minimum period of 4 hours after spraying. Avoid contact with skin, eyes and clothing. Wash thoroughly after handling. Do not taste or swallow. Avoid breathing vapors or mists. Use only with adequate ventilation. Wear natural rubber, nitrile, or butyl gloves, a disposable, chemical resistant full-bodysuit, rubber boots, and a full face respirator fitted with a combination cartridge filter comprising a P3SL particle filter and an A2 organic vapor filter or equivalent FOR COMMERCIAL AND INDUSTRIAL USE ONLY. Storage:

Keep tightly closed in a dry, cool and well-ventilated place. Protect from freezing. Keep out of the reach of children.

### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

## Engineering measures to reduce exposure:

None known.

solvents:

**Personal Protective Equipment** 

Eye protection: Chemical splash goggles .

Hand protection: Chemical resistant gloves . Includes . rubber gloves. Disposable one-piece overall with integral hood. Skin and body protection:

Respiratory protection: Wear a full face respirator fitted with a combination cartridge filter comprising a P3SL particle filter and an

A2 organic vapor filter or equivalent

Hygiene measures: Handle in accordance with good industrial hygiene and safety practice

Ingredient	CAS#	ACGIH	OSHA	Mexico
Ethyl alcohol	64-17-5	1000 ppm (TWA)	1900 mg/m³ 1000 ppm (TWA)	1900 mg/m³ (TWA)
Glutaraldehyde	111-30-8	0.05 ppm (Ceiling)	0.8 mg/m³ 0.2 ppm (CEILING)	0.7 mg/m³ (Ceiling)

# 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Liquid Appearance: Liquid

Boiling point/range: >200 (°F)>100 (°C) Colourless Color: Odor. Slight Melting point/range: Not determined Specific gravity: 1.02 g/cc :Ha 4.05

Dilution pH: Density: 1.02 g/ml

**Bulk density:** No information available **Decomposition temperature:** Not determined Vapor density: No information available Autoignition temperature: No information available

Solubility: **Evaporation rate:** No information available Soluble Solubility in other No information available VOC: 12.84%

Viscosity: No information available

Flash point: >200 (°F) >100 (°C)

Partition coefficient (n-octanol/water): No information available

# 10. STABILITY AND REACTIVITY

Stability: The product is stable

Polymerization: Hazardous polymerisation does not occur

Hazardous decomposition products: None reasonably foreseeable

Materials to avoid: Strong bases. Strong oxidising agents.

Conditions to avoid: Do not freeze.

PF 300 2 of 3

# 11. TOXICOLOGICAL INFORMATION

Acute toxicity Oral, LD50 estimated to be between 200 - 2000 mg/kg.

Component Information: See Section 3

Chronic toxicity: Repeated or prolonged skin contact may cause skin irritation and/or dermatitis and sensitisation of

susceptible persons.. Causes asthmatic signs and symptoms in sensitive individuals .

**Specific effects** 

Carcinogenic effects:None knownMutagenic effects:None knownReproductive toxicity:None knownTarget organ effects:None known

# 12. ECOLOGICAL INFORMATION

Environmental Information: When used for its intended purpose this product should not cause adverse effects in the environment

## 13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:

Dispose of according to all federal, state and local applicable regulations

RCRA Hazard Class: D002

## 14. TRANSPORT INFORMATION

**DOT/TDG:** Please refer to the Bill of Lading/receiving documents for up to date shipping information

## 15. REGULATORY INFORMATION

### **International Inventories**

All components of this product are listed on the following inventories: U.S.A. (TSCA), Canada (DSL/NDSL), Europe (EINECS/ELINCS/NLP), Australia (AICS), Japan (ENCS), Philippines (PICCS), China (IECSC).

#### U.S. Regulations

California Proposition 65: This product is not subject to the reporting requirements under California's Proposition 65

### STATE RIGHT TO KNOW

CIAIL RIGITI TO RIGOT							
Ingredient	CAS#	MARTK:	NJRTK:	PARTK:	RIRTK:	ILRTK:	CTRTK:
Water	7732-18-5	-	-	-	-	-	-
Ethyl alcohol	64-17-5	Listed	Listed	Listed	Listed	Listed	Listed
Didecyl dimethyl ammonium chloride	7173-51-5	-	-	-	-	-	ı
Glutaraldehyde	111-30-8	Listed	Listed	Listed	Listed	Listed	-

# **CERCLA / SARA**

Ingredient	CAS#	Weight %	RQ	Section 302/TPQs	Section 313
Ethyl alcohol	64-17-5	0.1 - 1.5%	100 LBS		

## <u>Canada</u>

WHMIS hazard class: E Corrosive material .



**DIN No.:** 02248634

## **16. OTHER INFORMATION**

Reason for revision:
Prepared by:
Additional advice:
Not applicable
NAPRAC
None

Notice to Reader: This document has been prepared using data from sources considered technically reliable. It does not constitute a warranty, express or implied, as to the accuracy of the information contained within. Actual conditions of use and handling are beyond seller's control. User is responsible to evaluate all available information when using product for any particular use and to comply with all Federal, State, Provincial and Local laws and regulations.

PF 300 3 of 3