



MATERIAL SAFETY DATA SHEET



I - PRODUCT IDENTIFICATION AND USE MSDS ID: 3952						
PRODUCT NAME: RUST PREVENT 101						
USE: Solvent-base Rust Preventative; Inside Storage						
SUPPLIER: JohnsonDiversey Canada, Inc. 2401 Bristol Circle Oakville Ontario, L6H 6P1, Canada		EMERGENCY PHONE: 1-800-668-7171				
WHMIS CLASSIFICATION: B2 D2B CHEMICAL FAMILY: Solvent		TRADE NAME / SYNONYMS: not applicable CHEMICAL NAME: not applicable				
II - HAZARDOUS INGREDIENTS						
HAZARDOUS INGREDIENT	% w/w	1	CAS #	LD50 / LC50	Route / Species	
Stoddard solvent Paraffin	60-100 7-13 1-5)	008052-41-3 008002-74-2	LD50 >5000mg/kg not available	oral/rat n/a	
Lanolin 1-5 008006-54-0 not available n/a					II/a	
PERSONAL PROTECTIVE EQUIPMENT: Gloves: natural rubber or neoprene Eye: safety goggles Footwear: not required Respiratory: If mists are generated, use NIOSH approved mask Other: not required SPECIAL HANDLING PROCEDURES AND EQUIPMENT: Do not breathe mist or spray. Avoid eye contact. VENTILATION REQUIREMENTS: general ventilation INCOMPATIBILITY (Material to Avoid): Strong oxidizing agents, strong acids, strong alkalis SPILL PROCEDURES: Contain the spill. Do not allow the spilled product to go to drain. Mop up or soak up with absorbent clay for disposal. WASTE DISPOSAL: Dispose according to municipal, provincial, and federal regulations.						
STORAGE / SHIPPING REQUIREMENT: Store in a cool dry area in a closed container. Keep away from open flame. UN1993 IV - PHYSICAL PROPERTIES						
APPEARANCE / ODOUR: Clear, brown liquid; mild odour S.G. / BULK DENSITY(g/cc): 0.795 VAPOUR PRESSURE (mmHg): 2 @ 20°C ODOUR THRESHOLD: not available FREEZING POINT: not available		pH: not applicable VAPOUR DENSITY (air=1): 5.0 BOILING POINT: >157°C PERCENT VOLATILE: 85%				
SOLUBILITY IN WATER: <1%		EVAPORATION RATE (water=1): <1				
V - TOXIC EFFECTS OF ACUTE EXPOSURE TO MATERIAL: EYES: May cause irritation. SKIN: Repeated or prolonged contact may result in irri INGESTION: May cause severe irritation of the digestive tract INHALATION: No serious or irreversible effects expected.	itation.	AL PR	OPERTIES			

LD50 (calculated): >5000 mg/kg	LC50 (calculated): not applicable					
OTHER TOXIC EFFECTS: Stoddard Solvent TLV 525 mg/m3						
EFFECTS OF CHRONIC None known EXPOSURE TO MATERIAL:						
VI - FIRST AID MEASURES						
EYES: Flush eyes with plenty of water for at least 15 minutes. Hold eyelids open while rinsing. Contact a physician immediately.						
SKIN: Flush affected area thoroughly with water. If irritation develops, contact a physician.						
INGESTION: Drink large volumes of water . Never give anything by mouth to an unconscious patient. Do not induce vomiting. Contact a physician immediately.						
INHALATION: Remove patient to fresh air. VII - FIRE AND EXPLOSION DATA						
FLAMMABLE: Yes, ignited by spark or open flame. FLASH POINT, °C: 32°C (TCC)	AUTO IGNITION TEMPERATURE,°C: >200°C					
EXTINGUISHING MEDIA: Water [] Dry Chemical [x] Carbon Dioxide [x] Foam [x] Other []						
SPECIAL FIRE FIGHTING PROCEDURES: Wear self-contained breathing apparatus.						
HAZARDOUS COMBUSTION PRODUCTS: Oxides of carbon.						
EXPLOSIVE SENSITIVITY TO: not available						
VIII - REACTIVITY DATA						
STABILITY: Stable [x] Unstable []						
CONDITIONS TO AVOID: Keep away from open flame, high temperature.						
INCOMPATIBILITY (Material to Avoid) : Strong oxidizers, strong						
HAZARDOUS DECOMPOSITION PRODUCTS: Heat released on contact with oxidizing materials. Heat released on contact with acids.						
REACTIVITY: not dangerously reactive.						
IX - MSDS PREPARATION						
SOURCES USED: RTECS, ChemInfo.	PREPARED BY: JohnsonDiversey Canada, Inc.					
	Regulatory Department Industrial Division					
PREPARATION DATE: April 15, 2003	Phone (905) 829-1200					
Information on this form is furnished in compliance with the Regulations res not to be used for any other purpose, nor is it to be reproduced or published person or property resulting from any use of the material if reasonable safet assumes no responsibility for injury to any person or property resulting from procedures are followed. Each user assumes the risk in his use of the material context of the intended use.	d. JohnsonDiversey Canada assumes no responsibility for injury to any ty procedures are not adhered to. In addition, JohnsonDiversey Canada n any abnormal use or theft of the material, even if reasonable safety					