### MATERIAL SAFETY DATA SHEET

Page 1 of 3 Revised 10/07/04 Replaces 2/02/04

#### AUTO-FLOOR HI-SPEED GLOSS RESTORER

Printed 12/21/04

MSDS ID: 41179

# I. CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

Product Name: AUTO-FLOOR HI-SPEED GLOSS RESTORER

Product Descriptor: FLOOR FINISH

MANUFACTURER:

AUTO CHLOR SYSTEM 746 POPLAR AVENUE MEMPHIS, TN. 38105

EMERGENCY PHONE NUMBERS:

CUSTOMER SERVICE: (800)477-3693 MEDICAL (COLLECT): (303)592-1024 CHEMTREC: (800)424-9300

### II. HAZARDOUS COMPONENTS

CAS Number % Exposure Limits Units Component Name 5989-27-5 1 - 5% None Established D-LIMONENE

# III. HAZARDS IDENTIFICATION

POSSIBLE ROUTES OF ENTRY: Eye contact. Skin contact. Inhalation.

SIGNS AND SYMPTOMS OF OVEREXPOSURE:

ACUTE: EYES: May be mildly irritating to eyes. SKIN: May be mildly

irritating to skin. INGESTION: None known. INHALATION: None

known.

CHRONIC: Same as acute effects.

MEDICAL CONDITIONS GENERALLY AGGRAVATED BY EXPOSURE: NONE KNOWN.

TARGET ORGAN(S) OF CHEMICAL HAZARD(S): Eyes and skin.

### IV. FIRST AID MEASURES

Flush immediately with plenty of water. Get medical attention if EYES:

irritation occurs.

Flush immediately with plenty of water. Get medical attention if SKIN:

irritation occurs.

INGESTION: No specific first aid measures are required. INHALATION: No specific first aid measures are required.

### V. FIRE FIGHTING MEASURES

FLASH POINT (degrees F):N/D FLAME EXTENSION: N/A FLAMMABLE LIMITS IN AIR BY VOLUME: LEL: N/E UEL: N/E

UNUSUAL FIRE OR EXPLOSIVE HAZARDS: Toxic fumes or vapor may form during fire. EXTINGUISHING MEDIA: Water, water spray, CO2, foam or dry powder.

FIRE FIGHTING INSTRUCTIONS: Wear full protective gear and positive pressure breathing apparatus SCBA) in fire area.

SPECIAL INSTRUCTIONS: Spilled product may cause slippery surface and fall hazard.

### MATERIAL SAFETY DATA SHEET

Page 2 of 3 Revised 10/07/04 Replaces 2/02/04 Printed 12/21/04

#### AUTO-FLOOR HI-SPEED GLOSS RESTORER

MSDS ID: 41179

# VI. ACCIDENTAL RELEASE MEASURES

IF MATERIAL IS RELEASED OR SPILLED: Contain spill. Wear protective clothing. Soak up or absorb liquid on suitable absorbent material. Collect and place in chemical waste container. Dispose of in accordance with local, State and Federal regulations. Flush spill area with water. This product does not contain a reportable quantity (RQ) under CERCLA.

### VII. HANDLING AND STORAGE

HANDLING AND STORAGE PRECAUTIONS: Avoid contact with eyes and skin. FOR COMMERCIAL & INDUSTRIAL USE ONLY Protect from freezing. Store in a dry, cool and well-ventilated area. KEEP OUT OF REACH OF CHILDREN.

## VIII. EXPOSURE CONTROLS/PERSONAL PROTECTION

EYE/FACE PROTECTION: No special requirements under normal use conditions. PROTECTIVE GLOVES: No special requirements under normal use conditions. RESPIRATORY PROTECTION: No special requirements under normal use conditions. OTHER PROTECTIVE CLOTHING/EQUIPMENT: No special protective clothing is required.

ENGINEERING CONTROLS:

VENTILATION: No special ventilation requirements. General room ventilation is adequate.

### IX. PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE AND ODOR: Off-white liquid, citrus odor.

BOILING POINT (DEG F): 212 FREEZING POINT: 32 F

SPECIFIC GRAVITY/BULK DENSITY: 1.0228

ph: 9.0 ph 1% SOLUTION: N/A VOLATILE BY VOLUME: 97.82 WEIGHT % SOLIDS: 2.18

SOLUBILITY IN WATER: Soluble

VAPOR PRESSURE(mmHg): 17.5 at 20 C VAPOR DENSITY: 17.3

### X. STABILITY AND REACTIVITY

CHEMICAL STABILITY: Product stable.

INCOMPATIBILITY WITH OTHER MATERIALS: None known

HAZARDOUS DECOMPOSITION PRODUCTS:

Incomplete combustion forms; oxides of carbon

HAZARDOUS POLYMERIZATION: None known.

#### XI. TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: No data available.

TOXICITY TEST DATA:

No data available.

### MATERIAL SAFETY DATA SHEET

Page 3 of 3 Revised 10/07/04 Replaces 2/02/04 Printed 12/21/04

#### AUTO-FLOOR HI-SPEED GLOSS RESTORER

MSDS ID: 41179

### XII. ECOLOGICAL INFORMATION

ECOTOXICITY TEST DATA:

No data available.

ENVIRONMENTAL FATE: No data available.

### XIII. DISPOSAL CONSIDERATIONS

RCRA REGULATED: Not Regulated.

WASTE DISPOSAL METHOD: Discharge diluted product to industrial sewer in accordance with discharge permit or local POTW regulations. Use product in container until empty. Rinse container with water. Recycle or dispose of container according to product labeling or governmental regulations.

### XIV. TRANSPORT INFORMATION

Please refer to the Bill of Lading/receiving documents for up to date shipping information.

### XV. REGULATORY INFORMATION

TSCA: All ingredients in this product are on TSCA inventory.

CERCLA/EPCRA:

Section 313 Toxic Chemicals:

NONE

LISTED CARCINOGEN: None

NTP: NO IARC: NO OSHA: NO

HMIS RATINGS: HEALTH: 1 FIRE: 0 REACTIVITY: 0

PERSONAL PROTECTIVE EQUIPMENT: Not normally required.

NFPA RATING: HEALTH: 1 FIRE: 0 REACTIVITY:0 SPECIAL:NONE

STATE RIGHT-TO-KNOW INFORMATION:

D-LIMONENE - CAS #5989-27-5

WATER - CAS #7732-18-5

CALIFORNIA PROPOSITION 65:

None of the ingredients are on the California proposition 65 list.

### XVI. OTHER INFORMATION

Disclaimer: The information contained in this material safety data sheet is based on the knowledge of this specific product and current national legislation. It applies to the product as sold, use dilutions may be less hazardous. It may not be valid for this material if used in combination with any other materials or in a process. It is the user's responsibility to evaluate the handling, and use.